

**Peer-Reviewed Publications**

1. Mittendorf R, **Williams MA**, Berkey CS, Cotter PF. The length of uncomplicated human gestation. *Obstet Gynecol* 1990;75:929-932.
2. Mittendorf R, **Williams MA**. Rh (D) immune globulin (RhoGAM<sup>TM</sup>): how it came into being. *Obstet Gynecol* 1991;77:301-303.
3. **Williams MA**, Mittendorf R, Lieberman E, Monson RR, Schoenbaum SC, Genest DR. Cigarette smoking during pregnancy in relation to placenta previa. *Am J Obstet Gynecol* 1991;164:28-32.
4. **Williams MA**, Mittendorf R, Lieberman E, Monson RR. Adverse infant outcomes associated with first trimester vaginal bleeding. *Obstet Gynecol* 1991;78:14-18.
5. **Williams MA**, Goldman MB, Mittendorf R, Monson RR. Subfertility and the risk of low birth weight. *Fertil Steril* 1991;56:668-671.
6. **Williams MA**, Lieberman E, Mittendorf R, Monson RR, Schoenbaum SC. Risk factors for abruptio placentae. *Am J Epidemiol* 1991;134:965-972.
7. **Williams MA**, Mittendorf R, Stubblefield PG, Lieberman E, Schoenbaum SC, Monson, RR. Cigarettes, coffee and preterm premature rupture of the membranes. *Am J Epidemiol* 1992;135:895-905.
8. **Williams MA**, Mittendorf R, Stubblefield PG, Lieberman E, Schoenbaum SC, Monson, RR. Risk factors for preterm premature rupture of the membranes. *J Maternal-Fetal Med* 1993;2:27-33.
9. **Williams MA**, Mittendorf R, Monson RR. Chronic hypertension, cigarette smoking and abruptio placentae. *Epidemiology* 1991;2:450-453.
10. Mittendorf R, **Williams MA**, Kass EH. Prevention of preterm delivery and low birth weight associated with asymptomatic bacteriuria. *Clinical Infectious Diseases* 1992;14:927-932.
11. **Williams MA**, Mittendorf R. Is advancing maternal age a more important determinant of placenta previa than is increasing parity? *J Reprod Med* 1993;38:425-428.
12. Peifer M, Rauskolb C, **Williams M**, Riggleman B, Wieschaus E. The segment polarity gene *armadillo* interacts with the *wingless* signaling pathway in both embryonic and adult pattern formation. *Development* 1991;111:1029-1043.
13. Mittendorf R, **Williams MA**, Berkey CS, Lieberman E, Monson, RR. Predictors of human gestational length. *Am J Obstet Gynecol* 1993;168:480-484.

14. Hickok DE, Gordon DC, Milberg JA, **Williams MA**, Daling JR. The frequency of breech presentation by gestational age at birth: a large population-based study. *Am J Obstet Gynecol* 1992;166:851-852.
15. Genest DR, **Williams MA**, Greene MF. Estimating the time of death in stillborn fetuses: I. Histologic evaluation of fetal organs. An autopsy study of 150 stillborns (1980-1991). *Obstet Gynecol* 1992;80:575-584.
16. **Williams MA**, Hickok DE, Zingheim RW, Luthy DA, Kimelman J, Nyberg D, Mahony BS. Elevated maternal serum alpha-fetoprotein and midtrimester placental abnormalities in relation to subsequent adverse pregnancy outcomes. *Am J Obstet Gynecol* 1992;167:1032-1037.
17. **Williams MA**, Hickok DE, Zingheim RW, Mittendorf R, Luthy DA, Kimelman J, Nyberg D, Mahony BS. Low birth weight and preterm delivery in relation to early-gestational vaginal bleeding and elevated maternal serum alpha-fetoprotein. *Obstet Gynecol* 1992;80:745-749.
18. Nyberg DA, Resta RG, Luthy DA, Hickok DE, **Williams MA**. Humerus and femur length shortening in the detection of Down syndrome. *Am J Obstet Gynecol* 1993;168:534-538.
19. Cheng EY, Luthy DA, Zebelman AM, **Williams MA**, Lieppman RE, Hickok DE. A prospective evaluation of a second-trimester screening test for fetal Down Syndrome using maternal serum alpha-fetoprotein, hCG and unconjugated estriol. *Obstet Gynecol* 1993;81:72-77.
20. Lieppman RE, **Williams MA**, Cheng EY, Resta RG, Zingheim R, Hickok DE, Luthy DA. An association between elevated levels of human chorionic gonadotropin in the midtrimester and adverse pregnancy outcomes. *Am J Obstet Gynecol* 1993;168:1852-1857.
21. Mittendorf R, Aronson MP, Berry RE, **Williams MA**, Kupelnick B, Klickstein A, Chalmers TC. Serious infections associated with total abdominal hysterectomy: a meta-analysis of antibiotic prophylaxis. *Am J Obstet Gynecol* 1993;169:1119-1124.
22. Sorensen T, **Williams MA**, Zingheim RW, Clement S, Hickok DE. Elevated second trimester human chorionic gonadotropin and pregnancy induced hypertension. *Am J Obstet Gynecol* 1993;169:834-838.
23. Reisner DP, Mahony BS, Petty CN, Nyberg DA, Zingheim RW, **Williams MA**, Luthy, DA. Stuck twin syndrome: outcome in thirty-seven consecutive cases. *Am J Obstet Gynecol* 1993;169:991-995.
24. **Williams MA**, Hickok DE, Zingheim RW, Zebelman AM. Maternal serum CA 125 levels in the diagnosis of abruptio placentae. *Obstet Gynecol* 1993;82:808-812.
25. \*Velentgas P, Benga-De E, **Williams MA**. Chronic hypertension, pregnancy-induced hypertension, and low birth weight. *Epidemiology* 1994;5:345-348.

26. **Williams MA**, Kenya P, Mati JG, Thomas DB. Risk factors for invasive cervical cancer among Kenyan women. *Int J Epidemiol* 1994;23:906-912.
27. Mittendorf R, **Williams MA**, Kennedy JL, Berry RE, Herschel M, Aronson MP, Davidson KM. An hypothesis to explain the paradoxical racial differences in neonatal mortality. *Am J Prev Med* 1993;9:327-330.
28. Sohaey R, Nyberg DA, Sickler GK, **Williams MA**. Idiopathic polyhydramnios: association with fetal macrosomia. *Obstet Ultrasound* 1994;190:393-396.
29. Mittendorf R, Herschel M, **Williams MA**, Hibbard JU, Moawad AH, Lee K-s. Reducing the frequency of low birth weight in the United States. *Obstet Gynecol* 1994;83:1056-1059.
30. Kamitsuka MD, **Williams MA**, Nyberg DA, Fox KA, Lee DL, Hickok DE. Renal calcification: a complication of dexamethasone therapy in preterm infants with bronchopulmonary dysplasia. *J Perinatol* 1995;15:359-363.
31. \*Bradley CM, Alderman BW, **Williams MA**, Checkoway H, Fernbach SK, Greene C, Bigalow PL, Reif JS: Parental occupations as risk factors for craniosynostosis in offspring. *Epidemiology* 1995;6:306-310.
32. **Williams MA**, Zingheim RW, King IB, Zebelman AM. Marine polyunsaturated fatty acids in maternal erythrocytes and risk of preeclampsia. *Epidemiology* 1995;6:232-237.
33. **Williams MA**, Luthy, Zingheim RW, Hickok DE. Preinduction prostaglandin E<sub>2</sub> gel prior to induction of labor in women with a previous cesarean section. *Gynecol Obstet Invest* 1995;40:89-93.
34. **Williams MA**, Hickok DE, Zingheim RW, Zebelman AM, Mittendorf R, Luthy DA. A longitudinal study of maternal serum human chorionic gonadotropin levels during pregnancy. *Gynecol Obstet Invest* 1995;40:158-161.
35. Mittendorf R, **Williams MA**, Aronson MP, Berry RE, Kupelnick B, Chalmers TC. Use of prophylactic tinidazole to avoid the serious infections associated with total abdominal hysterectomy. *Aust N Zealand J Obstet Gynaecol* 1995;35:314-315.
36. Nyberg DA, Luthy DA, Sheley RC, Cheng EY, Resta RG, **Williams MA**. Role of prenatal ultrasound in women with positive screen for Down syndrome based on maternal serum markers. *Am J Obstet Gynecol* 1995;173:1030-1035.
37. \*Sanderson M, **Williams MA**, Malone KE, Stanford JL, Emanuel I, White E, Daling JR. Perinatal factors and risk of breast cancer. *Epidemiology* 1996;7:34-37.
38. \*Bratton SL, Shoultz DA, **Williams MA**. Recurrence risk of low birth weight deliveries among women with a prior very low birth weight delivery. *Am J Perinatol* 1996;13:147-150.

39. \*Ananth CV, Savitz DA, **Williams MA**. Incidence and recurrence of placental abruption and its association with hypertension and prolonged rupture of the membranes: a methodological review and meta-analysis. *Am J Obstet Gynecol* 1996;88:309-318.
40. Mittendorf R, Lain KY, **Williams MA**, Walker CK. Urinary tract infections and other risk factors for preeclampsia. *J Repro Med* 1996;41:491-496.
41. **Williams MA**, Luthy DA, Zingheim RW, Zebelman AM, Sorensen TK, Resta RG. Urinary gonadotropin peptide (UGP) levels in preeclamptic and normotensive pregnant women: results from a pilot case-control study. *Gynecol Obstet Invest* 1998;45:24-28.
42. Mahomed K, **Williams MA**, Woelk GB, Jenkins-Woelk L, Mudzamiri S, Longstaff S, Sorensen TK. Risk factors for preeclampsia among Zimbabwean women: maternal arm circumference and other anthropometric measures of obesity. *Paediatr and Perinatal Epidemiol* 1998;12:253-262.
43. \*Moran PJ, Welles SL, **Williams MA**. The interrelation of maternal immune competence, HIV-1 viral load, and nutritional status in preventing vertical transmission: an alternative to chemoprophylaxis? *Medical Hypotheses* 1998;51:389-397.
44. \*Sanderson M, **Williams MA**, White E, Daling JR, Holt VL, Malone KE, Self SG, Moore DE. Validation and reliability of subject and mother reporting of perinatal factors. *Am J Epidemiol* 1998;147:136-140.
45. \*Sanderson M, **Williams MA**, Daling JR, Holt VL, Malone KE, Self SG, Moore DE. Maternal factors and breast cancer risk among young women. *Paediatr and Perinatal Epidemiol* 1998;12:397-407.
46. \*Moran P, Nhandara C, Hove I, Charimari L, Katito C, Bradley M, for the University of Washington/University of Zimbabwe Field Epidemiology Research Team. Contamination of traditional drinking water sources during a period of extreme drought in the Zvimba communal lands, Zimbabwe. *Central African Med Journal* 1997;43:316-321.
47. Mahomed K, **Williams MA**, Woelk GB, Jenkins-Woelk L, Mudzamiri S, Madzime S, Sorensen TK. Risk factors for preeclampsia among Zimbabwean women: recurrence risk and familial tendency towards hypertension. *J Obstet Gynaecol* 1998;18:218-222.
48. Rossing MA, Voigt LF, Wicklund KG, **Williams MA**, Daling JR. Use of exogenous hormones and risk of papillary thyroid cancer. *Cancer Causes and Control* 1998;9:341-349.
49. **Williams MA**, King IB, Sorensen TK, Zingheim RW, Troyer BL, Zebelman AM, Luthy DA. Risk of preeclampsia in relation to elaidic acid (*trans* fatty acid) in maternal erythrocytes. *Gynecol Obstet Invest* 1998;46:84-87.
50. \*Atkinson JO, Mahomed K, **Williams MA**, Woelk GB, Mudzamiri S, Weiss NS. Dietary risk factors for preeclampsia among Zimbabwean women. *Central African Med Journal* 1998;44:86-92.

51. **Williams MA**, Farrand A, Mittendorf R, Sorensen TK, Zingheim RW, O'Reilly GO, King IB, Zebelman AM, Luthy DA. Maternal second-trimester serum tumor necrosis factor- $\alpha$  soluble receptor p55 (sTNFp55) and subsequent risk of preeclampsia. *Am J Epidemiol* 1999;149:323-329.
52. **Williams MA**, Mahomed K, Farrand A, Woelk GB, Mudzamiri S, Madzime S, King IB, McDonald GB. Plasma tumor necrosis factor- $\alpha$  soluble receptor p55 (sTNFp55) concentrations in eclamptic, preeclamptic and normotensive pregnant Zimbabwean women. *J Repro Immunol* 1998;40:159-173.
53. \*Shapiro JA, **Williams MA**, Weiss NS, Stergachis A, LaCroix AZ, Barlow WE. Hypertension, antihypertensive medication use, and risk of renal cell carcinoma. *Am J Epidemiol* 1999;149:521-530.
54. \*Shapiro JA, **Williams MA**, Weiss NS. Body mass index and risk of renal cell carcinoma. *Epidemiol* 1999;10:188-191.
55. Nyberg DA, Luthy DA, Resta RG, Nyberg BC, **Williams MA**. Age-adjusted ultrasound risk assessment for fetal Down's syndrome during the second trimester: description of the methods and analysis of 142 cases. *Ultrasound Obstet Gynecol* 1998;12:8-14.
56. **Williams MA**, Havel PJ, Schwartz MW, Leisenring WM, King IB, Zingheim RW, Zebelman AM, Luthy DA. Preeclampsia disrupts the normal relationship between serum leptin concentrations and adiposity in pregnant women. *Paediatr and Perinatal Epidemiol* 1999;13:190-204.
57. Sorensen TK, Malinow MR, **Williams MA**, King IB, Luthy DA. Elevated second trimester serum homocyst(e)ine levels and subsequent risk of preeclampsia. *Gynecol Obstet Invest* 1999;48:98-103.
58. \*Kamineneni A, **Williams, MA**, Schwartz SM, Cook LS, Weiss NS. The incidence of gastric carcinoma in Asian migrants to the United States and their descendants. *Cancer Causes and Control* 1999;10:77-83.
59. \*Velentgas P, Daling JR, Malone KE, Weiss NS, **Williams MA**, Self SG, Mueller BA. Pregnancy after breast cancer: outcomes and influence on mortality. *Cancer* 1999;85:2324-2432.
60. Emanuel I, Leisenring W, **Williams MA**, Kimpo C, O'Brien W, Hale CB. The Washington State intergenerational study of birth outcomes: Methodology and some comparisons of maternal birth weight and infant birth weight and gestation in four ethnic groups. *Paediatr and Perinatal Epidemiol* 1999;13:352-371.
61. Rajkovic A, Mahomed K, Malinow MR, Sorensen, Woelk GB, **Williams MA**. Plasma homocyst(e)ine concentrations in eclamptic and preeclamptic African women postpartum. *Obstet Gynecol* 1999;94:355-360.

62. **Williams MA**, Emanuel I, Kimpo C, Leisenring WM, Hale CB. A population-based cohort study of the relation between maternal birth weight and risk of gestational diabetes mellitus in four race/ethnic groups. *Paediatr and Perinatal Epidemiol* 1999;13:452-465.
63. Strandjord TP, Emanuel I, **Williams MA**, Leisenring WM, Kimpo C. A population-based study of the epidemiology of hyaline membrane disease and maternal birthweight effects. *Obstet Gynecol* 2000;95:174-179.
64. Mittendorf R, Chorzempa LM, Quinlan MP, Herschel M, **Williams MA**. Length of pregnancy in African Americans: validation of a new predictive rule. *J Natl Med Assoc* 1999;91:523-527.
65. Kamitsuka MD, Horton M, **Williams, MA**. The incidence of necrotizing enterocolitis after introducing standardized feeding schedules for infants between 1250 - 2500 grams and less than 35 weeks gestation. *Pediatrics* 2000;105:379-385.
66. \*Ware-Jauregui S, Sanchez SE, Zhang C, Larrabure G, King IB, **Williams MA**. Plasma lipid concentrations in preeclamptic and normotensive Peruvian women. *Intl J Gynecol Obstet* 1999;67:147-155.
67. Mahomed K, **Williams MA**, Woelk GB, Mudzamiri S, Madzime, King IB, Bankson DD. Leukocyte selenium, zinc, and copper concentrations in preeclamptic and normotensive pregnant women. *Biol Trace Elem Res* 2000;75(1-3):107-118.
68. Sanchez SE, Zhang C, **Williams MA**, Ware-Jauregui S, Larrabure G, Bazul V, Farrand A. Tumor necrosis factor- $\alpha$  soluble receptor p55 (sTNFp55) and risk of preeclampsia in Peruvian women. *J Repro Immunol* 2000;47:49-63.
69. \*Madzime S, Adem M, Mahomed K, Woelk GB, Mudzamiri S, **Williams MA**. Hepatitis B virus infection among pregnant women delivering at Harare Maternity Hospital, Harare, Zimbabwe, 1996 –1997. *Central African Med Journal* 1999; 45:195-198.
70. Rajkovic A, Mahomed K, Rozen R, Malinow MR, King IB, **Williams MA**. Methylenetetrahydrofolate reductase 677 C→T polymorphism, plasma folate, vitamin B<sub>12</sub> concentrations, and risk of preeclampsia among Black African women from Zimbabwe. *Molecular Genetics and Metabolism* 2000;69:33-39.
71. Shy K, Kimpo C, Emanuel I, Leisenring W, **Williams MA**. Maternal birth weight and cesarean section in four race/ethnic groups. *Am J Obstet Gynecol* 2000;182:1363-1370.
72. \*Sanderson M, **Williams MA**, Weiss NS. Low dose oral contraceptives and invasive epithelial ovarian cancer. *J Reprod Med* 2000;45:720-726.
73. \*Lampinen TM, Kulasingam S, Min J, Borok M, Gwanzura L, Lamb J, Mahomed K, Woelk G, Strand K, Bosch M, Edelman D, Constantine NT, Katzenstein D, **Williams MA**. Detection of Kaposi's sarcoma-associated herpesvirus (KSHV/HHV8) in genital and oral secretions in Zimbabwean women. *J Infect Dis* 2000;181:1785-1790.

74. Reisner DP, Hass MJ, Zingheim RW, **Williams MA**, Luthy DA. Performance of a group B streptococcal prophylaxis protocol combining high-risk treatment and low-risk screening. *Am J Obstet Gynecol* 2000;182:1335-1343.
75. El-Bastawissi AY, **Williams MA**, Riley DE, Hitti J, Krieger JN. Amniotic fluid interleukin-6 and preterm delivery: A review. *Obstet Gynecol* 2000;95(6 part 2):1056-1064.
76. Sanchez SE, Zhang C, Malinow MR, Ware-Jauregui S, Larrabure G, **Williams MA**. Plasma folate, vitamin B<sub>12</sub> and homocyst(e)ine concentrations in preeclamptic and normotensive Peruvian women. *Am J Epidemiol* 2001;153:474-480.
77. \*Zhang C, **Williams MA**, Sanchez SE, King IB, Ware-Jauregui S, Larrabure G, Bazul V, Leisenring WM. Plasma concentrations of carotenoids, retinol, and tocopherols in preeclamptic and normotensive pregnant women. *Am J Epidemiol* 2001;153:572-580.
78. Madzime S, **Williams MA**, Mahomed K, October T, Adem M, Mudzamiri S, Woelk GB,. Seroprevalence of hepatitis C virus infection among indigent urban pregnant women in Zimbabwe. *Central African J Medicine* 2000;46:1-4.
79. Malinow MR, Duell PB, **Williams MA**, Kruger WD, Anderson PH, Gluckman RA, Block PC, Hess DL, Upson BM, Graf EE, Jones AI. Short-term folic acid supplementation induces variable and paradoxical changes in plasma homocyst(e)ine concentrations. *Lipids*, 2001;36Suppl:S27-32.
80. Sanchez S, Ware-Jauregui S, Larrabure G, Bazul V, Ingar H, Zhang C, **Williams MA**. Factores de riesgo de preeclampsia en mujeres Peruanas. [Spanish] *Ginecologia y Obstetricia* 2001;47:102-111.
81. \*Gavlan J, Woelk GB, Mahomed K, Wagner N, Mudzamiri S, **Williams MA**. Prenatal care utilization and fetal outcomes at Harare Maternity Hospital, Zimbabwe. *Central African J Medicine* 2001;47:87-92.
82. \*Zhang C, **Williams MA**, King IB, Dashow EE, Sorensen TK, Fredrick IO, Thompson ML, Luthy DA. Dietary intake and plasma vitamin C status in relation to preeclampsia risk. *Epidemiology* 2002;13:409-416.
83. Xiao R, Sorensen TK, Frederick IO, El-Bastawissi A, King IB, Leisenring WM, **Williams MA**. Maternal second trimester serum ferritin concentrations and subsequent risk of preterm delivery. *Paediatr and Perinatal Epidemiol* 2002;16:297-304.
84. El-Bastawissi AY, Sorensen TK, Akafomo CK, Xiao R, **Williams MA**. History of fetal loss and other adverse pregnancy outcomes in relation to subsequent risk of preterm delivery. *Maternal Child Health J* 2003;7:53-58.
85. Sorensen TK, Dempsey, JC, Xiao R, Frederick IO, Luthy DA, **Williams MA**. Maternal asthma and risk of preterm delivery. *Ann Epidemiol* 2003;13:267-272.

86. \*Qiu C-F, **Williams MA**, Leisenring WM. Family history of hypertension and diabetes in relation to preeclampsia risk. *Hypertension* 2003;41:408-413.
87. Xiao R, **Williams MA**, Luthy DA. Influence of preeclampsia on fetal growth. *J Matern Fetal Neonatal Med* 2003;13:157-162.
88. Dempsey JC, **Williams MA**, Sorensen TK, Luthy. Reproductive history and risk of preeclampsia. *J Reprod Med* 2003;48:509-514.
89. Sanchez SE, Zhang C, **Williams MA**. The influence of maternal triglyceride levels on infant birth weight in Peruvian women with preeclampsia. *J Matern Fetal Neonatal Med* 2003;13:328-333.
90. Dempsey JC, **Williams MA**, Shy K, Luthy DA. Maternal weight at birth and her risk of developing preeclampsia. *Am J Obstet Gynecol* 2003;189:494-500.
91. \*Ning Y, **Williams MA**, Dempsey JC, Sorensen TK, Frederick IO, Luthy DA. Correlates of recreational physical activity in early pregnancy. *J Matern Fetal Neonatal Med* 2003;13:385-393.
92. Sorensen TK, **Williams MA**, Lee I-M, Dashow EE, Thompson ML, Luthy DA. Recreational physical activity during pregnancy and risk of preeclampsia. *Hypertension* 2003;41:1273-1280.
93. **Williams MA**, Woelk GB, King IB, Jenkins L, Mahomed K. Plasma carotenoids, retinol, tocopherols, and lipoproteins in preeclamptic and normotensive pregnant Zimbabwean women. *Am J Hypertension* 2003;16:665-672.
94. **Williams MA**, Qiu C, Dempsey JC, Luthy DA. Familial aggregation of type 2 diabetes and chronic hypertension in women with gestational diabetes. *J Repro Medicine* 2003;48:955-562.
95. Sanchez SE, Zhang C, Qiu C, **Williams MA**. Family history of hypertension and diabetes in relation to preeclampsia risk among Peruvian women. *Gynecol Obstet Invest* 2003;56:128-132.
96. Dempsey JC, **Williams MA**, Leisenring WM, Shy K, Luthy DA. Maternal birthweight in relation to plasma lipid concentrations in early pregnancy. *Am J Obstet Gynecol* 2004;190:1359-1368.
97. \*Zhang C, **Williams MA**, Frederick IO, King IB, Sorensen TK, Kestin MM, Dashow EE, Luthy DA. A case-control study of vitamin C and risk of gestational diabetes mellitus. *J Reprod Medicine* 2004;49:257-266.
98. \*Zhang C, **Williams MA**, Sorensen TK, King IB, Kestin MM, Thompson ML, Dashow EE, Luthy DA. Maternal plasma ascorbic acid (Vitamin C) concentrations and risk of gestational diabetes mellitus. *Epidemiology* 2004;15:597-604.

99. Dempsey JC, Sorensen TK, **Williams MA**, Lee I-M, Miller RS, Dashow EE, Luthy DA. A prospective study of gestational diabetes mellitus risk in relation to maternal recreational physical activity before and during pregnancy. *Am J Epidemiol* 2004;159:663-670.
100. Qiu C, Luthy DA, Zhang C, Walsh SW, Leisenring WM, **Williams MA**. A prospective study of maternal serum C-reactive protein concentrations and risk of preeclampsia. *Am J Hypertension* 2004;17:154-160.
101. \*Ning Y, **Williams MA**, Muiy-Rivera, Leisenring WM, Luthy DA. Relationship of maternal plasma leptin and risk of preeclampsia: A prospective study. *J Matern Fetal Neonatal Med* 2004;15:186-192.
102. Morena Z, Sanchez S, Pina F, Reyes A, **Williams MA**. Osesidad pregestacional como factor de riesgo asociado a preeclampsia. [Spanish] *Anales Facultad Medicina* 2003;64:101-106.
103. Sices L, Feudtner C, McLaughlin J, Drotar D, **Williams MA**. How do primary care physicians identify young children with developmental delays? *J Dev Behav Pediatrics* 2004;24:409-417.
104. Sices L, Feudtner C, McLaughlin J, Drotar D, **Williams MA**. How do primary care physicians manage young children with developmental delays? *Pediatrics* 2004;113:274-282.
105. Qiu C-F, **Williams MA**, Vadachkoria S, Frederick IO, Luthy DA. Increased plasma leptin in early pregnancy is predictive of gestational diabetes mellitus. *Obstet Gynecol* 2004;103:519-525.
106. Muiy-Rivera M, Sanchez SE, Vadachkoria S, Qiu C, Bazul V, **Williams MA**. Transforming growth factor- $\beta_1$  (TGF- $\beta_1$ ) in plasma is associated with the risk preeclampsia in Peruvian women with systemic inflammation. *Am J Hypertension* 2004;17:334-338.
107. Qiu C, Sorensen TK, Luthy DA, **Williams MA**. A prospective study of maternal serum C-reactive protein (CRP) concentrations and risk of gestational diabetes mellitus. *Paediatr and Perinatal Epidemiol* 2004;18:377-384.
108. **Williams MA**, Sanchez SE, Zhang C, Bazul V. Methylenetetrahydrofolate reductase 677 C  $\rightarrow$  T polymorphism and plasma folate in relation to preeclampsia risk among Peruvian women. *J Matern Fetal Neonatal Med* 2004;15:337-344.
109. **Williams MA**, Qiu CF, Muiy-Rivera M, Vadachkoria S, Song T, Luthy DA. Plasma adiponectin concentrations in early pregnancy and subsequent risk of gestational diabetes mellitus. *J Clin Endocrinol Metabol* 2004;17:574-581.
110. \*Enquobahrie DA, **Williams MA**, Butler C, Frederick IO, Miller RS, Luthy DA. Maternal plasma lipid concentrations in early pregnancy and risk of preeclampsia. *Am J Hypertension* 2004;17:574-581.

111. Dempsey JC, Butler CL, Sorensen TK, Lee I-M, Thompson ML, Miller RS, Frederick IO, **Williams MA**. A case-control study of maternal recreational physical activity and risk of gestational diabetes mellitus. *Diabetes Res Clin Practice* 2004; 66:203-215.
- 112.\*Butler CL, **Williams MA**, Sorensen TK, Frederick IO, Leisenring WM. Relation between maternal recreational physical activity and plasma lipids during early pregnancy. *Am J Epidemiol* 2004;160:350-359.
113. Vadachkoria S, Sanchez SE, Qiu CF, Muiy-Rivera M, Malinow MR, **Williams MA**. Evaluation of a possible interaction between hyperhomocyst(e)inemia & elevated soluble vascular cell adhesion molecule-1 in predicting preeclampsia. *Gynecol Obstet Invest* 2004;58:133-139.
- 114.\*Ning Y, **Williams MA**, Vadachkoria S, Muiy-Rivera M, Frederick IO, Luthy DA. Maternal plasma concentrations of insulin-like growth factor-1 and insulin-like growth factor binding protein-1 in early pregnancy and subsequent risk of preeclampsia. *Clin Biochem* 2004; 37:968-973.
115. Muiy-Rivera M, Ning Y, Frederick IO, Vadachkoria S, Luthy DA, **Williams MA**. Leptin, soluble leptin receptor and leptin gene polymorphism in relation to preeclampsia risk. *Physiol Res* 2004;54:167-174.
- 116.\*Zhang C, **Williams MA**, Edwards KL, Austin MA. Trp<sup>64</sup>Arg polymorphism of the  $\beta_3$ -adrenergic receptor gene, pre-pregnancy obesity and risk of preeclampsia. *J Matern Fetal Neonatal Med* 2004;17:19-28.
117. Ning Y, **Williams MA**, Butler CL, Muiy-Rivera M, Frederick IO, Sorensen TK. Maternal recreational physical activity is associated with plasma leptin concentrations in early pregnancy. *Hum Reprod* 2005; 20:382-389.
118. Meller M, Vadachkoria S, Luthy DA, **Williams MA**. Evaluation of housekeeping genes in placental comparative expression studies. *Placenta* 2005;26:601-607.
119. Dempsey JC, Butler CL, **Williams MA**. No need for a pregnant pause: Physical activity may reduce the occurrence of gestational diabetes mellitus and preeclampsia. *Exerc Sport Sci Rev* 2005; 33:141-149.
- 120.\*Enquobahrie DA, **Williams MA**, Qiu C, Woelk GB, Mahomed K. Maternal plasma transforming growth factor- $\beta_1$  concentrations in preeclamptic and normotensive pregnant Zimbabwean women. *J Matern Fetal Neonatal Med* 2005;17:343-348.
121. Frederick IO, **Williams MA**, Dashow EE, Kestin M, Zhang C, Leisenring WM, Luthy DA. Dietary fiber, potassium, magnesium, and calcium, in relation to the risk of preeclampsia. *J Reprod Med* 2005; 50:332-344.
- 122.\*Enquobahrie DA, **Williams MA**, Qiu C, Luthy DA. Early pregnancy lipid concentrations and the risk of gestational diabetes mellitus. *Diabetes Res Clin Pract* 2005;70:134-142.

123. Rudra CB, **Williams MA**. Monthly variation in preeclampsia prevalence: Washington State, 1987-2001. *J Mat Fetal Neonatal Med* 2005;18:319-324.
124. Sanchez SE, **Williams MA**, Muiy-Rivera M, Qiu C, Vadachkoria S, Bazul V. A case-control study of oxidized low density lipoproteins and preeclampsia risk. *Gynecol Endocrin* 2005;21:193-199.
125. Meller M, Qiu C, Vadachkoria S, Abetew DF, Luthy DA, **Williams MA**. Changes in placental adipocytokine gene expression associated with gestational diabetes mellitus A. *Physiol Res* 2006;55(5)501-512. Epub 2005 Dec 12.
126. Rudra CB, **Williams MA**. BMI as a modifying factor in the relations between age at menarche, menstrual cycle characteristics, and risk of preeclampsia. *Gynecol Endocrinol* 2005;21:200-205.
127. Dempsey JC, Ashiny Z, Qiu CF, Miller RS, Sorensen TK, **Williams MA**. Maternal pre-pregnancy overweight status and obesity as risk factors of cesarean delivery. *J Maternal Fetal Neonatal Med* 2005;17:1363-1370.
128. \*Rudra CB, **Williams MA**, Lee I-M, Miller RS, Sorensen TK. Perceived exertion of physical activity and risk of gestational diabetes mellitus. *Epidemiol* 2006;17:31-37.
129. \*Rudra CB, **Williams MA**, Frederick IO, Luthy DA. A case-control study of maternal asthma and risk of preeclampsia. *J Repro Med* 2006;51:94-100.
130. Qiu C, Sanchez SE, Larrabure G, David R, Bralley JA, **Williams MA**. Erythrocyte omega-3 and omega-6 polyunsaturated fatty acids and preeclampsia risk in Peruvian women. *Arch Gynecol Obstet* 2006;274:97-103.
131. Muiy-Rivera M, Vadachkoria S, Woelk GB, Qiu CH, Mahomed K, **Williams MA**. Maternal plasma VEGF, sVEGF-R1, and PlGF concentrations in preeclamptic and normotensive pregnant Zimbabwean women. *Physiol Res* 2005;54:611-622.
132. Vadachkoria S, Woelk GB, Mahomed K, Qiu CF, Muiy-Rivera M, Malinow MR, **Williams MA**. Elevated soluble vascular cell adhesion molecule-1 (sVCAM-1), elevated homocyst(e)inemia, and hypertriglyceridemia in relation to preeclampsia risk. *Am J Hypertens* 2006;19:235-242.
133. \*Adeney KL, **Williams MA**. Migraine Headaches and preeclampsia: An epidemiologic review. *Headache* 2006;46:794-803.
134. Sanchez SE, Pacora PN, Farfan JH, Fernandez A, Qiu C, Ananth CV, **Williams MA**. Risk factors of abruptio placentae among Peruvian women. *Am J Obstet Gynecol* 2006;194:225-230.

- 135.\*Adeney KL, **Williams MA**, Miller RS, Frederick IO, Sorensen TK, Luthy DA. Risk of preeclampsia in relation to maternal history of migraine headaches. *J Matern Fetal Neonatal Med* 2005;18:167-172.
- 136.Qiu C, Vadachkoria S, Meryman L, Frederick IO, **Williams MA**. Maternal plasma concentrations of IGF-1, IGFBP-1, and C-peptide in early pregnancy and subsequent risk of gestational diabetes mellitus. *Am J Obstet Gynecol.* 2005 Nov; 193(5):1691-1697.
- 137.\*Enquobahrie DA, Sanchez SE, Muy-Rivera M, Zhang C, **Williams MA**. Hepatic lipase gene polymorphism, pre-pregnancy overweight status, and risk of preeclampsia among Peruvian women. *Gynecol Endocrinol* 2005;21:211-217.
- 138.Zhang C, Austin MA, Edwards KL, Farin FM, Li N, Hsu L, Srinouanprachanh S, **Williams MA**. Functional variants of the lipoprotein lipase gene and the risk of preeclampsia among non-Hispanic Caucasian women. *Clin Genetics* 2006;69:33-39.
- 139.Frederick IO, **Williams MA**, Sorensen TK, Dashow EE, Leisenring WM, Luthy DA. Adult weight change, weight cycling, and pre-pregnancy obesity in relation to risk of preeclampsia. *Epidemiology* 2006;17:428-434.
- 140.Lohsoonthorn V, Dhanamun B, **Williams MA**. Prevalence of metabolic syndrome and its relationship to white blood cell count in a population of Thai men and women receiving routine health exams. *Am J Hypertens* 2006;19:339-345.
- 141.Meller M, Qiu C, Kuske BT, Abetew DF, Muy-Rivera M, **Williams MA**. Adipocytokine expression in placentas from pre-eclamptic and chronic hypertensive patients. *Gynecol Endocrinol.* 2006 May;22(5):267-73.
- 142.Podvin D, Kuehn CM, Mueller BA, Williams MA. Maternal and birth characteristics in relation to childhood leukaemia. *Paediatr Perinatal Epidemiol* 2006;20:312-322.
- 143.Pham L, Woelk GB, Ning Y, Madzime S, Mudzamiri S, Mahomed K, **Williams MA**. Seroprevalence and risk factors of syphilis infection in pregnant women delivering at Harare Maternity Hospital, Zimbabwe. *Cent Afr J Med* 2005; 51:24-30.
- 144.Noble A, Ning Y, Woelk GB, Mahomed K, **Williams MA**. Preterm delivery risk in relation to maternal HIV infection, history of malaria and other infections among urban Zimbabwean women. *Cent Afr J Med* 2005;51:53-58.
- 145.Zhang C, Austin MA, Edwards KL, Li N, Hsu L, Frederick IO, **Williams MA**. Genotypes and haplotypes of the paraoxonase gene and preeclampsia risk. *Am J Hypertension* 2006 (In Press).
- 146.Qiu C, Phung TTT, Vadachkoria S, Muy-Rivera M, Frederick IO, Sanchez SE, **Williams MA**. Oxidized low-density lipoprotein (oxidized LDL) and the risk of preeclampsia. *Physiol Res* 2006;55(5):491-500.

147. Mahomed K, **Williams MA**, King IK, Woelk GB, Madzime S, Mudzamiri S, Jenkins-Woelk L. Erythrocyte omega-3, omega-6 and *Trans* fatty acids in relation to risk of preeclampsia among women delivering at Harare Maternity Hospital, Zimbabwe. *Physiol Res* 2006. (Epub ahead of print)
148. Rudra CB, Qiu C, David RM, Bralley JA, Walsh SW, Williams MA. A prospective study of early-pregnancy plasma malondialdehyde concentration and risk of preeclampsia. *Clin Biochem* 2006 39:722-726.
149. Rudra CB, Sorensen TK, Leisenring WM, Dashow E, Williams MA. Weight characteristics and height in relation to risk of gestational diabetes mellitus. *Am J Epidemiology* 2007;165:302-308.
150. Qiu C, Saito S, Sakai M, Ogawa K, Nagata K, **Williams MA**. Plasma granulysin concentrations and preeclampsia risk. *Clin Biochem*. 2006 Oct;39(10):1016-1021.
151. \*Adeney KL, Flores JL, Perez JC, Sanchez SE, **Williams MA**. Prevalence and correlates of migraine among neurology clinic attendees in Lima, Peru. *Cephalalgia*. 2006 ;26:1089-96.
152. **Williams MA**, Frederick IO, Qiu C, Meryman LJ, King IB, Walsh SW, Sorensen TK. Maternal erythrocyte omega-3 and omega-6 fatty acids, and plasma lipid concentrations, are associated with habitual dietary fish consumption in early pregnancy. *Clin Biochem*, 2006 ;39:1063-1070.
153. \*Lohsoonthorn V, Dhanamun B, **Williams MA**. Prevalence of hyperuricemia and its relationship with metabolic syndrome in Thai adults receiving annual health exams. *Arch Med Res* 2006; 37:883-889.
154. \*Lee M, Entzinger L, Lohsoonthorn V, **Williams MA**. Risk factors of hypertension and correlates of blood pressure and mean arterial pressure among patients receiving health exams at the Preventive Medicine Clinic, King Chulalongkorn Memorial Hospital, Thailand. *J Med Assoc Thai* 2006; 89:1213-1221.
155. Rudra C, Miller R, **Williams MA**. First trimester mean arterial pressure and risk of preeclampsia. *Am J Hypertens*. 2007 ;20:573-8.
156. \*Lohsoonthorn V, Qiu C, **Williams MA**. Maternal serum C-reactive protein concentrations in early pregnancy and subsequent risk of preterm delivery. *Clin Biochem*, 2007 ;40:330-5.
157. Qiu C, Rudra C, Austin MA, **Williams, MA**. Association of gestational diabetes mellitus and low-density lipoprotein (LDL) particle size. *Physiol Res*. 2008 (In press).
158. Thompson ML, Miller RS, **Williams MA**. Construction and characterization of a longitudinal clinical blood pressure database for epidemiologic studies of hypertension in pregnancy. *Paediatric and Perinatal Epidemiology*, 2007 ;21:477-86.

159. Miller RS, Thompson ML, **Williams MA**. Trimester-specific blood pressure levels in relation to maternal pre-pregnancy body mass index. *Paediatr Perinat Epidemiol*. 2007 ;21:487-94.
160. Adeney KL, **Williams MA**, Schiff MA, Qiu C, Sorensen TK. Coffee consumption and the risk of gestational diabetes mellitus. *Acta Obstet Gynecol Scand*. 2007;862:161-6.
161. \*Ogbonna C, Woelk GB, Ning Y, Mudzamiri S, Mahomed K, **Williams MA**. Maternal mid-arm circumference and other anthropometric measures of adiposity in relation to infant birth size among Zimbabwean women. *Acta Obstet Gynecol Scand* 2007;86:26-32.
162. Hedderson MM, Ferrara A, **Williams MA**, Holt VL, Weiss NS. Androgenicity of progestins in hormonal contraceptives and the risk of gestational diabetes mellitus. *Diabetes Care*. 2007 May;30:1062-8
163. \*Le D, Garcia A, Lohsoonthorn V, **Williams M**. Correlates and risk factors of lipids, lipoproteins and hypercholesterolemia among Thai men and women receiving health exams at the preventive medicine clinic, King Chulalongkorn Memorial Hospital. *Thai Medical Journal* 2006 ;37:1005-14.
164. \*Lohsoonthorn V, Lertmaharit S, **Williams MA**. Prevalence of metabolic syndrome among professional and office workers in Bangkok, Thailand. *J Med Assoc Thai*. 2007 Sep;90 (9):1908-15.
165. \*Hossain R, \*Harris T, Lohsoonthorn V, **Williams M**. Risk of preterm delivery in relation to vaginal bleeding in early pregnancy. *Eur J Obstet Gynecol Reprod Biol*. 2007 Dec;135(2):158-63. Epub 2007 Jan 4.
166. \*De B, \*Lin S, Lohsoonthorn V, **Williams MA**. Risk of preterm delivery in relation to maternal low birth weight. *Acta Obstet Gynecol Scand*. 2007;86:565-71.
167. Qiu C, Sanchez SE, Lam N, Garcia P, **Williams MA**. Associations of depression and depressive symptoms with preeclampsia: Results from a Peruvian case-control study. *BMC Women's Health*. 2007 Sep 27;7(1):15
168. Chapidze G, Dolidze N, \*Enquobahrie DA, Kapanadze S, Latsabidze N, **Williams MA**. Metabolic syndrome and C-reactive protein among cardiology patients. *Arch Med Res*. 2007
169. Chapidze G, \*Enquobahrie D, Kapanadze S, Dolidze N, Soh J, **Williams M**. Thyroid function status and plasma lipids among cardiology patients in Georgia Georgian Med News. 2007 ;(148-149):20-5.
170. \*Frederick IO, **Williams MA**, Sales AE, Martin DP, Killien M. Pre-pregnancy Body Mass Index, Gestational Weight Gain, and Other Maternal Characteristics in Relation to Infant Birth Weight. *Matern Child Health J*. 2007 Aug 23;
171. Sanchez SE, Qiu C, Perales MT, Lam N, Garcia P, **Williams MA**. Intimate partner violence (IPV) and preeclampsia among Peruvian women. *Eur J Obstet Gynecol Reprod Biol*. 2007.

172. Cripe SM, \*Phung TT, Nguyen TP, **Williams MA**. Risk Factors Associated with Stillbirth in Thai Nguyen Province, Vietnam. *J Trop Pediatr*. 2007 Oct;53(5):377-7.
173. Gelaye B, Arnold D, Williams MA, Goshu M, Berhane Y. Depressive symptoms among female college students experiencing gender-based violence in Awassa, Ethiopia. *J Interpers Violence*. 2009 Mar;24(3):464-81. Epub 2008 May 1.
174. Gelaye B, \*Philpart M, Goshu M, Berhane Y, Fitzpatrick AL, Williams MA. Anger expression, negative life events and violent behaviour among male college students in Ethiopia. *Scand J Public Health*. 2008 Jul;36(5):538-45..
175. Cripe SM, Sanchez SE, Perales MT, Lam N, Garcia P, **Williams MA**. Association of intimate partner physical and sexual violence with unintended pregnancy among pregnant women in Lima, Peru *International Journal of Gynecology and Obstetrics*. 2007 (In press).
176. \*Enquobahrie DA, Dolidze N, Chapidze G, Vadachkoria S, Soh J, Fitzpatrick A, **Williams MA**. Type 2 diabetes and impaired glucose tolerance among cardiac patients. *Acta Cardiol*. 2007 Oct;62(5):439-44.
177. Hedderson MM, **Williams MA**, Holt VL, Weiss NS, Ferrara A. Body mass index and weight gain prior to pregnancy and risk of gestational diabetes mellitus. *Am J Obstet Gynecol*. 2008 Apr;198(4):409.e1-7. Epub 2008 Feb 20.
178. Franceschini N, Qiu C, Barrow DA, **Williams MA**. Cystatin C and preeclampsia: a case control study. *Ren Fail*. 2008;30(1):89-95.
179. Sanchez SE, Qiu C, **Williams MA**, Lam N, Sorensen TK. Headaches and migraines are associated with an increased risk of preeclampsia in Peruvian women. *Am J Hypertens*. 2008 Mar;21(3):360-4. Epub 2008 Jan 17.
180. Rudra CB, Frederick IO, **Williams MA**. Pre-pregnancy body mass index and weight gain during pregnancy in relation to preterm delivery subtypes. *Acta Obstet Gynecol Scand*. 2008;87(5):510-7.
181. Enquobahrie DA, Meller M, Rice K, Psaty BM, Siscovick DS, Williams MA. Differential placental gene expression in preeclampsia. *Am J Obstet Gynecol*. 2008 Nov;199(5):566.e1-11. Epub 2008 Jun 4.
182. Enquobahrie DA, Smith NL, Bis JC, Carty CL, Rice KM, Lumley T, Hindorff LA, Lemaitre RN, **Williams MA**, Siscovick DS, Heckbert SR, Psaty BM. Cholesterol ester transfer protein, interleukin-8, peroxisome proliferator activator receptor alpha, and Toll-like receptor 4 genetic variations and risk of incident nonfatal myocardial infarction and ischemic stroke. *Am J Cardiol*. 2008 Jun 15;101(12):1683-8. Epub 2008 Apr 9.

183. Qiu C, Coughlin KB, Frederick IO, Sorensen TK, **Williams MA**. Dietary fiber intake in early pregnancy and risk of subsequent preeclampsia. *Am J Hypertens*. 2008 Aug;21(8):903-9. Epub 2008 Jul 17. Erratum in: *Am J Hypertens*. 2008 Oct;21(10):1169.
184. Rudra CB, Sorensen TK, Luthy DA, **Williams MA**. A prospective analysis of recreational physical activity and preeclampsia risk. *Med Sci Sports Exerc*. 2008 Aug 5. [Epub ahead of print]
185. Arnold D, Gelaye B, Goshu M, Berhane Y, **Williams MA**. Prevalence and risk factors of gender-based violence among female college students in Awassa, Ethiopia. *Violence Vict*. 2008;23(6):787-800.
186. Dancy C, Lohsoonthorn V, **Williams MA**. Risk of dyslipidemia in relation to level of physical activity among Thai professional and office workers. *Southeast Asian J Trop Med Public Health*. 2008 Sep;39(5):932-41.
187. Enquobahrie DA, **Williams MA**, Qiu C, Meller M, Sorensen TK. Global placental gene expression in gestational diabetes mellitus. *Am J Obstet Gynecol*. 2009 Feb;200(2):206.e1-13. Epub 2008 Oct 9.
188. Zhang C, Qiu C, Hu FB, David RM, van Dam RM, Bralley A, **Williams MA**. Maternal plasma 25-hydroxyvitamin D concentrations and the risk for gestational diabetes mellitus. *PLoS ONE*. 2008;3(11):e3753. Epub 2008 Nov 18.
189. Enquobahrie DA, Rice K, Williams OD, **Williams MA**, Gross MD, Lewis CE, Schwartz SM, Siscovick DS. IL1B genetic variation and plasma C-reactive protein level among young adults: the CARDIA study. *Atherosclerosis*. 2009 Feb;202(2):513-20. Epub 2008 May 18.
190. \*Lohsoonthorn V, Kungsadalpipob K, Chanchareonsook P, Limpongsanurak S, Vanichjakkong O, Sutdhibhisal S, Wongkittikraiwan N, Sookprome C, Kamolpornwijit W, Jantarsaengaram S, Manotaya S, Siwawej V, Barlow WE, Fitzpatrick AL, **Williams MA**. Is Maternal Periodontal Disease a Risk Factor for Preterm Delivery? *Am J Epidemiol*. 2009 Jan 8. [Epub ahead of print]
191. Perales MT, Cripe SM, Lam N, Sanchez SE, Sanchez E, **Williams MA**. Prevalence, types, and pattern of intimate partner violence among pregnant women in Lima, Peru. *Violence Against Women*. 2009 Feb;15(2):224-50.
192. \*Terasaki DJ, Gelaye BS, Berhane Y, **Williams MA**. Anger expression, violent behavior, and symptoms of depression among male college students. *BMC Public Health*. 2009 Jan 12;9(1):13. [Epub ahead of print]
193. Qiu C, **Williams MA**, Calderon-Margalit R, Cripe SM, Sorensen TK. Preeclampsia risk in relation to maternal mood and anxiety disorders diagnosed before or during early pregnancy. *Am J Hypertens*. 2009 Feb 5. [Epub ahead of print]

- 194.\*Lohsoonthorn V, Kungsadalpipob K, Chanchareonsook P, Limpongsanurak S, Vanichjakvong O, Sutdhibhisal S, Sookprome C, Wongkittikraiwan N, Kamolpornwijit W, Jantarsaengaram S, Manotaya S, Siwawej V, Barlow WE, Fitzpatrick AL, **Williams MA**. Maternal periodontal disease and risk of preeclampsia: A case–control study. *Am J Hypertens* advance online publication, January 22, 2009; doi:10.1038/ajh.2008.365.
- 195.\*Ip M, Peyman E, Lohsoonthorn L, **Williams MA**. A case-control study of preterm delivery risk factors according to clinical subtypes and severity. *J Obstet and Gynaecol Research*. 2009 (In press).
196. Rudra CB, **Williams MA**, Schiff MA, Koenig JQ, Dills R, Yu J. Early-pregnancy carboxyhemoglobin and preeclampsia risk. *Paediatr Perinat Epidemiol*. 2009 (In press).
197. Thompson ML, **Williams MA**, Miller RS. Modeling the association of blood pressure during pregnancy with gestational age and body mass index. *Paediatr Perinat Epidemiol*. 2009 (In press).