San Juan Island Watershed 'Raw Data'

DATE MM/DD/YY	WATERSHED	SITE #	AIR TEMP °C	H2O Temp °C	Average H20 Temp	DO mg/L	Average DO	pH	Average pH	TURBIDITY NTU	A verage Turbidity	VOLUME mL	F. COLIFORM col/100ml	Average	Geometric Mean	FLOW ft^3/sec	Water Condition	Flow # rating	Nitrate mg/l	Phosphate mg/l
3/27/02	FalseBay/BV	blank										30	0					1-still/pooled		
4/1/02	FalseBay/BV	blank										30	0					2-trickle		
5/1/02	FalseBay/BV	blank										200	0					3-slow run/low flow		
5/6/02	FalseBay/BV	blank										100	0					4-running		
6/3/02	FalseBay/BV	blank										200	0					5-rushing/fast flow		
6/5/02	FalseBay/BV	blank										100	0							
6/10/02	FalseBay/BV	blank										100	0							
7/16/02	FalseBay/BV	blank										50	0							
10/1/02	FalseBay/BV	blank										100	0							
11/20/02	FalseBay/BV	blank										100	0							
1/7/03	FalseBay/BV	blank										100	0							
1/9/03	FalseBay/BV	blank										100	0							
2/25/03	FalseBay/BV	blank										100	0							
2/27/03	FalseBay/BV	blank										100	0							
3/24/03	FalseBay/BV	blank										100	0							
3/26/03	FalseBay/BV	Blank										100	0							
4/28/03	FalseBay/BV	blank										100	0							
4/30/03	FalseBay/BV	blank										100	0							
6/17/03	FalseBay/BV	blank										100	0							
8/5/03	FalseBay/BV	blank										100	0							
10/6/03	FalseBay/BV	blank										50	0							
11/10/03	FalseBay/BV	Blank										50	0							
1/5/04	FalseBay/BV																all frozen			
1/29/04	FalseBay/BV	blank										100	0							
3/9/04	FalseBay/BV	blank										100	0							
4/22/04	FalseBay/BV	blank										100	0							
5/17/04	FalseBay/BV	Blank										100	0							
7/9/04	FalseBay/BV	Blank										100	0							
8/19/04	FalseBay/BV	Blank										100	0							
10/5/04	FalseBay/BV	blank										100	0							
10/6/04	FalseBay/BV	blank										100	0							
11/15/04	FalseBay/BV	blank										100	0							
2/28/06	FalseBay/BV	blank										100	0							
1/4/05	FalseBay/BV	Blank										100	0							
2/15/05	FalseBay/BV	Blank										100	0							
3/29/05	FalseBay/BV	blank										100	0							
5/4/05	FalseBay/BV	blank										100	0							
6/9/05	FalseBay/BV	blank										100	0							
7/8/05	FalseBay/BV	blank										100	0							
8/21/05	FalseBay/BV	blank										100	0							
9/28/05	FalseBay/BV	blank										50	0							
10/26/05	FalseBay/BV	blank										100	0							
11/30/05	FalseBay/BV	blank										100	0							
1/17/06	FalseBay/BV	blank										100	0							
4/6/06	FalseBay/BV	blank										100	0							
5/11/06	FalseBay/BV	blank										100	0							
6/15/06	FalseBay/BV	blank										100	0							
7/28/06	FalseBay/BV	blank										100	0							
9/14/06	FalseBay/BV	blank										100	0							
10/30/06	FalseBay/BV	blank										100	0							
12/12/06	FalseBay/BV	blank										100	0							
1/30/07	FalseBay/BV	blank										100	0							
3/6/07	FalseBay/BV	blank										100	0							
4/17/07	FalseBay/BV	blank										100	0							
6/4/07	FalseBay/BV	blank										50	0							
7/19/07	FalseBay/BV	blank										50	0							
8/20/07	FalseBay/BV	blank										100	0							
10/16/07	FalseBay/BV	blank										100	0							
11/15/07	FalseBay/BV	blank										50	0							
1/8/08	FalseBay/BV	blank										50	0							
2/29/08	FalseBay/BV	blank										50	0							
4/16/08	FalseBay/BV	blank										50	0							
5/8/08	FalseBay/BV	blank																		
7/9/08	FalseBay/BV	blank										100	0							
9/9/08	FalseBay/BV	blank										100	0							
12/4/08	FalseBay/BV	blank										100	0							
1/28/09	FalseBay/BV	blank										100	0							
3/3/09	FalseBay/BV	blank										100	0							
4/23/09	FalseBay/BV	blank										100	0							
DATE MM/DD/YY	WATERSHED	SITE #	AIR TEMP °C	H2O Temp °C	Average H20 Temp	DO mg/L	Average DO	pH	Average pH	TURBIDITY NTU	A verage Turbidity	VOLUME mL	F. COLIFORM col/100ml	Average	Geometric Mean	FLOW ft^3/sec	Water Condition		Nitrate mg/l	Phosphate mg/l
3/27/02	Beaverton V.	BV3	8.4	7.2	7.2	14.04	14.1	7.28	7.30	2.37	2.0	100	0	3.00		10.87				
3/27/02	Beaverton V.	BV3		7.2		14.13		7.31		1.7		100	5							
3/27/02	Beaverton V.	BV3		7.2		14.24		7.3		1.85		100	4							
5/1/02	Beaverton V.	BV3	12.9	11.7	11.7	9.24	7.9	7.61	7.62	4.7	4.0	200	5	3.00		7.25				
5/1/02	Beaverton V.	BV3		11.7		7.15		7.63		3.67		200	1.5							
5/1/02	Beaverton V.	BV3		11.7		7.22		7.61		3.68		200	2.5							
6/3/02	Beaverton V.	BV3		13.7	13.5	11.11	11.6	7.89	7.91	9.45	10.4	200	1	5.00		0.891				

6/3/02	Beaverton V.	BV3		13.2		10.83		7.92		9.98		200	6								
6/3/02	Beaverton V.	BV3		13.6		12.95		7.93		11.9		200	8								
7/16/02	Beaverton V.	BV3	25.5	13.8	13.6	9.2	8.8	7.96	7.97	19.2	21.2	50	20	26.67				trickling	1.25 inches deep		
7/16/02	Beaverton V.	BV3		13.5		8.64		7.98.		21.8		50	28								
7/16/02	Beaverton V.	BV3		13.6		8.66		7.97		22.5		50	32								
9/30/02	Beaverton V.	BV3																dry			
11/20/02	Beaverton V.	BV3	18.5	9.9	9.93	9.26	9.25	8.5	8.22	3.67	5.46	100	4	4.67				trickling			
11/20/02	Beaverton V.	BV3		9.9		9.16		8.08		3.42		100	4								
11/20/02	Beaverton V.	BV3		10		9.34		8.09		9.3		100	6								
1/7/03	Beaverton V.	BV3	8.7	4	4.0	12.11	12.1	7.94	8.03	3.1	3.0	rushing	0	2.33				trickling			
1/7/03	Beaverton V.	BV3		4		12.1		7.96		3.43		rushing	7					2.4ft sq.			
1/7/03	Beaverton V.	BV3		4.1		12.17		8.2		2.6		100	0					"			
2/27/03	Beaverton V.	BV3	9.2	2.8	2.8	13	12.9	7.54	7.68	3.11	2.3	100	2	1.00			1.54			0	5
2/27/03	Beaverton V.	BV3		2.8		12.83		7.75		1.94		100	1								
2/27/03	Beaverton V.	BV3		2.8		12.73		7.75		1.87		100	0								
3/26/03	Beaverton V.	BV3	13.1	7.8	7.8	10.84	10.8	7.6	7.63	2.45	2.5	100	2	4.00			2.95			0.5	10
3/26/03	Beaverton V.	BV3		7.8		10.87		7.64		2.64		100	5								
3/26/03	Beaverton V.	BV3		7.8		10.58		7.64		2.51		100	5								
4/30/03	Beaverton V.	BV3	17	12.2	12.5	10.44	10.2	7.58	7.58	3.98	3.8	100	4	3.00			1.78				
4/30/03	Beaverton V.	BV3		12.5		10.21		7.58		3.08		100	1								
4/30/03	Beaverton V.	BV3		12.9		10.04		7.59		4.44		100	4								
6/17/03	Beaverton V.	BV3															0	dry			
8/5/03	Beaverton V.	BV3															0	dry			
10/6/03	Beaverton V.	BV3																sm puddles			
11/10/03	Beaverton V.	BV3	9.2	er	er	10.89	10.9	er	er	11.6	10.8	50	116	81.00			0.77				
11/10/03	Beaverton V.	BV3		er		11.1		er		9.6		50	60								
11/10/03	Beaverton V.	BV3		er		10.8		er		11.1		50	68								
1/29/04	Beaverton V.	BV3	10.8	10.1	10.1	7.1	6.9	7.29	7.27	4.43	4.0	50	8	10.66			6.32	running		0.8	0.23
1/29/04	Beaverton V.	BV3		10.06		6.8		7.26		4.12		rushing/foam	14								
1/29/04	Beaverton V.	BV3		10.04		6.8		7.27		3.55		rushing/foam	10								
3/9/04	Beaverton V.	BV3	15.3	9	8.9	11.94	11.9	7.53	7.52	3.84	2.9	100	0	1.00			6.33	running		1.2	0.16
3/9/04	Beaverton V.	BV3		8.9		12		7.52		2.39		100	2				7.94 (flour)				
3/9/04	Beaverton V.	BV3		8.9		11.82		7.52		2.38		100	1								
4/22/04	Beaverton V.	BV3	16.8	11.3	11.3	10.56	10.0	7.6	7.40	2.64	2.5	50	2	1.30			2.42	running		3.6	0.07
4/22/04	Beaverton V.	BV3		11.3		9.85		7.3		1.99		50	2				3.51(flour)				
4/22/04	Beaverton V.	BV3		11.3		9.67		7.3		2.97		50	0								
5/17/04	Beaverton V.	BV3	17.8	13.1	13.1	9.36	9.3	7.32	7.35	4.63	4.4	50	4	7.30			1.38	running		2.6	0.15
5/17/04	Beaverton V.	BV3		13.1		9.3		7.33		4.03		50	10				1.496F				
5/17/04	Beaverton V.	BV3		13.1		9.21		7.4		4.55		50	8								
7/9/04	Beaverton V.	BV3																dry			
8/19/04	Beaverton V.	BV3																dry			
10/5/04	Beaverton V.	BV3	15.2	9.4	9.4	10.5	12.7	7.81	7.84	3.56	4.1	50	10	8.00			0.01	trickle			
10/5/04	Beaverton V.	BV3		9.3		13		7.84		3.74		50	8								
10/5/04	Beaverton V.	BV3		9.6		14.65		7.86		4.92		50	6								
11/15/04	Beaverton V.	BV3	14.6	8.9	8.8	9.4	8.8	7.4	7.55	3.83	3.4	100	29	15.67			0.057	running		6.8	0.09
11/15/04	Beaverton V.	BV3		8.6		8.56		7.61		2.75		100	12								
11/15/04	Beaverton V.	BV3		8.9		8.42		7.65		3.48		100	6								
1/4/05	Beaverton V.	BV3	7.2	2.1	2.1	10.54	10.4	7.17	7.25	1.74	1.6	100	9	7.00			11.8	running		0.18	0
1/4/05	Beaverton V.	BV3		2.1		10.32		7.23		1.61		100	8								
1/4/05	Beaverton V.	BV3		2.1		10.23		7.36		1.55		100	4								
2/15/05	Beaverton V.	BV3	5.5	2.8	2.8	11.15	10.9	7.21	7.22	1.94	1.9	100	2	1.67			22.15	running		2.2	0.18
2/15/05	Beaverton V.	BV3		2.8		10.89		7.23		1.78		100	0								
2/15/05	Beaverton V.	BV3		2.8		10.8		7.22		1.83		100	3								
3/29/05	Beaverton V.	BV3	10.8	8.4	8.4	9.96	9.9	7.64	7.64	2.22	2.5	100	3	4.67			6.04	running		0.4	0.02
3/29/05	Beaverton V.	BV3		8.4		9.99		7.64		2.54		100	3								
3/29/05	Beaverton V.	BV3		8.4		9.89		7.65		2.74		100	8								
5/4/05	Beaverton V.	BV3	13.3	13.3	13.3	9.5	9.6	6.9	7.00	3.55	3.7	50	0	1.33			1.9	running		2.2	0.06
5/4/05	Beaverton V.	BV3		13.3		9.9		7		4.12		50	2								
5/4/05	Beaverton V.	BV3		13.3		9.5		7.1		3.47		50	2								
6/9/05	Beaverton V.	BV3	14.2	11.8	11.8	11.15	11.1	7.58	7.61	13.1	16.1	50	64	58.00			0.15	slow run		1	0.1
6/9/05	Beaverton V.	BV3		11.9		11.06		7.59		17.5		30	47								
6/9/05	Beaverton V.	BV3		11.8		11.04		7.67		17.6		30	63								
7/8/05	Beaverton V.	BV3																dry			
8/21/05	Beaverton V.	BV3																dry			
9/28/05	Beaverton V.	BV3	14.1	9.9	9.9	9.66	9.6	8.04	8.01	2.12	3.6	50	24	27.33			0.02	trickle			
9/28/05	Beaverton V.	BV3		9.9		9.55		8		3.27		50	32								
9/28/05	Beaverton V.	BV3		9.9		9.44		7.99		5.49		50	26								
10/26/05	Beaverton V.	BV3	7.5	7.9	7.9	8.04	8.1	8.18	8.16	3.39	3.7	100	0	1.00			0.03	trickle		0.4	0.19
10/26/05	Beaverton V.	BV3		7.9		8.05		8.16		4		100	2								
10/26/05	Beaverton V.	BV3		7.9		8.06		8.13		3.62		100	1								
11/30/05	Beaverton V.	BV3	7.3	4.3	4.4	13.02	13.0	7	7.06	3.72	3.8	100	17	19.00			0.79	running		0.35	0.15
11/30/05	Beaverton V.	BV3		4.4		12.93		7.04		3.27		100	16								
11/30/05	Beaverton V.	BV3		4.4		13.16		7.15		4.46		100	24								
1/17/06	Beaverton V.	BV3	10.3	5.6	5.6	11.09	11.2	6.85	6.78	3.61	3.6	100	11	13.00			13.9	rushing		0.2	0.15
1/17/06	Beaverton V.	BV3		5.6		11.29		6.77		3.65		100	15								
1/17/06	Beaverton V.	BV3		5.6		11.22		6.73		3.61		100	13								
2/28/06	Beaverton V.	BV3	9.6	6.1	6.1	10.13	10.1	6.88	6.87	1.4	1.4	50	2	2.33			1.02	running			
2/28/06	Beaverton V.	BV3		6.1		10.22		6.86		1.49		100	1								
2/28/06	Beaverton V.	BV3		6.1		10.05		6.87		1.28		50	4								
4/6/06	Beaverton V.	BV3	13.6	10.2	10.1	9.69	9.8	6.32	6.47	1.98	1.9	100	14	11.67			0.89	running		0.2	0.17
4/6/06	Beaverton V.	BV3		10.1		9.82		6.47		1.82		100	9								
4/6/06	Beaverton V.	BV3		10.1		9.74		6.61		1.83		100	12								
5/11/06	Beaverton V.	BV3	15.1	12.2	12.2	9.51	9.6	6.68	6.90			50	0	4.00			1.53	running/foamy		1.2	0.09
5/11/06	Beaverton V.	BV3		12.2		9.58		6.97				50	8								

5/11/06	Beaverton V.	BV3		12.2		9.61		7.05				50	4							
6/15/06	Beaverton V.	BV3	20.3	15.1	15.0	8.93	9.3	7.44	7.44	14.5	15.1	50	14	8.67		ND	running		0	0.2
6/15/06	Beaverton V.	BV3		14.9		9.4		7.43		14.3		50	4							
6/15/06	Beaverton V.	BV3		15		9.42		7.44		16.4		50	8							
7/28/06	Beaverton V.	BV3	16.2	13.7	54.8	7.11	7.1	7.2	7.26	11.7	11.0	10	100	86.67		ND	very slow trickle		0.8	0.01
7/28/06	Beaverton V.	BV3		137		7.16		7.27		11.1		10	100							
7/28/06	Beaverton V.	BV3		13.7		7.17		7.3		10.1		10	60							
9/14/06	Beaverton V.	BV3															dry			
10/30/06	Beaverton V.	BV3	9	6.2	6.1	10.38	9.2	7.51	7.56	2.26	3.1	100	21	23.00		0.02	slow trickle		0.4	0.24
10/30/06	Beaverton V.	BV3		6.1		6.57		7.5		2.7		100	23							
10/30/06	Beaverton V.	BV3		6.1		10.72		7.66		4.47		100	25							
12/12/006	Beaverton V.	BV3	8.2	5.8	5.9	13.2	13.5	7.49	7.51	2.64	2.9	100	15	15.33		6.1	rushing/foamy		0.2	0.07
12/12/006	Beaverton V.	BV3		5.9		13.5		7.48		3.09		100	19							
12/12/006	Beaverton V.	BV3		5.9		13.71		7.55		2.93		100	12							
1/30/07	Beaverton V.	BV3	7.8	3.6	3.6	12.36	12.2	7.25	7.24	1.96	2.0	50	4	2.67		22.96	running/foamy		0	0.04
1/30/07	Beaverton V.	BV3		3.6		12		7.2		1.9		50	4							
1/30/07	Beaverton V.	BV3		3.6		12.23		7.28		2.02		50	0							
3/6/07	Beaverton V.	BV3	11.3	7.7	7.8	11.9	12.2	7.33	7.30	1.92	2.3	50	6	4.67		14.68	running/foamy		0.43	0.07
3/6/07	Beaverton V.	BV3		7.7		12.25		7.3		2.57		50	4							
3/6/07	Beaverton V.	BV3		7.9		12.44		7.28		2.4		50	4							
4/16/07	Beaverton V.	BV3	17.8	11.3	11.2	10.05	10.4	n/a	n/a	2.38	2.6	100	4	2.67		8.55	running/foamy		0.03	0.04
4/16/07	Beaverton V.	BV3		11.3		10.5		n/a		2.77		100	2							
4/16/07	Beaverton V.	BV3		10.9		10.56		n/a		2.54		100	2							
6/4/07	Beaverton V.	BV3	15.6	15.6	15.6	11.71	11.7	6.82	6.73	6.1	5.4	50	24	46.00		0.9	slow run/pooled in areas		0.04	0.06
6/4/07	Beaverton V.	BV3		15.6		11.7		6.88		3.78		50	54							
6/4/07	Beaverton V.	BV3		15.6		11.71		6.49		6.23		50	60							
7/19/07	Beaverton V.	BV3	23.8	15.2	15.1	8.4	8.6	8.01	8.01	13.1	14.0	20	905	861.67			slow trickle/pooled		0.27	0.2
7/19/07	Beaverton V.	BV3		15		8.81		8.01		12.2		20	740							
7/19/07	Beaverton V.	BV3		15.1		8.65		8		16.6		20	940							
8/20/07	Beaverton V.	BV3	21.8	14	13.9	7.78	7.90	7.97	7.97	7.08	8.3	20	70	50.00			pools/visual trickle		0.33	0.21
8/20/07	Beaverton V.	BV3		13.9		7.94		7.96		11.1		20	25							
8/20/07	Beaverton V.	BV3		13.8		7.99		7.97		6.75		20	55							
10/16/07	Beaverton V.	BV3															dry			
11/15/07	Beaverton V.	BV3	12.1	8.1	8.1	10.45	10.00	7.93	7.94	3.67	6.8	100	12	12.00			pooled/visual trickle		0.05	0.14
11/15/07	Beaverton V.	BV3		8.1		10.11		7.94		7.13		100	15							
11/15/07	Beaverton V.	BV3		8.1		9.43		7.96		9.69		100	9							
1/8/08	Beaverton V.	BV3	6	3.6	3.3	12.5	12.7	8.21	8.17	2.4	3.2	100	6	7.67		1.78	running		0.08	0.3
1/8/08	Beaverton V.	BV3		3.2		12.82		8.21		5.04		100	9							
1/8/08	Beaverton V.	BV3		3.2		12.86		8.1		2.29		100	8							
2/29/08	Beaverton V.	BV3	13.5	8.3	8.3	8.48	8.6	7.48	7.44	19.4	7.7	100	4	5.67		flow meter ma	running		0.08	0
2/29/08	Beaverton V.	BV3		8.3		8.7		7.42		1.71		100	10							
2/29/08	Beaverton V.	BV3		8.3		8.71		7.42		2.02		100	3							
4/16/08	Beaverton V.	BV3	12.6	8.7	8.7	10.6	10.7	7.66	7.64	2.66	2.5	50	4	2.00			running		0.02	0.01
4/16/08	Beaverton V.	BV3		8.7		10.75		7.64		2.46		50	0							
4/16/08	Beaverton V.	BV3		8.7		10.68		7.63		2.28		50	2							
5/28/08	Beaverton V.	BV3	17.1	14.2	14.2	11.13	11.2	8.07	8.07	7.58	7.4	50	18	17.33		0.22	slow run		0.03	0.01
5/28/08	Beaverton V.	BV3		14.2		11.19		8.07		7.31		50	8							
5/28/08	Beaverton V.	BV3		14.2		11.24		8.07		7.41		50	26							
7/9/08	Beaverton V.	BV3	1.75	13	13	9.16	9.4	8.13	8.11	13.5	15.9	50	1212	1290.67			pooled/slow trickle		0	0.28
7/9/08	Beaverton V.	BV3		13		9.45		8.1		17.6		50	1238							
7/9/08	Beaverton V.	BV3		13		9.72		8.1		16.7		50	1422							
9/9/08	Beaverton V.	BV3															pooled/no movement			
10/14/08	Beaverton V.	BV3	10.4	8.9	8.9	11.32	10.3	7.6	7.8	4.98	6.3	50	22	22.00			pooled / slow trickle / hear/ see		0.07	0.31
10/14/08	Beaverton V.	BV3		8.9		11.09		7.87		8.44		50	16							
10/14/08	Beaverton V.	BV3		8.9		8.54		7.86		5.59		50	28							
12/4/08	Beaverton V.	BV3	6.7	5.7	5.7	13.45	13.64	8.13	8.13	2.96	3.39	100	12	12.00			can hear, trickle, pooled		0.02	0.06
12/4/08	Beaverton V.	BV3		5.7		13.73		8.12		2.71		100	14							
12/4/08	Beaverton V.	BV3		5.7		13.74		8.14		4.51		100	10							
1/28/09	Beaverton V.	BV3	9.8	1.4	1.4	10.73	10.73	7.3	7.33	3.67	5.06	100	1	3.00		9.2	fast run, can see/hear, very foa		0.03	0.1
1/28/09	Beaverton V.	BV3		1.5		10.72		7.3		4.62		100	4							
1/28/09	Beaverton V.	BV3		1.4		10.73		7.4		6.9		100	4							
3/3/09	Beaverton V.	BV3	10.3	6.2	6.0	8.92	9.14	7.63	7.58	2.76	2.68	100	16	13.67		4.98	running / foamy		0.01	0.17
3/3/09	Beaverton V.	BV3		5.9		9.17		7.56		2.83		100	17							
3/3/09	Beaverton V.	BV3		5.9		9.34		7.54		2.44		100	8							
4/23/09	Beaverton V.	BV3	14.8	12.4	12.4	8.03	8.22	7.78	7.77	3.95	3.81	100	2	3.3	8.6	2.7	running / foamy, can see/hear		0.07	0.06
4/23/09	Beaverton V.	BV3		12.4		8.55		7.77		3.99		50	4							
4/23/09	Beaverton V.	BV3		12.4		8.07		7.77		3.49		50	4							

DATE MM/DD/YY	WATERSHED	SITE #	AIR TEMP °C	H2O Temp °C	Average H20 Temp	DO mg/L	Average DO	pH	Average pH	TURBIDITY NTU	A verage Turbidity	VOLUME mL	F. COLIFORM col/100ml	Average	Geometric Mean	FLOW ft^3/sec	Water Condition	Nitrate mg/l	Phosphate mg/l
4/1/02	False Bay	FB1	12.3	7.1	7.2	14.57	#########	7.87	7.83	2.28	2.29	100	0	27.67					
4/1/02	False Bay	FB1		7.2		12.8		7.83		2.09		100	0						
4/1/02	False Bay	FB1		7.2		11.4		7.8		2.49		100	83						
5/6/02	False Bay	FB1	10.6	7.1	7.1	9.95	#########	7.61	7.60	3.64	3.96	50	6	6.67					
5/6/02	False Bay	FB1		7.1		9.76		7.58		5.08		50	10						
5/6/02	False Bay	FB1		7.1		9.77		7.61		3.16		50	4						
6/5/02	False Bay	FB1	15.9	11.2	11.6	8.4	#########	7.45	7.44	5.85	5.10	100	57	46.25					
6/5/02	False Bay	FB1		11.2		9.01		7.42		5.84		100	46						
6/5/02	False Bay	FB1		11.2		9.14		7.41		5.49		100	46						
7/16/02	False Bay	FB1	28	12.9	12.8	8.98	#########	7.48	7.56	3.2	3.80	50	36	34.00					
7/16/02	False Bay	FB1		12.8		8.9		7.59		4.4		50	42						
7/16/02	False Bay	FB1		12.8		8.87		7.61		3.8		50	24						
10/1/02	False Bay	FB1	13.9	8.7	8.8	8.15	#########	7.77	7.65	1.9	1.97	100	8	14.33					

10/1/02	False Bay	FB1		8.8		8.38		7.72		2.22		100	17								
10/1/02	False Bay	FB1		8.8		9.13		7.46		1.79		100	18								
11/20/02	False Bay	FB1	15.2	9.6	9.6	5.77	##########	7.46	7.34	2.86	3.28	100	5	3.00							
11/20/02	False Bay	FB1		9.6		5.65		7.27		4.56		100	2								
11/20/02	False Bay	FB1		9.6		6.3		7.29		2.43		100	2								
1/9/03	False Bay	FB1	12.5	4.2	4.1	9.12	##########	7.46	7.42	2.47	3.14	100	1	0.67						0	< 5
1/9/03	False Bay	FB1		4.1		9.1		7.38		2.49		100	1								
1/9/03	False Bay	FB1		4.1		9.15		7.41		4.46		100	0								
2/25/03	False Bay	FB1	5.5	4.3	4.3	11.46	##########	7.36	7.41	1.25	1.06	100	1	0.67						1	0
2/25/03	False Bay	FB1		4.3		11.28		7.41		1.09		100	0								
2/25/03	False Bay	FB1		4.2		11.48		7.47		0.84		100	1								
3/24/03	False Bay	FB1	13.1	6.4	6.4	10.56	##########	7.04	7.14	1.07	0.99	100	2	0.67						0	0
3/24/03	False Bay	FB1		6.4		10.02		7.13		0.91		100	0								
3/24/03	False Bay	FB1		6.4		10.4		7.25		0.98		100	0								
4/28/03	False Bay	FB1	20	10	9.4	10.46	##########	7.16	6.94	2.16	1.91	100	0	4.33							5
4/28/03	False Bay	FB1		9.1		10.15		6.46		1.78		100	2								
28-Apr	FalseBay	FB1		9.1		10.32		7.19		1.79		100	11								
6/17/03	False Bay	FB1	33.4	13.4	13.4	10	##########	6.8	7.05	3.74	3.66	50	34	23.33				trickling			
6/17/03	False Bay	FB1		13.3		9.3		7.17		3.13		50	20								
6/17/03	False Bay	FB1		13.5		9.35		7.17		4.1		50	16								
8/5/03	False Bay	FB1	30	15.3	16.3	9.09	##########	7.17	7.29	3.07	3.06	50	144	170.67							
8/5/03	False Bay	FB1		16.4		10.54		7.29		2.92		50	178								
8/5/03	False Bay	FB1		17.3		10.21		7.4		3.19		50	190								
10/6/03	False Bay	FB1		10.1		10.18		7.27		1.32		50	34								
10/6/03	False Bay	FB1	16.6	11.3	11.7	8.25	##########	7.25	7.18	1.53	1.35	50	112	123.30				trickling			5
10/6/03	False Bay	FB1		11.8		10.66		7.2		1.14		50	130								
10/6/03	False Bay	FB1		11.9		8.67		7.09		1.38		50	128								
11/10/03	False Bay	FB1	12	7.7	7.7	8.66	##########	6.8	6.90	1.22	0.82	50	106	61.30							
11/10/03	False Bay	FB1		7.8		8.6		6.9		0.73		50	20								
11/10/03	False Bay	FB1		7.7		8.72		7		0.52		50	58								
1/29/04	False Bay	FB1	13.3	5.4	5.4	11.33	##########	7.1	7.14	1.5	1.51	100	3	3.33				running		1.4	0.05
1/29/04	False Bay	FB1		5.4		11.75		7.15		1.6		100	2								
1/29/04	False Bay	FB1		5.4		12.73		7.17		1.43		100	5								
3/9/04	False Bay	FB1	14.9	7.7	7.7	9.7	##########	6.5	6.70	1.53	1.63	100	2	1.66				running		2.6	0.1
3/9/04	False Bay	FB1		7.7		10.3		6.7		1.58		100	1								
3/9/04	False Bay	FB1		7.7		10.01		6.9		1.78		100	2								
4/22/04	False Bay	FB1	16.2	9	8.9	11.01	##########	7.43	7.24	3.02	2.97		6	4.66				running		1	0.12
4/22/04	False Bay	FB1		8.9		10.47		7.13		3.02		50	4								
4/22/04	False Bay	FB1		8.8		10.52		7.15		2.86		50	4								
5/17/04	False Bay	FB1	19.7	10.4	10.5	9.48	##########	7.14	7.21	2.91	2.81	50	40	45.30				trickle		0.2	0.09
5/17/04	False Bay	FB1		10.6		9.36		7.19		2.84		50	44								
5/17/04	False Bay	FB1		10.6		9.41		7.31		2.67		50	52								
7/9/04	False Bay	FB1	20.9	13.2	13.2	8.04	##########	7.03	7.14	1.92	1.94	50	600	550.70				trickle		0.2	0.15
7/9/04	False Bay	FB1		13.2		7.89		7.18		1.72		25	520								
7/9/04	False Bay	FB1		13.2		7.82		7.21		2.19		running	532								
8/19/04	False Bay	FB1	28.5	18.8	18.8	5.02	##########	6.95	6.95	12.7	16.30	25	444	297.33				still		0.6	0.3
8/19/04	False Bay	FB1		18.9		5.89		6.97		25.7		25	320								
8/19/04	False Bay	FB1		18.6		5.25		6.93		10.5		25	128								
10/5/04	False Bay	FB1	14.9	10.2	10.1	13.47	##########	6.9	7.18	1.11	1.12	50	34	32.67				running		0.8	0.1
10/5/04	False Bay	FB1		10.1		16.69		7.36		0.92		slow run	30								
10/5/04	False Bay	FB1		10.1		10.18		7.27		1.32		50	34								
11/15/04	False Bay	FB1	14	9.8	9.9	7.98	##########	7.04	7.12	0.92	0.62	100	10	7.33				running		0.6	0.06
11/15/04	False Bay	FB1		10		7.61		7.12		0.48		100	3								
11/15/04	False Bay	FB1		9.8		7.81		7.2		0.47		100	9								
1/4/05	False Bay	FB1	7.5	4.9	4.6	11.2	##########	7.45	7.45	1.51	1.39	100	5	4.67				running		1.2	0.02
1/4/05	False Bay	FB1		4.5		11.07		7.48		1.43		100	4								
1/4/05	False Bay	FB1		4.5		11.32		7.41		1.23		100	5								
2/15/05	False Bay	FB1	5.7	4.8	4.7	12.15	##########	7.47	7.48	1.26	1.12	100	7	5.00				running		1.4	0.05
2/15/05	False Bay	FB1		4.7		12.16		7.48		1.06		100	4								
2/15/05	False Bay	FB1		4.7		12.31		7.5		1.03		100	4								
3/29/05	False Bay	FB1	11.3	7.2	7.2	10.09	##########	6.99	7.22	3.47	3.37	100	1	1.67				running		1.8	0.09
3/29/05	False Bay	FB1		7.2		9.99		7.6		3.19		100	3								
3/29/05	False Bay	FB1		7.2		9.94		7.07		3.45		100	1								
5/4/05	False Bay	FB1		10.1	10.1	8.37	##########	7.1	7.03	3.5	3.27	50	0	0.67							
5/4/05	False Bay	FB1		10.1		8.34		7		3.65		50	0								
5/4/05	False Bay	FB1	14.5	10.1		8.57		6.99		2.66		50	2					trickle		1	0.15
6/9/05	False Bay	FB1		10.8	10.9	9.26	##########	7.25	7.28	5.33	10.88	50	52	36.00							
6/9/05	False Bay	FB1		10.8		9.23		7.25		20.9		25	26								
6/9/05	False Bay	FB1	14.9	11		9.43		7.33		6.41		50	30					running		0.2	0.07
7/8/05	False Bay	FB1	25.2	13.9	13.6	7.8	##########	6.7	6.77	2.98	2.94	20	530	496.67				trickle		0.6	0.1
7/8/05	False Bay	FB1		13.6		7.37		6.63		2.95		20	410								
7/8/05	False Bay	FB1		13.4		7.25		6.98		2.89		20	550								
8/21/05	False Bay	FB1	23.4	14.7	14.7	5.97	##########	6.34	6.45	2.44	2.63	50	16	31.33				still		0.01	0.37
8/21/05	False Bay	FB1		14.7		7.22		6.46		2.48		50	34								
8/21/05	False Bay	FB1		14.7		7.3		6.56		2.97		50	44								
9/28/05	False bay	FB1	12.2	9.9	9.8	4.7	##########	6.67	6.66	2.91	3.06	50	64	52.00				trickle			
9/28/05	False bay	FB1		9.8		5.06		6.65		3.17		50	60								
28-Sep	False bay	FB1		9.8		5.21		6.67		3.11		50	32								
10/26/05	False Bay	FB1	11.4	8.3	8.2	6.68	##########	6.83	6.84	1.77	1.83	100	90	103.33				slow run		0	0.06
10/26/05	False Bay	FB1		8.1		6.67				1.79		100	110								
10/26/05	False Bay	FB1		er		6.88		6.85		1.93		100	110								
11/30/05	False Bay	FB1	7.8	6.4	6.3	10.13	##########	6.64	6.62	0.63	0.73	100	7	11.33				running		0.41	0.09
11/30/05	False Bay	FB1		6.3		10.01		6.71		0.77		50	20								
11/30/05	False Bay	FB1		6.3		10.02		6.51		0.78		100	7								

1/17/06	False Bay	FB1	9.2	6.7	6.7	11.48	##########	6.95	6.98	4.05	5.48	100	4	5.25				running		0.8	0.08
1/17/06	False Bay	FB1		6.7		11.46		7.02		4.02		100	2								
1/17/06	False Bay	FB1		6.8		11.13		6.81		3.53		100	2								
2/28/06	False Bay	FB1	11.4	5.3	5.3	10.36	##########	7.13	7.33	10.3	9.18	100	13	11.00				running		No nutrients b/c no reagents available.	
2/28/06	False Bay	FB1		5.2		10.44		7.15		8.11		100	8								
2/28/06	False Bay	FB1		5.3		10.72		7.71		9.12		100	12								
4/6/06	False Bay	FB1	12.8	8.1	8.0	8.5	8.69	6.69	6.7	1.84	1.8	100	3	4.00				running			
4/6/06	False Bay	FB1		8		8.76		6.71		1.88		100	5								
4/6/06	False Bay	FB1		8		8.8		6.74		1.71		100	4								
5/11/06	False Bay	FB1	15.5	9.1	9.1	7.82	##########	7.01	7.01	2.94	2.74	50	0	2.67				slow run		1	0.07
5/11/06	False Bay	FB1		9.1		7.8		6.99		2.6		50	8								
5/11/06	False Bay	FB1		9.1		8		7.02		2.68		50	0								
6/15/06	False Bay	FB1	27.4	12.7	12.7	7.64	##########	6.45	6.48	7.72	6.95	50	2	4.67				slow flow		0.01	0.15
6/15/06	False Bay	FB1		12.7		8.11		6.47		6.43		50	6								
6/15/06	False Bay	FB1		12.7		8.22		6.51		6.7		50	6								
7/28/06	False Bay	FB1	24.1	14	14.0	6.34	##########	6.44	6.51	2.49	2.65	10	30	76.67				slow run		0.4	0
7/28/06	False Bay	FB1		14.1		6.44		6.51		2.9		10	180								
7/28/06	False Bay	FB1		14		6.39		6.57		2.56		10	20								
9/14/06	False Bay	FB1	16.8	11.5	11.5	6.77	##########	7.71	7.66	1.37	1.52	100	59	66.00				slow run/visual only		0.2	0.12
9/14/06	False Bay	FB1		11.5		6.67		7.65		1.49		100	84								
9/14/06	False Bay	FB1		11.5		6.81		7.63		1.71		100	55								
10/31/06	False Bay	FB1	8.7	4.6	4.5	10.6	##########	7.39	7.33	1.47	1.44	50	84	91.33				slow run		0	0.19
10/31/06	False Bay	FB1		4.3		9.2		7.33		1.44		50	124								
10/31/06	False Bay	FB1		4.6		9.23		7.26		1.4		50	66								
12/12/06	False Bay	FB1	8.5	7.3	7.3	12.58	##########	7.56	7.54	1.85	2.03	100	2	2.00				rushing		1.2	0.06
12/12/06	False Bay	FB1		7.3		12.57		7.5		2.22		100	2								
12/12/06	False Bay	FB1		7.3		12.55		7.56		2.01		100	n/a								
1/30/07	False Bay	FB1	7.8	3.8	3.9	12.04	##########	7.77	7.78	0.99	1.03	50	0	0.67				running		0.4	0.05
1/30/07	False Bay	FB1		3.9		11.48		7.78		1.05		50	0								
1/30/07	False Bay	FB1		3.9		12.1		7.78		1.05		50	2								
3/6/07	False Bay	FB1	15.1	6.4	6.4	13.2	##########	7.78	7.78	1.09	1.31	50	2	1.33				running		0.17	0.07
3/6/07	False Bay	FB1		6.4		14.08		7.78		1.26		50	2								
3/6/07	False Bay	FB1		6.4		14.03		7.77		1.58		50	0								
4/17/07	False Bay	FB1	17.5	8.9	8.9	10.12	##########	n/a	er	4.64	4.74	100	3	7.00			0.88	running		0.13	0.04
4/17/07	False Bay	FB1		8.9		10.59		n/a		4.83		100	12								
4/17/07	False Bay	FB1		8.9		10.59		n/a		4.74		100	6								
6/4/07	False Bay	FB1	16.7	12	12.0	9.52	##########	7.54	7.54	4.95	5.17	50	64	66.00				slow run/shallow		0.3	0.09
6/4/07	False Bay	FB1		11.9		9.26		7.54		5.51		50	58								
6/4/07	False Bay	FB1		12		9.54		7.54		5.06		50	76								
7/19/07	False Bay	FB1	22.3	14.3	14.2	7.91	##########	7.61	7.60	5.06	6.96	20	925	1068.33				slow run		0	0.11
7/19/07	False Bay	FB1		14.2		8.28		7.59		9.35		20	1195								
7/19/07	False Bay	FB1		14.2		8.31		7.6		6.48		20	1085								
8/20/07	False Bay	FB1	21.6	13.8	13.8	7.4	##########	7.68	7.67	3.62	3.30	10	100	93.33				trickle		0.14	0.12
8/20/07	False Bay	FB1		13.8		7.56		7.64		3.48		10	90								
8/20/07	False Bay	FB1		13.8		7.51		7.68		2.79		10	90								
10/16/07	False Bay	FB1	13.8	9.3	9.3	7.74	##########	7.59	7.59	3.19	2.84	100	75	67.00				trickle		0.01	0.06
10/16/07	False Bay	FB1		9.3		7.76		7.57		2.69		100	72								
10/16/07	False Bay	FB1		9.3		7.87		7.6		2.65		100	54								
11/15/07	False Bay	FB1	10	8	7.9	6.45	##########	7.39	7.38	7.84	5.35	100	3	6.33				trickle		0	0
11/15/07	False Bay	FB1		7.9		6.49		7.39		5.39		100	11								
11/15/07	False Bay	FB1		7.9		6.38		7.36		2.82		100	5								
1/8/08	False Bay	FB1	8.7	5.3	5.3	10.52	##########	7.54	7.49	1.91	##########	100	13	14.67				slow run		0.48	0.01
1/8/08	False Bay	FB1		5.3		10.67		7.48		1.61		100	19								
1/8/08	False Bay	FB1		5.3		10.82		7.46		1.8		100	12								
2/29/08	False Bay	FB1	14.4	7.4	7.4	8.08	##########	7.59	7.58	2.61	##########	100	1	2.00				running/low volume		0.43	0
2/29/08	False Bay	FB1		7.4		8.38		7.57		1.51		100	2								
2/29/08	False Bay	FB1		7.4		8.42		7.57		2.59		100	3								
4/16/08	False Bay	FB1	15.5	8.9	8.9	10.57	##########	7.53	7.51	40.6	##########	50	4	2.67				running		0.26	0.06
4/16/08	False Bay	FB1		8.9		10.91		7.5		69.1		50	2								
4/16/08	False Bay	FB1		8.8		11.13		7.51		40.6		50	2								
5/28/08	False Bay	FB1	18.2	12.1	12.1	9.63	##########	7.7	7.69	4.48	##########	50	38	47.33				slow run		0.21	0.05
5/28/08	False Bay	FB1		12.1		10.16		7.68		4.51		50	50								
5/28/08	False Bay	FB1		12.1		10.07		7.68		4.31		50	54								
7/9/08	False Bay	FB1	15	13.6	13.5	9.06	9.45	7.65	7.69	4.42	3.85	50	92	103.33				trickle		0.01	0.09
7/9/08	False Bay	FB1		13.5		9.6		7.71		3.49		50	120								
7/9/08	False Bay	FB1		13.5		9.7		7.7		3.65		50	98								
9/9/08	False Bay	FB1	18.4	13.1	13.1	8.4	8.42	7.7	7.70	4.06	3.91	25	408	383.00				trickle/can't hear		0.01	0
9/9/08	False Bay	FB1		13.1		8.42		7.7		3.91		25	368								
9/9/08	False Bay	FB1		13.1		8.45		7.7		3.77		30	373								
10/14/08	False Bay	FB1	11.8	8.4	8.4	12.82	12.35	6.55	7.32	3.15	3.17	50	58	63.33				trickle/can't hear		0.01	0.03
10/14/08	False Bay	FB1		8.4		12.6		7.7		2.64		50	62								
10/14/08	False Bay	FB1		8.5		11.64		7.7		3.73		50	70								
12/4/08	False Bay	FB1	4.1	6.2	6.1	9.8	9.92	7.29	7.33	1.53	1.64	100	1	3.00				running, can hear, some pools		0.29	0.01
12/4/08	False Bay	FB1		6		9.76		7.31		1.6		100	4								
12/4/08	False Bay	FB1		6		10.2		7.4		1.8		100	4								
1/28/09	False Bay	FB1	7.3	3.3	3.3	11.13	11.31	7.9	7.90	1.66	1.64	100	33	30.00				running, can see and hear		0.34	0.05
1/28/09	False Bay	FB1		3.3		11.2		7.9		1.65		100	27								
1/28/09	False Bay	FB1		3.3		11.59		7.91		1.6		100	30								
3/3/09	False Bay	FB1	9.7	5.4	5.4	9.81	9.90	7.75	7.74	4.44	3.89	100	3	3.67				slow run		0.48	0.07
3/3/09	False Bay	FB1		5.4		9.85		7.74		3.99		100	4								
3/3/09	False Bay	FB1		5.4		10.05		7.72		3.25		100	4								
4/23/09	False Bay	FB1	17.3	8.3	8.3	8.84	8.85	7.85	7.81	2.55	3.0	100	6	6.0	14.8		0.45	slow run, can see/hear		0.3	0.05
4/23/09	False Bay	FB1		8.3		8.89		7.79		3.61		100	8								
4/23/09	False Bay	FB1		8.3		8.81		7.79		2.97		100	4								

DATE MM/DD/YY	WATERSHED	SITE #	AIR TEMP °C	H2O Temp °C	Average H20 Temp	DO mg/L	Average DO	pH	Average pH	TURBIDITY NTU	A verage Turbidity	VOLUME mL	F. COLIFORM col/100ml	Average	Geometric Mean	FLOW ft^3/sec	Water Condition		Nitrate mg/l	Phosphate mg/l
4/1/02	False Bay	FB2	19	7.5	7.5	10.97	11.34	7.61	7.61	5.34	5.52	100	20	15.67						
4/1/02	False Bay	FB2		7.5		12.6		7.61		5.90		100	9							
4/1/02	False Bay	FB2		7.5		10.45		7.61		5.31		100	18							
5/1/02	False Bay	FB2	11.9	8.8	8.8	9.99	9.56	7.81	7.81	10.10	8.81	200	37.5	27.17						
5/1/02	False Bay	FB2		8.8		9.38		7.81		7.32		200	22							
5/1/02	False Bay	FB2		8.8		9.31		7.81		9.01		200	22							
6/5/02	False Bay	FB2	13.8	11.9	11.7	7.89	8.69	7.79	7.80	13.80	14.00	100 NGM	1000							
6/5/02	False Bay	FB2		11.9		7.87		7.80		13.70		100 NGM	1000 +							
6/5/02	False Bay	FB2		11.3		10.31		7.81		14.50		100 NGM	1000 +							
6/10/02	False Bay	FB2										5 GM	680	766.67						
6/10/02	False Bay	FB2										5 GM	860							
6/10/02	False Bay	FB2										5 GM	760							
7/16/02	False Bay	FB2	33.1	20.3	20.3	0.2	0.38	7.46	7.46	11.70	12.17	10 NGM	20				pooled			
7/16/02	False Bay	FB2		20.3		0.4		7.46		12.20		10 NGM	40				pooled			
7/16/02	False Bay	FB2		20.3		0.55		7.45		12.60		10 NGM	0				pooled			
7/16/02	False Bay	FB2										50 GM	34	29.33						
7/16/02	False Bay	FB2										50 GM	32							
7/16/02	False Bay	FB2										50 GM	22							
9/30/02	False Bay	FB2															dry			
11/20/02	False Bay	FB2	16.9	9.4	9.5	7.32	7.16	7.10	7.17	3.90	3.09	100	224	231.50					68	
11/20/02	False Bay	FB2		9.4		7.06		7.16		2.45		100	239						116	
11/20/02	False Bay	FB2		9.7		7.11		7.25		2.92		100							124	watery
1/9/03	False Bay	FB2	12.1	2.9	2.9	10.75	10.76	7.48	7.55	2.15	2.16	50	4	6.67					0	0
1/9/03	False Bay	FB2		3		10.72		7.48		2.01		50	8							
1/9/03	False Bay	FB2		2.9		10.8		7.70		2.31		50	8							
2/25/03	False Bay	FB2	6.5	0.8	0.8	14.1	14.17	7.73	7.76	4.00	3.95	100	26	32.67					0	0
2/25/03	False Bay	FB2		0.8		14.1		7.77		3.99		100	23							
2/25/03	False Bay	FB2		0.8		14.3		7.79		3.85		100	49							
3/24/03	False Bay	FB2	15.8	4.9	5.0	11.56	11.73	7.51	7.53	4.94	4.86	50	12	14.00					0	5
3/24/03	False Bay	FB2		5		11.95		7.45		4.82		50	6							
3/24/03	False Bay	FB2		5		11.69		7.62		4.83		50	24							
4/28/03	False Bay	FB2	17.9	9.3	9.3	11.15	10.70	7.53	7.60	4.88	4.87	50	12	23.33					0.5	10
4/28/03	False Bay	FB2		9.3		10.5		7.63		4.87		50	32							
4/28/03	False Bay	FB2		9.3		10.44		7.65		4.87		50	26							
6/17/03	False Bay	FB2	32.2	18.3	19.6	5.13	5.23	7.20	7.25	26.10	26.20	25	28	78.67			still			
6/17/03	False Bay	FB2		20.3		5.49		7.24		26.20		25	104							
6/17/03	False Bay	FB2		20.2		5.07		7.32		26.30		25	104							
8/5/03	False Bay	FB2															dry			
10/6/03	False Bay	FB2															dry			
10/6/03	False Bay	FB2b														0.154				
11/10/03	False Bay	FB2b														0.48				
11/10/03	False Bay	FB2	12	5.1	5.1	10.6	10.42	7.11	7.16	1.57	1.30	50	6	15.33						
11/10/03	False Bay	FB2		5.1		10.37		7.18		1.14		50	30							
11/10/03	False Bay	FB2		5.1		10.3		7.19		1.18		50	10							
1/29/04	False Bay	FB2	10.5	6.4	6.4	11.24	10.95	7.14	7.13	9.00	8.87	100	73	61.67		23.99	running			
1/29/04	False Bay	FB2		6.4		10.81		7.17		8.71		100	50							
1/29/04	False Bay	FB2		6.5		10.81		7.07		8.90		50	62							
3/9/04	False Bay	FB2	18.2	8.1	8.1	10.1	10.40	7.13	7.19	7.68	7.16	50	8	14.00		16.02	running			
3/9/04	False Bay	FB2		8.1		10.4		7.23		7.08		50	20							
3/9/04	False Bay	FB2		8.1		10.7		7.21		6.72		50	14							
4/22/04	False Bay	FB2	19.1	8.8	8.7	12.9	12.61	7.58	7.58	5.53	5.52	50	154	136.67		0.46	trickle			
4/22/04	False Bay	FB2		8.7		12.43		7.59		5.58		50	140							
4/22/04	False Bay	FB2		8.7		12.49		7.58		5.45		50	116							
5/17/04	False Bay	FB2	20.8	10.5	10.4	95.3	94.70	7.53	7.61	6.49	6.25	25	104	80.00		0.208	pooling			
5/17/04	False Bay	FB2		10.3		94.8		7.65		6.10		25	76							
5/17/04	False Bay	FB2		10.3		94		7.64		6.15		25	60							
7/9/04	False Bay	FB2															dry			
8/19/04	False Bay	FB2															dry			
10/5/04	False Bay	FB2	13.6	9.1	9.0	15.5	13.15	7.36	7.39	1.80	2.04	50	120	114.00		0.15	trickle			
10/5/04	False Bay	FB2		9		10.6		7.35		1.70		50	110							
10/5/04	False Bay	FB2		9		13.34		7.46		2.61		50	112							
11/15/04	False Bay	FB2		8.8	8.8	8.65	8.32	6.98	7.03	2.51	2.82	100	42	41.67						
11/15/04	False Bay	FB2	12	8.8		8.03		6.97		2.51		100	42			1.42	slow run			
11/15/04	False Bay	FB2		8.8		8.28		7.13		3.43		100	41							
1/4/05	False B ay	FB2		1.3	1.3	11.8	11.43	7.44	7.39	3.20	3.30	100	19	21.67						
1/4/05	False Bay	FB2	4.4	1.4		11.4		7.35		3.47		100	26			11.5	running			
1/4/05	False Bay	FB2		1.3		11.08		7.39		3.22		100	20							
2/15/05	False Bay	FB2	5.3	2.2	2.2	11.65	11.59	7.40	7.38	4.40	4.33	100	29	25.67		9.4	running			
2/15/05	False Bay	FB2		2.2		11.6		7.37		4.58		100	18							
2/15/05	False Bay	FB2		2.2		11.52		7.38		4.02		100	30							
3/29/05	False Bay	FB2	12.1	7.4	7.3	11.74	11.62	6.90	7.37	12.30	11.33	100	128	122.00		1.11	running			
3/29/05	False Bay	FB2		7.3		11.58		7.70		11.20		100	64							
3/29/05	False Bay	FB2		7.3		11.53		7.50		10.50		100	174							
5/4/05	False Bay	FB2	15	10.3	10.3	10.13	10.04	7.10	7.27	4.95	5.59	50	188	180.00		1.12	trickle			
5/4/05	False Bay	FB2		10.3		9.98		7.30		5.71		50	176							
5/4/05	False Bay	FB2		10.3		10		7.40		6.10		50	176							
6/9/05	False Bay	FB2	14.3	10.9	10.9	10.27	10.14	7.44	7.44	6.44	12.15	25	120	110.67		0.503	running			
6/9/05	False Bay	FB2		10.9		10.18		7.43		13.40		25	88							
6/9/05	False Bay	FB2		10.9		9.97		7.45		16.60		25	124							
7/8/05	False Bay	FB2	21.5	14	14.0	8.63	8.46	6.62	6.70	6.35	6.42	10	300	316.67		0.0264	pooled			
7/8/05	False Bay	FB2		14		8.42		6.75		5.03		10	370							

7/8/05	False Bay	FB2		14		8.33		6.72		7.87		10	280							
8/21/05	False Bay	FB2														0.44	puddle			
9/28/05	False bay	FB2														`	pooled			
10/26/05	False Bay	FB2	11.3	7.5	7.5	6.22	6.14	6.80	6.82	1.45	1.58	100	46	41.00		0.46	pooled			
10/26/05	False Bay	FB2		7.5		6.11		6.80		1.86		100	60							
10/26/05	False Bay	FB 2		7.5		6.08		6.87		1.43		100	17							
11/30/05	False Bay	FB 2		4	4.0	11.6	11.80	6.74	6.65	7.81	7.69	50	76	70.33						
11/30/05	False Bay	FB2	6.9	4		11.89		6.55		7.37		100	71			1.28	running			
11/30/05	False Bay	FB2		4		11.91		6.65		7.89		100	64							
1/17/06	False Bay	FB2	12.7	6.4	6.4	10.77	10.76	6.65	6.67	10.60	9.74	100	27	30.00		35.9	rushing			
1/17/06	False Bay	FB2		6.4		10.75		6.67		9.35		100	38							
1/17/06	False Bay	FB2		6.3		10.77		6.68		9.28		100	25							
2/28/06	False Bay	FB2	11	4.6	4.6	10.91	11.06	6.64	6.68	6.79	5.92	100	25	28.33		8.05	running			
2/28/06	False Bay	FB2		4.6		11.12		6.69		5.39		50	42							
2/28/06	False Bay	FB2		4.6		11.14		6.72		5.59		100	18							
4/6/06	False Bay	FB2	10.6	8	8.0	10.23	10.27	6.85	6.90	5.25	5.46	50	12	12.67		0.74	running			
4/6/06	False Bay	FB2		8		10.28		6.87		5.27		50	10							
4/6/06	False Bay	FB2		8		10.29		6.99		5.85		50	16							
5/11/06	False Bay	FB2	16.6	10.2	10.1	9.68	9.37	7.28	7.30	7.99	7.98	50	82	80.67		0.57	trickle			
5/11/06	False Bay	FB2		10.3		9.32		7.28		7.93		50	70							
5/11/06	False Bay	FB2		9.9		9.1		7.33		8.02		50	90							
6/15/06	False Bay	FB2														ND	pooled			
7/28/06	False Bay	FB2															dry			
9/14/06	False Bay	FB2														0.18	small pools			
10/30/06	False Bay	FB2														0.1	small pools			
12/12/06	False Bay	FB2	10	5.3	5.3	10.61	10.48	7.76	7.78	6.91	6.97	100	40	23.33		12.2	running			
12/12/06	False Bay	FB2		5.3		10.51		7.81		6.76		100	16							
12/12/06	False Bay	FB2		5.3		10.33		7.76		7.24		100	14							
1/30/07	False Bay	FB2	10.5	2.4	2.5	10.56	10.84	7.51	7.44	3.51	3.52	50	10	6.45		26.95	running			
1/30/07	False Bay	FB2		2.4		11		7.40		3.61		50	6							
1/30/07	False Bay	FB2		2.8		10.96		7.42		3.45		60	3.34							
3/6/07	False Bay	FB2	19.1	6.3	6.2	13.12	12.88	7.53	7.50	4.10	3.81	50	8	5.33		7.84	running			
3/6/07	False Bay	FB2		6.2		12.73		7.51		3.75		50	6							
3/6/07	False Bay	FB2		6.2		12.8		7.47		3.58		50	2							
4/17/07	False Bay	FB2	16.7	9.1	9.1	10.86	11.29	n/a	n/a	14.20	12.50	100	14	15.00		11.33	running			
4/17/07	False Bay	FB2		9.1		11.42		n/a		12.70		100	23							
4/17/07	False Bay	FB2		9.1		11.6		n/a		10.60		100	8							
6/4/07	False Bay	FB2	17.3	12.6	12.6	10.05	10.36	7.87	7.46	8.13	10.11	25	100	105.33		1.09	slow run(see but not hear)			
6/4/07	False Bay	FB2		12.6		10.59		7.27		11.10		25	116							
6/4/07	False Bay	FB2		12.6		10.44		7.25		11.10		30	100							
7/19/07	False Bay	FB2														speed=1.8ft/s	pooled/mostly dry			
8/20/07	False Bay	FB2														speed=1.77ft/	dry			
10/19/07	False Bay	FB2														0.57	dry			
11/15/07	False Bay	FB2	13	8	7.9	7.59	7.75	7.42	7.42	1.68	1.65	50	180	145.67		1	pooled-visual trickle			
11/15/07	False Bay	FB2		7.9		8.04		7.41		1.55		60	135							
11/15/07	False Bay	FB2		7.9		7.62		7.44		1.72		50	122							
1/8/08	False Bay	FB2	6.6	3.6	3.5	14.32	14.36	7.7	7.70	1.68	1.65	100	42	44.67		2.04	slow run			
1/8/08	False Bay	FB2		3.5		14.3		7.7		1.55		100	45							
1/8/08	False Bay	FB2		3.5		14.46		7.69		1.72		100	47							
2/29/08	False Bay	FB2	14.2	6.5	6.5	8.81	9.15	7.76	7.77	4.13	4.11	100	22	23.33		flow meter ma	running			
2/29/08	False Bay	FB2		6.5		9.23		7.78		4.11		100	27							
2/29/08	False Bay	FB2		6.5		9.42		7.77		4.08		100	21							
4/16/08	False Bay	FB2	14.6	8.7	8.7	12.33	12.41	7.83	7.82	2.21	2.31	50	56	60.67			still			
4/16/08	False Bay	FB2		8.7		12.42		7.86		2.19		50	64							
4/16/08	False Bay	FB2		8.7		12.47		7.78		2.52		50	62							
5/28/08	False Bay	FB2	19.2	12.2	12.2	10.73	10.94	7.95	7.96	6.31	6.02	50	252	244.00		0.82	still			
5/28/08	False Bay	FB2		12.2		10.89		7.96		6.24		50	270							
5/28/08	False Bay	FB2		12.1		11.2		7.97		5.51		50	210							
7/9/08	False Bay	FB2														0.81	pooled			
9/9/08	False Bay	FB2														0.132	pooled			
10/14/08	False Bay	FB2														0.325	FB2b is running / FB2 is dry			
12/4/08	False Bay	FB2	6.8	4.6	4.5	11.06	11.43	8.2	7.98	1.93	1.96	100	13	10.00		1.49	FB2:can hear, trickle, pooled		0.08	0.03
12/4/08	False Bay	FB2		4.5		12.22		7.87		1.97		100	8				FB2b is running			
12/4/08	False Bay	FB2		4.3		11		7.86		1.97		100	9							
1/28/09	False Bay	FB2	8.7	1.3	1.3	10.1	11.44	7.9	7.82	3.35	3.28	100	226	268.33		8.05	running, can hear and see			
1/28/09	False Bay	FB2		1.3		12.52		7.8		3.29		100	293							
1/28/09	False Bay	FB2		1.3		11.7		7.76		3.19		100	286							
3/3/09	False Bay	FB2	12.5	4.9	4.70	10.46	10.58	7.9	7.89	8.1	7.85	100	74	78.0		6.21	slow run/ small amt of foam			
3/3/09	False Bay	FB2		4.6		10.55		7.89		7.96		100	72							
3/3/09	False Bay	FB2		4.6		10.74		7.88		7.48		100	88							
4/23/09	False Bay	FB2	14.8	8.3	8.3	9.57	9.88	8.05	8.04	3.42	3.62	100	20	23.0	45.0	2.28	slow run, can see only			
4/23/09	False Bay	FB2		8.3		9.85		8.04		3.63		100	24							
4/23/09	False Bay	FB2		8.3		10.22		8.03		3.81		100	25							

DATE MM/DD/YY	WATERSHED	SITE #	AIR TEMP °C	H2O Temp °C	Average H20 Temp	DO mg/L	Average DO	pH	Average pH	TURBIDITY NTU	A verage Turbidity	VOLUME mL	F. COLIFORM col/100ml	Average	Geometric Mean	FLOW ft^3/sec	Water Condition	Nitrate mg/l	Phosphate mg/l
5/6/02	False Bay	FB3	11.4	12.6	12.7	9.33	9.07	7.76	7.75	4.51	4.14	50	42	35.3					
5/6/02	False Bay	FB3		12.7		9.26		7.74		3.64		50	36						
5/6/02	False Bay	FB3		12.7		8.62		7.76		4.28		50	28						
6/5/02	False Bay	FB3	19	18.3	18.5	6.13	5.74	7.46	7.46	2.63	2.79	100	20	22.0					
6/5/02	False Bay	FB3		18.5		5.96		7.46		2.64		100	27						
06/05/02	False Bay	FB3		18.7		5.13		7.45		3.10		100	19						
7/16/02	False Bay	FB3	28.1	20.8	20.9	4.75	5.20	7.24	7.52	9.20	9.42	50	192	206.0					
7/16/02	False Bay	FB3		21		4.96		7.23		8.67		50	176						

7/16/02	False Bay	FB3		21		5.9		8.10		10.40		50	250								
10/1/02	False Bay	FB3	13.3	8.8	8.8	5.25	5.23	7.12	6.90	8.23	8.56	50	196	195.3							
10/1/02	False Bay	FB3		8.8		5.29		6.72		8.46		50	232								
10/1/02	False Bay	FB3		8.8		5.14		6.85		9.00		50	158								
11/20/02	False Bay	FB3	17.3	9.9	10.1	3.08	3.72	7.28	7.29	9.64	8.13	100	38	26.3							
11/20/02	False Bay	FB3		10.5		4.55		7.35		7.61		100	24								
11/20/02	False Bay	FB3		10		3.54		7.24		7.13		100	17								
1/9/03	False Bay	FB3	12.3	3.5	3.3	10.95	10.86	7.61	7.63	7.50	7.01	100	11	7.3						0	5
1/9/03	False Bay	FB3		3.3		10.68		7.65		6.65		100	5								
1/9/03	False Bay	FB3		3.1		10.95		7.64		6.88		100	6								
2/25/03	False Bay	FB3	10.5	4	4.1	12.4	12.40	7.70	7.70	17.70	18.20	100	5	2.7						0	5
2/25/03	False Bay	FB3		4.1		12.44		7.68		19.30		100	2								
2/25/03	False Bay	FB3		4.1		12.37		7.73		17.60		100	1								
3/24/03	False Bay	FB3	16.7	9.1	9.2	10.45	10.48	7.24	7.43	13.30	15.70	50	8	8.0						0	5
3/24/03	False Bay	FB3		9.2		10.51		7.51		18.40		50	10								
3/24/03	False Bay	FB3		9.2		10.49		7.55		15.40		50	6								
4/28/03	False Bay	FB3	18.7	12.7	12.6	8.45	8.65	7.20	7.29	10.20	9.62	50	338	372.7						0	15
4/28/03	False Bay	FB3		12.5		8.71		7.27		9.33		50	400								
4/28/03	False Bay	FB3		12.6		8.79		7.41		9.33		50	380								
6/17/03	False Bay	FB3	31.5	20	20.1	6.3	6.41	7.16	7.18	1.93	1.90	50	50	40.0							
6/17/03	False Bay	FB3		20.1		6.51		7.17		2.12		50	34								
6/17/03	False Bay	FB3		20.3		6.43		7.20		1.65		50	36								
8/5/03	False Bay	FB3	27.4	17.8	16.9	5.72	5.53	7.01	7.05	1.26	1.26	25	52	44.7							
8/5/03	False Bay	FB3		16.3		5.52		7.13		1.37		50	50								
8/5/03	False Bay	FB3		16.5		5.35		7.02		1.15		50	32								
10/6/03	False Bay	FB3	17.4	13.8	13.7	2.09	2.79	6.86	6.95	15.40	20.53	50	906	686.0				still			5
10/6/03	False Bay	FB3		13.6		2.02		6.96		12.00		50	976								
10/6/03	False Bay	FB3		13.8		4.27		7.04		34.20		50	776								
11/10/03	False Bay	FB3	9	6.5	6.5	9.5	9.52	6.94	7.10	4.19	3.87	50	190	102.7							
11/10/03	False Bay	FB3		6.5		9.6		7.07		3.72		50	40								
11/10/03	False Bay	FB3		6.5		9.47		7.30		3.69		50	78								
1/29/04	False Bay	FB3	9.7	6.6	6.3	12.25	11.71	6.78	6.93	4.58	4.95	25	16	9.3				running		1	0
1/29/04	False Bay	FB3		6.2		11.37		7.00		5.10		25	8								
1/29/04	False Bay	FB3		6.2		11.51		7.02		5.16		25	4								
3/9/04	False Bay	FB3	15.3	9.7	9.7	13.06	13.17	8.11	8.07	4.15	4.02	50	52	41.3				running		1.2	0.09
3/9/04	False Bay	FB3		9.8		13.13		8.07		3.87		50	36								
3/9/04	False Bay	FB3		9.7		13.32		8.02		4.04		50	36								
4/22/04	False Bay	FB3	21.8	15	15.0	11.21	11.00	7.18	7.22	5.92	5.30	50	48	97.3				running		2.4	0.08
4/22/04	False Bay	FB3		15		11.1		7.15		5.10		50	144								
4/22/04	False Bay	FB3		15.1		10.7		7.33		4.87		50	100								
5/17/04	False Bay	FB3	19.4	14.6	14.7	6.98	7.67	6.89	7.00	4.60	4.29	25	72	29.3				running		0.8	0.1
5/17/04	False Bay	FB3		14.9		7.95		7.04		4.60		25	4								
5/17/04	False Bay	FB3		14.7		8.07		7.07		3.68		25	12								
7/9/04	False Bay	FB3	20.8	15.5	15.5	5	5.14	6.99	6.99	2.73	2.35	50	10	10.0				running		0.6	0.06
7/9/04	False Bay	FB3		15.3		5.21		6.96		2.21		25	4								
7/9/04	False Bay	FB3		15.7		5.22		7.01		2.12		50	16								
8/19/04	False Bay	FB3	28.2	23.7	23.8	2.22	2.25	6.90	6.95	3.31	2.81	25	256	252.7				still		2.6	0.09
8/19/04	False Bay	FB3		23.8		2.27		6.98		2.24		25	228								
8/19/04	False Bay	FB3		23.9		2.25		6.97		2.88		25	274								
10/5/04	False Bay	FB3	19.5	10.3	10.3	10.31	10.03	7.66	7.56	4.09	3.85	50	18	18.0				running		1	0.13
10/5/04	False Bay	FB3		10.2		10.73		7.53		4.12		50	18								
10/5/04	False Bay	FB3		10.3		9.06		7.50		3.33		50	18								
11/15/04	False Bay	FB3	12	8.9	8.9	6.65	6.64	7.00	7.07	6.02	5.06	100	36	37.7				running		0.6	0
11/15/04	False Bay	FB3		8.9		6.78		7.12		5.07		100	45								
11/15/04	False Bay	FB3		8.9		6.48		7.08		4.09		100	32								
1/4/05	False Bay	FB3	8.1	2.5	2.4	12.6	12.29	7.23	7.22	4.14	3.60	100	18	17.7				running		1.2	0.15
1/4/05	False Bay	FB3		2.3		12.1		7.20		3.24		100	21								
1/4/05	False Bay	FB3		2.3		12.17		7.23		3.42		100	14								
2/15/05	False Bay	FB3	11.6	4.7	4.6	12.72	12.06	7.87	7.78	9.85	9.56	100	21	20.3				running		0.8	0
2/15/05	False Bay	FB3		4.6		11.72		7.89		9.97		100	20								
2/15/05	False Bay	FB3		4.6		11.73		7.57		8.85		100	20								
3/29/05	False Bay	FB3	13.9	10.9	11.1	10.51	10.54	7.94	7.97	11.40	9.23	100	169	164.3				running		0.2	0.05
3/29/05	False Bay	FB3		11		10.56		7.99		8.74		100	214								
3/29/05	False Bay	FB3		11.5		10.55		7.98		7.55		100	110								
5/4/05	False Bay	FB3	16	15.9	16.0	7.59	7.69	7.00	7.00	1.83	1.96	50	18	28.0				running		0.6	0.09
5/4/05	False Bay	FB3		16.2		7.71		7.00		1.82		50	24								
5/4/05	False Bay	FB3		16		7.77		7.00		2.22		50	42								
6/9/05	False Bay	FB3	16.8	15.2	15.3	6.06	7.18	6.68	6.74	3.83	4.24	50	38	32.0				still		0.8	0.09
6/9/05	False Bay	FB3		15.4		7.76		6.73		4.53		50	26								
6/9/05	False Bay	FB3		15.3		7.71		6.81		4.37		50	32								
7/8/05	False Bay	FB3	21.2	18.2	18.2	5.29	5.23	6.45	6.53	0.97	0.94	25	36	32.0				running		0.6	0.06
7/8/05	False Bay	FB3		18.2		5.25		6.53		0.95		25	20								
7/8/05	False Bay	FB3		18.2		5.14		6.60		0.89		20	40								
8/21/05	False Bay	FB3	22.2	18.7	18.8	8.15	6.37	6.46	6.54	1.49	1.39	50	36	26.0				running		0	0.19
8/21/05	False Bay	FB3		18.9		5.87		6.59		1.22		50	18								
8/21/05	False Bay	FB3		18.9		5.1		6.57		1.47		50	24								
28-Sep	False bay	FB3	13.7	13.1	13.1	6.42	5.90	7.53	7.53	2.98	2.59	50	16	11.3				running			
9/28/05	False bay	FB3		13.1		5.64		7.54		2.33		50	8								
9/28/05	False bay	FB3		13.1		5.64		7.53		2.47		50	10								
10/26/05	False Bay	FB3	10.5	8.7	8.7	6.75	6.82	7.57	7.56	4.69	7.22	100	26	14.0				slow run		0.4	0.06
10/26/05	False Bay	FB3		8.7		6.9		7.54		10.90		100	13								
10/26/05	False Bay	FB3		8.7		6.81		7.56		6.06		100	3								
11/30/05	False Bay	FB3	8.6	4.2	4.2	9.85	10.37	6.63	6.68	10.00	11.47	50	12	12.7				slow run		0.28	0.07
11/30/05	False Bay	FB3		4.2		10.6		6.67		13.30		50	12								

11/30/05	False Bay	FB3		4.2		10.65		6.75		11.10		100	14								
1/17/06	False Bay	FB3	8.6	6.3	6.3	11.5	11.50	6.80	7.00	11.20	11.00	100	3	9.7				running			
1/17/06	False Bay	FB3		6.4		11.52		7.17		10.70		100	20								
1/17/06	False Bay	FB3		6.3		11.48		7.03		11.10		100	6								
2/28/06	False Bay	FB3	10.5	6.1	6.0	10.22	9.84	7.00	7.01	6.67	6.24	100	10	11.3				running			
2/28/06	False Bay	FB3		6		9.59		6.96		5.98		100	12								
2/28/06	False Bay	FB3		6		9.72		7.08		6.08		100	12								
4/6/06	False Bay	FB3	13.8	12.4	12.5	8.6	8.54	6.78	6.62	15.00	15.00	50	46	51.3				running		1	0.02
4/6/06	False Bay	FB3		12.4		8.55		6.59		15.80		50	46								
4/6/06	False Bay	FB3		12.6		8.47		6.50		14.20		50	62								
5/11/06	False Bay	FB3	18	16.5	16.5	7.92	8.18	4.93	3.93	4.93	3.93	50	0	3.3				trickle		0.2	0.09
5/11/06	False Bay	FB3		16.5		8.23		3.73		3.73		50	6								
5/11/06	False Bay	FB3		16.5		8.4		3.13		3.13		50	4								
6/15/06	False Bay	FB3	24.1	19.7	19.7	6.67	6.69	7.07	7.07	3.91	3.54	50	12	28.7				still		0.01	0.2
6/15/06	False Bay	FB3		19.7		6.71		7.07		4.69		50	32								
6/15/06	False Bay	FB3		19.7		6.69		7.08		2.01		50	42								
7/28/06	False Bay	FB3	22.1	17.5	17.4	4.6	4.66	7.02	6.91	2.30	2.20	10	210	143.3				slow trickle		0.2	0.08
7/28/06	False Bay	FB3		17.4		4.71		6.90		1.66		10	120								
7/28/06	False Bay	FB3		17.4		4.68		6.81		2.63		10	100								
9/14/06	False Bay	FB3	17.1	12.7	12.6	5	5.15	7.56	7.52	2.51	3.02	50	34	30.0				slow run/visual only		0.2	0.06
9/14/06	False Bay	FB3		12.5		5.11		7.45		3.68		50	26								
9/14/06	False Bay	FB3		12.6		5.33		7.54		2.87		50	30								
10/30/06	False Bay	FB3	9.5	4.2	4.1	9.87	9.82	7.08	7.18	4.07	3.40	100	17	21.3				still water		0.2	0.07
10/30/06	False Bay	FB3		4.1		9.78		7.19		3.10		100	22								
10/30/06	False Bay	FB3		4.1		9.81		7.27		3.03		100	25								
12/12/06	False Bay	FB3	10.2	5.7	5.7	13.37	13.91	7.74	7.77	8.65	9.67	50	all pink					running/flooded banks		0.4	0.22
12/12/06	False Bay	FB3		5.7		14.25		7.77		10.60		50	all pink								
12/12/06	False Bay	FB3		5.7		14.1		7.80		9.77		50	n/a								
1/30/07	False Bay	FB3	12.7	4.1	4.2	12.56	12.04	7.72	7.49	5.91	8.81	50	12	19.3				running slowly		0.2	0.11
1/30/07	False Bay	FB3		4.2		11.92		7.08		9.93		50	26								
1/30/07	False Bay	FB3		4.2		11.65		7.67		10.60		50	20								
3/6/07	False Bay	FB3	11.9	7.7	7.7	14.58	15.35	7.80	7.91	3.67	3.69	50	0	2.0				running slowly/duck weed		0.01	0.09
3/6/07	False Bay	FB3		7.6		15.36		7.99		3.57		50	4								
3/6/07	False Bay	FB3		7.8		16.1		7.95		3.83		50	n/a								
4/17/07	False Bay	FB3	16.3	13	13.1	12	12.13	8.08	7.91	2.10	2.15	50	8	15.0				running		0.04	0.07
4/17/07	False Bay	FB3		13.1		11.93		7.87		2.44		100	14								
4/17/07	False Bay	FB3		13.1		12.46		7.77		1.90		100	23								
6/4/07	False Bay	FB3	17.7	15.6	15.6	5.26	5.23	7.33	7.28	12.90	12.10	25	112	137.0				still		0.06	0.2
6/4/07	False Bay	FB3		15.7		5.35		7.27		11.60		25	152								
6/4/07	False Bay	FB3		15.6		5.08		7.25		11.80		30	147								
7/19/07	False Bay	FB3	24.1	15.2	15.4	2.6	3.44	7.16	7.15	19.50	20.37	10	>10000	10000.0				pooled/still		0.4	0.24
7/19/07	False Bay	FB3		15.3		3.6		7.15		22.00		10	>10000								
7/19/07	False Bay	FB3		15.6		4.12		7.15		19.60		20	>10000								
8/20/07	False Bay	FB3	20	14.1	14.0	1.43	1.53	7.55	7.54	31.20	32.00	5	480	320.0				pooled/still/		0.01	0.52
8/20/07	False Bay	FB3		13.9		1.1		7.53		32.60		5	380								
8/20/07	False Bay	FB3		13.9		2.05		7.53		32.20		10	100								
10/16/07	False Bay	FB3	14.3	9.2	9.1	5.7	5.81	7.45	7.39	3.25	4.77	50	114	119.3				still/film on surface		0.02	0.09
10/16/07	False Bay	FB3		9.1		5.56		7.36		6.85		50	112								
10/16/07	False Bay	FB3		9.1		6.18		7.35		4.20		50	132								
11/15/07	False Bay	FB3	15.6	7.4	7.2	7.21	7.36	7.48	7.43	6.21	8.13	60	126	79.3				still - cows grazing		0.03	n/a
11/15/07	False Bay	FB3		6.6		7.11		7.41		9.12		50	82								
11/15/07	False Bay	FB3		7.7		7.75		7.40		9.06		50	30								
1/8/08	False Bay	FB3	4.5	3.04	2.98	10.54	10.01	8.74	8.29	15.60	16.57	100	26	25.67				slow run		0.41	0.01
1/8/08	False Bay	FB3		2.9		10.6		8.10		16.10		100	26								
1/8/08	False Bay	FB3		3		8.9		8.04		18.00		100	25								
2/29/08	False Bay	FB3	14.1	10.4	10.07	9.56	9.57	8.01	8.03	12.00	12.63	100	12	14.00				slow run		0.21	0.02
2/29/08	False Bay	FB3		10		9.58		8.04		13.90		100	11								
2/29/08	False Bay	FB3		9.8		9.57		8.03		12.00		100	19								
4/16/08	False Bay	FB3	16.3	14.2	14.13	10.46	10.69	7.65	7.66	71.10	74.53	50	590	473.67				still		0.47	0.04
4/16/08	False Bay	FB3		14.1		10.69		7.72		77.20		20	815								
4/16/08	False Bay	FB3		14.1		10.92		7.62		75.30		50	16								
5/28/08	False Bay	FB3	17.1	20.1	19.57	8.94	9.09	7.84	7.78	2.08	2.05	50	14	14.00				still		0.46	0.07
5/28/08	False Bay	FB3		19.2		9.25		7.77		1.98		50	12								
5/28/08	False Bay	FB3		19.4		9.09		7.72		2.10		50	16								
7/9/08	False Bay	FB3	40	19	17.97	5.8	5.87	7.35	7.35	1.74	1.75	50	14	76.46				still/slightly cloudy		0	0.1
7/9/08	False Bay	FB3		17.4		5.89		7.36		1.88		50	10								
7/9/08	False Bay	FB3		17.5		5.93		7.35		1.64		50	6								
9/9/08	False Bay	FB3	27.7	16.7	16.77	7.05	6.71	7.45	7.45	2.28	2.22	50	166	160.00				Running/can't hear/cows nearb		0.02	0.17
9/9/08	False Bay	FB3		16.7		6.4		7.46		2.21		50	158								
9/9/08	False Bay	FB3		16.9		6.67		7.44		2.18		50	156								
10/14/08	False Bay	FB3	12.2	10.1	10.23	10.4	9.86	7.85	7.76	3.80	3.79	50	12	14.00				still/cows/see/hear		0.01	0.04
10/14/08	False Bay	FB3		10.4		9.72		7.75		4.04		50	10								
10/14/08	False Bay	FB3		10.2		9.46		7.67		3.54		50	20								
12/4/08	False Bay	FB3	7.4	4.1	4.00	13.18	13.30	7.77	7.77	12.60	10.68	100	4	7.33				still, cows nearby		0.2	0.02
12/4/08	False Bay	FB3		4.1		13.44		7.75		9.33		100	11								
12/4/08	False Bay	FB3		3.8		13.29		7.79		10.10		100	7								
1/28/09	False Bay	FB3	9.8	2.4	2.40	12.38	11.89	7.84	7.79	8.20	7.74	100	1	1.67				pooled and trickle		0.52	0.1
1/28/09	False Bay	FB3		2.4		11.1		7.80		7.40		100	2								
1/28/09	False Bay	FB3		2.4		12.19		7.73		7.61		100	2								
3/3/09	False Bay	FB3	10.3	6.94	6.91	10.15	10.21	8.04	8.01	4.54	4.86	100	24	22.00				trickle		0.07	0.14
3/3/09	False Bay	FB3		6.9		10.26		8.02		5.41		100	25								
3/3/09	False Bay	FB3		6.9		10.22		7.98		4.63		100	17								
4/23/09	False Bay	FB3	14.3	14.3	14.33	9.04	9.17	8.06	8.10	29.20	28.07	50	42	53.3	76.8			slow trickle - see only		0	0.07
4/23/09	False Bay	FB3		14.3		9.25		8.10		28.70		50	58								

4/23/09	False Bay	FB3		14.4		9.22		8.13		26.30		50	60							
DATE MM/DD/YY	WATERSHED	SITE #	AIR TEMP °C	H2O Temp °C	Average H20 Temp	DO mg/L	Average DO	pH	Average pH	TURBIDITY NTU	A verage Turbidity	VOLUME mL	F. COLIFORM col/100ml	Average	Geometric Mean	FLOW ft^3/sec	Water Condition		Nitrate mg/l	Phosphate mg/l
4/1/02	False Bay	FB6	15.5	10.4	10.1	10.42	10.0	7.76	7.72	8.12	7.88	100	21	19.0						
4/1/02	False Bay	FB6		10		10.38		7.7		8.82		100	13							
4/1/02	False Bay	FB6		10.01		9.25		7.7		6.71		100	23							
5/6/02	False Bay	FB6	13.1	10.3	10.9	8.71	8.7	7.69	7.68	3.86	3.76	50	24	24.0						
5/6/02	False Bay	FB6		11.4		8.63		7.68		3.72		50	24							
5/6/02	False Bay	FB6		11		8.68		7.67		3.7		50	24							
6/5/02	False Bay	FB6	26.7	19.7	19.7	4.13	4.0	7.36	7.36	8.54	6.85	100 NGM	378	300.3						
6/5/02	False Bay	FB6		19.8		3.89		7.36		4.21		100 NGM	324							
6/5/02	False Bay	FB6		19.7		3.91		7.36		7.79		100 NGM	199							
6/10/02	False Bay	FB6										5 GM	920	525.0						
6/10/02	False Bay	FB6										5 GM	95							
6/10/02	False Bay	FB6										5 GM	560							
6/10/02	False Bay	FB6										5 GM	660							
7/16/02	False Bay	FB6	25.3	24	25.3	7.9	8.0	7.54	7.66	11.5	14.20	10	350	213.3						
7/16/02	False Bay	FB6		25.9		8.16		7.74		10.5		10	100							
7/16/02	False Bay	FB6		26.1		8.64.		7.71		20.6		10	190							
7/16/02	False Bay	FB6								26.7										
10/1/02	False Bay	FB6	8.97	10.6	10.7	2.08	2.9	7.11	7.24	9.99	9.99	50	4	2.7						
10/1/02	False Bay	FB6		10.7		2.89		7.27		9.99		50	2							
10/1/02	False Bay	FB6		10.9		3.76		7.33		9.99		50	2							
11/20/02	False Bay	FB6	18.4	10.4	10.5	1.92	1.5	7.09	7.07	17.2	21.03	50	70	95.3						
11/20/02	False Bay	FB6		10.6		1.06		7.06		20.2		50	132							
11/20/02	False Bay	FB6		10.6		1.48		7.06		25.7		50	84							
1/9/03	False Bay	FB6	12.4	3.4	3.6	4.94	4.9	6.89	6.92	11.9	11.80	50	8	2.7					0	5
1/9/03	False Bay	FB6		3.6		5.39		6.93		11.9		50	0							
1/9/03	False Bay	FB6		3.7		4.46		6.95		11.6		50	0							
2/25/03	False Bay	FB6	15.2	2.7	2.8	13.01	13.0	7.89	7.90	12	11.47	100	5	5.0					0.5	5
2/25/03	False Bay	FB6		2.8		13.1		7.9		11.2		100	4							
2/25/03	False Bay	Fb6		3		12.97		7.9		11.2		100	6							
3/24/03	False Bay	FB6	20.1	6.8	6.9	9.75	9.7	7.58	7.50	10	9.79	50	18	18.7					0	0
3/24/03	False Bay	FB6		6.9		9.47		7.4		9.8		50	10							
3/24/03	False Bay	FB6		6.9		9.87		7.51		9.58		50	28							
4/28/03	False Bay	FB6	21.1	13	13.0	8.85	8.7	7.7	7.74	9.72	9.69	50	114	145.3						20
4/28/03	False Bay	FB6		13		8.7		7.76		9.58		50	102							
4/28/03	False Bay	FB6		13.1		8.69		7.77		9.77		50	220							
6/17/03	False Bay	FB6	27.3	21.3	21.7	8.2	8.4	7.32	7.40	3.93	4.06	50	140	142.7						
6/17/03	False Bay	FB6		22.2		9.03		7.43		4.02		50	162							
6/17/03	False Bay	FB6		21.7		8.11		7.46		4.23		50	126							
8/5/03	False Bay	FB6	28.6	18.6	19.2	5.72	5.5	7.28	7.49	8.73	8.80	25	40	48.0						
8/5/03	False Bay	FB6		19.6		5.51		7.57		8.56		25	32							
8/5/03	False Bay	FB6		19.5		5.16		7.61		9.12		50	72							
10/6/03	False Bay	FB6	20.8	14.7	14.7	5.04	5.6	7.52	7.60	6.5	6.86	50	18	22.0						5
10/6/03	False Bay	FB6		14.7		6.17		7.61		7.16		50	12							
10/6/03	False Bay	FB6		14.8		5.44		7.67		6.91		50	36							
10/6/03	False Bay	FB6										50	12							
11/10/03	False Bay	FB6	11.7	4.1	4.1	4.92	5.2	7	7.00	8.83	10.04	50	78	148.0			ice /sal = 5.1			
11/10/03	False Bay	FB6				4.98		7.01		11.1		50	208							
11/10/03	False Bay	FB6				5.59		6.98		10.2		50	158							
1/29/04	False Bay	FB6	10.9	7	7.1	8.97	9.1	6.95	6.98	8.33	7.92	100	20	35.7			running		1.6	0.02
1/29/04	False Bay	FB6		7.1		9.18		6.99		8.14		100	26							
1/29/04	False Bay	FB6		7.1		9.25		7.01		7.3		100	61							
3/9/04	False Bay	FB6	18.4	10.1	10.1	9.93	10.1	7.15	7.17	4.4	4.17	50	80	73.7			running		7.6	0.2
3/9/04	False Bay	FB6		10.1		10.22		7.17		4.32		50	92							
3/9/04	False Bay	FB6		10.1		10.15		7.19		3.78		60	49							
4/22/04	False Bay	FB6	blank	16.8	16.6	9.67	9.5	7.58	7.45	16.1	14.23	50	668	557.3			still		er	0.2
4/22/04	False Bay	FB6		16.7		9.45		7.13		11.6		50	558							
4/22/04	False Bay	FB6		16.3		9.51		7.63		15		50	446							
5/17/04	False Bay	FB6	21	16.5	16.6	5.05	5.2	7.46	7.48	14.4	14.30	25	1752	1578.7			slow		0	0.21
5/17/04	False Bay	FB6		17.1		5.56		7.45		13.8		25	1840							
5/17/04	False Bay	FB6		16.2		5.13		7.54		14.7		25	1144							
7/9/04	False Bay	FB6	19.3	19.2	19.1	11	11.0	8.34	8.35	6.44	5.94	25	76	42.7			still		0.2	0.27
7/9/04	False Bay	FB6		19		11.22		8.37		5.94		25	28							
7/9/04	False Bay	FB6		19.2		10.83		8.35		5.44		25	24							
8/19/04	False Bay	FB6	27.6	22.9	23.5	0.22	0.2	7.55	7.61	117	114.00	25	168	194.7			running		1	1.28
8/19/04	False Bay	FB6		23.8		0.22		7.63		120		25	192							
8/19/04	False Bay	FB6		23.9		0.19		7.65		105		25	224							
10/6/04	False Bay	FB6	15.5	13	**12.7**	1.4	**2.3**	7.25	**7.28**	25.9	**22.30**	50	1040	**942.7**			still		1.6	0.95
10/6/04	False Bay	FB6		12.5		2.85		7.29		15.9		50	948							
10/6/04	False Bay	FB6		12.5		2.63		7.3		25.1		25	840							
11/15/04	False Bay	FB6	11.4	9.2	**9.2**	0.61	**2.0**	6.8	**6.85**	35.9	**26.10**	25	308	**321.3**			still/high/15.2		3.2	0
11/15/04	False Bay	FB6		9.2		2.7		6.85		22		25	240				salinity 15.9			
11/15/04	False Bay	FB6		9.2		2.7		6.9		20.4		25	416				14.8			
1/4/05	False Bay	FB6	5	1	**0.8**	11.7	**11.6**	7.54	**7.48**	6.22	**5.98**	100	21	**13.7**			ice		1.84	0.12
1/4/05	False Bay	FB6		0.7		11.54		7.45		6.11		100	4							
1/4/05	False Bay	FB6		0.6		11.47		7.46		5.6		100	16							
2/15/05	False Bay	FB6	8.2	2.4	**2.5**	12.8	**12.7**	7.5	**7.52**	8.28	**8.81**	100	20	**20.5**			running		0.8	0.22
2/15/05	False Bay	FB6		2.5		12.68		7.52		8.79		100	21							
2/15/05	False Bay	FB6		2.5		12.5		7.54		9.37		100	liquid							
3/29/05	False Bay	FB6	12.3	9	**9.0**	13.3	**13.5**	7.5	**7.59**	6.95	**6.77**	100	149	**139.7**			running		0	0.09

3/29/05	False Bay	FB6		9.1		13.58		7.6		6.83		100	110								
3/29/05	False Bay	FB6		9		13.48		7.67		6.53		100	160								
5/4/05	False Bay	FB6	17.6	15.5	15.5	8.2	8.4	7.5	7.50	7.71	7.70	50	1002	937.3				still		0.4	0.2
5/4/05	False Bay	FB6		15.6		8.51		7.5		7.76		50	932								
5/4/05	False Bay	FB6		15.5		8.34		7.5		7.64		50	878								
6/9/05	False Bay	FB6	14.7	16.2	16.2	10.09	10.2	7.8	7.78	6.04	6.24	25	1544	1487.3				slow run		0.2	0.15
6/9/05	False Bay	FB6		16.5		10.07		7.75		6.54		25	1600								
6/9/05	False Bay	FB6		15.8		10.4		7.79		6.14		30	1318								
7/8/05	False Bay	FB6	24.6	20.3	20.6	10.02	10.2	7.68	7.92	6.96	6.96	10	380	493.3				still		0.2	0.22
7/8/05	False Bay	FB6		20.3		10.61		8.04		7.26		10	460								
7/8/05	False Bay	FB6		21.1		9.87		8.03		6.65		10	640								
8/21/05	False Bay	FB6	21.8	24	24.0	er	er	7.07	7.19	8.33	8.68	25	60	56.0				flowing in		0.02	0.71
8/21/05	False Bay	FB6		24		er		7.19		8.86		25	32								
8/21/05	False Bay	FB6		24		er		7.3		8.86		25	76								
9/28/05	False bay	FB6	12.2	11.3	11.3	7.74	7.8	7.03	7.12	3.32	3.52	50	12	30.7				still			
9/28/05	False bay	FB6		11.3		7.58		7.13		2.77		50	38								
9/28/05	False bay	FB6		11.2		8.13		7.21		4.46		50	42								
10/26/05	False Bay	FB6	12	8.8	8.6	1.95	1.6	7.18	7.24	26.7	26.17	50	2814	2290.0				still		0.4	0.46
10/26/05	False Bay	FB6		8.6		1.43		7.25		25.3		50	2426								
10/26/05	False Bay	FB6		8.4		1.44		7.29		26.5		50	1630								
11/30/05	False Bay	FB6	8.6	4.6	4.5	5.72	7.0	6.45	6.58	20	20.83	50	81	104.3				still		0.01	0.27
11/30/05	False Bay	FB6		4.4		7.38		6.58		21.4		25	128								
11/30/05	False Bay	FB6		4.5		7.89		6.7		21.1		25	104								
1/17/06	False Bay	FB6	10.3	7.1	7.1	9.81	9.8	6.69	6.76	12.4	12.20	50	154	117.3				slow run		0.8	0
1/17/06	False Bay	FB6		7.1		9.72		6.75		12.2		50	88								
1/17/06	False Bay	FB6		7.1		9.79		6.83		12		50	110								
2/28/06	False Bay	FB6	10.1	6	5.9	9.12	9.2	7.22	7.23	4.51	4.53	50	10	6.7				slow run			
2/28/06	False Bay	FB6		5.9		9.21		7.23		4.54		50	8								
2/28/06	False Bay	FB6		5.9		9.29		7.24		4.54		50	2								
4/6/06	False Bay	FB6	16.9	11.2	11.2	6.76	6.9	7.1	7.12	7.94	8.03	50	74	51.3				still		0	0.2
4/6/06	False Bay	FB6		11.2		6.86		7.12		8.11		50	40								
4/6/06	False Bay	FB6		11.3		6.94		7.15		8.04		50	40								
5/11/06	False Bay	FB6	18.5	14.9	14.6	7.6	7.6	7.31	7.32	15.3	15.00	25	980	690.7				still /high tide		0.4	0.12
5/11/06	False Bay	FB6		14.9		7.57		7.32		16.2		25	544								
5/11/06	False Bay	FB6		14		7.48		7.33		13.5		25	548								
6/15/06	False Bay	FB6	26.3	20.2	20.2	5.56	5.7	6.98	6.99	4.93	5.05	25	36	29.3				still		0.04	0.16
6/15/06	False Bay	FB6		20.2		5.76		6.99		5.16		25	12								
6/15/06	False Bay	FB6		20.2		5.87		7.01		5.06		25	40								
7/28/06	False Bay	FB6	24.9	20.5	20.6	6.47	6.8	7.23	7.16	4.17	3.95	25	0	3.3				still		0.4	0.12
7/28/06	False Bay	FB6		20.6		6.93		7.07		3.79		10	10								
7/28/06	False Bay	FB6		20.6		6.89		7.17		3.88		10	0								
9/14/06	False Bay	FB6	17.8	16.5	16.4	10.08	9.7	8.08	8.43	2.81	2.87	50	30	96.7				still/ duck weed,fiberous algae!		0.2	0.08
9/14/06	False Bay	FB6		16.3		10.28		8.6		2.93		50	130								
9/14/06	False Bay	FB6		16.3		8.61		8.6		2.88		50	130								
10/30/06	False Bay	FB6	6.2	6.4	6.4	5.95	6.0	7.43	7.61	6.43	7.61	50	72	81.3				slow run		0.2	0.62
10/30/06	False Bay	FB6		6.4		5.96		7.43		7.65		60	73								
10/30/06	False Bay	FB6		6.4		6.02		7.96		8.75		60	99								
12/12/06	False Bay	FB6	10.4	5.9	5.9	10.86	10.8	7.45	7.47	5.15	7.05	100	had pink color	10.5				slow run/flooded area		0.4	0.17
12/12/06	False Bay	FB6		5.9		10.87		7.52		11.8		100	3								
12/12/06	False Bay	FB6		5.9		10.53		7.44		4.19		100	18								
1/30/07	False Bay	FB6	7.8	1.6	1.7	10.27	10.2	8.01	7.89	3.42	3.41	50	44	42.0				slow run		0	0.13
1/30/07	False Bay	FB6		1.65		10.17		7.89		3.48		50	46								
1/30/07	False Bay	FB6		1.7		10.2		7.77		3.34		50	36								
3/6/07	False Bay	FB6	15.9	7.8	7.9	11.95	12.0	7.74	7.66	3.11	2.72	50	4	3.3				slow run		0.08	0.02
3/6/07	False Bay	FB6		8		11.94		7.63		2.46		50	2								
3/6/07	False Bay	FB6		7.8		12.14		7.6		2.6		50	4								
4/17/07	False Bay	FB6	17	14.7	14.5	10.4	10.3	n/a	n/a	4.07	4.25	100	78	90.0				still/low water		0.06	0.13
4/17/07	False Bay	FB6		14.3		10.14		n/a		4.88		50	108								
4/17/07	False Bay	FB6		14.4		10.48		n/a		3.79		50	84								
6/4/07	False Bay	FB6	17.6	17.8	17.9	9.52	9.4	7.05	7.04	3.9	4.13	20	1005	1071.7				still/shallow level		0.06	0.2
6/4/07	False Bay	FB6		18		9.26		6.89		4.1		20	750								
6/4/07	False Bay	FB6		17.9		9.54		7.19		4.39		10	1460								
7/19/07	False Bay	FB6	26.5	30.3	26.5	17.4	21.1	8.55	8.40	11.9	11.43	10	10	23.3				shallow pool/stinky/		0	0.16
7/19/07	False Bay	FB6		24.6		24.4		8.33		10.9		10	20								
7/19/07	False Bay	FB6		24.6		21.6		8.33		11.5		10	40								
8/20/07	False Bay	FB6	24.5	22.6	22.6	15.08	14.6	8.3	8.30	10.3	9.33	50	10	38.3				pooled/still/shallow		0.02	0.21
8/20/07	False Bay	FB6		22.5		14.27		8.3		9.36		10	90								
8/20/07	False Bay	FB6		22.7		14.36		8.3		8.34		20	15								
10/16/07	False Bay	FB6	10.7	8.9	8.9	7.74	7.8	7.12	7.01	3.49	3.46	100	38	45.0				pooled/salinity 27.2 ppt		0.31	0.2
10/16/07	False Bay	FB6		8.9		7.76		6.98		3.44		100	47								
10/16/07	False Bay	FB6		8.9		7.87		6.94		3.45		100	50								
11/15/07	False Bay	FB6	12.5	8	7.9	9.05	9.14	7.58	7.57	7.52	8.60	50	52	51.3				slow current- grayish-salinity 2		0.31	n/a
11/15/07	False Bay	FB6		8		9.28		7.57		8.61		50	46								
11/15/07	False Bay	FB6		7.8		9.1		7.56		9.67		50	56								
1/8/08	False Bay	FB6	6	3.6	3.5	5.65	5.97	7.48	7.41	14.2	14.03	20	305	238.33				still/ salinity 8.8ppt		0.03	0.3
1/8/08	False Bay	FB6		3.5		5.84		7.37		14		20	170								
1/8/08	False Bay	FB6		3.3		6.42		7.38		13.9		50	240								
2/29/08	False Bay	FB6	11.8	8.5	8.3	7.41	7.51	7.69	7.64	3.15	3.16	100	26	33.33				still		0.02	0.11
2/29/08	False Bay	FB6		8.2		7.52		7.62		3.23		100	42								
2/29/08	False Bay	FB6		8.2		7.6		7.61		3.1		100	32								
4/16/08	False Bay	FB6	17.2	11.4	11.4	8.67	9.04	7.67	7.64	2.88	2.86	50	30	18.00				still		0.01	0.07
4/16/08	False Bay	FB6		11.4		9.06		7.64		3.23		50	8								
4/16/08	False Bay	FB6		11.4		9.4		7.61		2.47		50	16								
5/28/08	False Bay	FB6	22.1	17.1	17.2	13.33	13.81	8.17	7.92	8.21	8.16	50	354	336.67				still		0.53	0.07

5/28/08	False Bay	FB6		17.2		14.21		7.58		8.15		50	370							
5/28/08	False Bay	FB6		17.2		13.89		8.01		8.13		50	286							
7/9/08	False Bay	FB6	24	18.4	18.4	6.45	6.69	7.49	7.46	1.6	1.63	50	60	56.0			running		0.01	0.2
7/9/08	False Bay	FB6		18.4		6.77		7.46		1.8		50	48							
7/9/08	False Bay	FB6		18.4		6.85		7.44		1.48		50	60							
9/9/08	False Bay	FB6	25.2	16.5	16.5	7.37	7.57	7.59	7.57	5.05	5.95	50	20	14.8			running/duckweed/slight flow		0	0.17
9/9/08	False Bay	FB6		16.4		7.88		7.59		8.35		30	16.5							
9/9/08	False Bay	FB6		16.5		7.46		7.54		4.46		25	8							
10/14/08	False Bay	FB6	13	10.9	10.8	6.6	6.78	7.5	7.47	4.53	4.52	50	88	98.7			still/water not clear		0.01	0.18
10/14/08	False Bay	FB6		10.7		6.9		7.6		4.41		50	106							
10/14/08	False Bay	FB6		10.8		6.83		7.3		4.62		50	102							
12/4/08	False Bay	FB6	9.5	5	4.93	5.81	6.19	7.58	7.56	4.38	4.15	100	54	106.3			still, high tide, ducks nearby		0.02	0.45
12/4/08	False Bay	FB6		4.9		6.56		7.54		4.02		100	75							
12/4/08	False Bay	FB6		4.9		Meter malfunction		7.56		4.05		100	190							
1/28/09	False Bay	FB6	10.7	2.4	2.33	10.7	10.63	7.6	7.63	5.53	5.42	100	2	3.3			very high, slow trickle		0.06	0.12
1/28/09	False Bay	FB6		2.2		11.3		7.7		5.31		100	5							
1/28/09	False Bay	FB6		2.4		9.88		7.6		5.43		100	3							
3/3/09	False Bay	FB6	8.5	6.9	6.63	7.81	8.03	7.65	7.60	3.89	3.73	100	33	25.33			trickle		0.02	0.04
3/3/09	False Bay	FB6		6.5		8.07		7.56		3.73		100	28							
3/3/09	False Bay	FB6		6.5		8.2		7.6		3.57		100	15							
4/23/09	False Bay	FB6	15.8	13.1	13.07	7.17	6.98	7.6	7.64	7.06	5.47	50	64	60.7	67.1		trickle - see only		0.02	0.14
4/23/09	False Bay	FB6		13		6.76		7.66		5.6		50	56							
4/23/09	False Bay	FB6		13.1		7.02		7.65		3.74		50	62							

DATE MM/DD/YY	WATERSHED	SITE #	AIR TEMP °C	H2O Temp °C	Average H20 Temp	DO mg/L	Average DO	pH	Average pH	TURBIDITY NTU	A verage Turbidity	VOLUME mL	F. COLIFORM col/100ml	Average	Geometric Mean	FLOW ft^3/sec	Water Condition	Nitrate mg/l	Phosphate mg/l
2/28/06	Westcott Bay	WB7	10.1	5.8	5.7	10.68	10.87	7.01	7.07	3.18	3.13	100	2	2.3			running		
2/28/06	Westcott Bay	WB7		5.7		10.74		6.99		2.96		100	3						
2/28/06	Westcott Bay	WB7		5.7		11.18		7.22		3.25		50	2						
4/6/06	Westcott Bay	WB7	12.5	7.8	7.8	10.85	10.95	6.7	6.83	6.29	5.99	100	30	36.3			running	1.4	0.14
4/6/06	Westcott Bay	WB7		7.8		11		6.8		5.73		100	42						
4/6/06	Westcott Bay	WB7		7.8		11		7		5.96		100	37						
5/11/06	Westcott Bay	WB7	15.3	9	9.0	10.13	10.28	7.34	7.54	5.93	6.23	50	2	2.0			running/pooled	1.4	0.07
5/11/06	Westcott Bay	WB7		9		10.35		7.6		6.32		50	0						
5/11/06	Westcott Bay	WB7		9		10.36		7.68		6.44		50	4						
6/15/06	Westcott Bay	WB7	23.8	13.3	13.3	8.5	8.47	6.92	7.33	11.1	10.63	50	190	220.7			trickle	0.01	0.15
6/15/06	Westcott Bay	WB7		13.3		8.48		7.68		11.3		50	226						
6/15/06	Westcott Bay	WB7		13.3		8.43		7.4		9.5		50	246						
7/28/06	Westcott Bay	WB7															dry		
9/14/06	Westcott Bay	WB7															dry		
10/30/06	Westcott Bay	WB7															dry		
12/12/06	Westcott Bay	WB7	12.3	6.7	6.6	13.64	13.98	7.76	7.61	3.89	4.29	50	20	14.7			running	1.6	0.12
12/12/06	Westcott Bay	WB7		6.6		14.18		7.28		4.29		50	8						
12/12/06	Westcott Bay	WB7		6.6		14.11		7.78		4.69		50	16						
1/31/07	Westcott Bay	WB7	11	4	4.0	11.7	11.93	8	8.00	1.42	1.46	50	4	2.7		3.3	fast run	0.11	0.07
1/31/07	Westcott Bay	WB7		4		12		8		1.63		50	2						
1/31/07	Westcott Bay	WB7		4		12.1		8		1.32		50	2						
3/6/07	Westcott Bay	WB7	10.7	6.7	6.7	11.93	11.83	7.94	7.97	3.34	3.76	100	0	1.0		1.01	running/high flow	0.06	0.09
3/6/07	Westcott Bay	WB7		6.7		11.84		7.98		3.84		100	0						
3/6/07	Westcott Bay	WB7		6.7		11.73		7.98		4.1		100	3						
4/17/07	Westcott Bay	WB7	14.3	7.8	7.9	12.9	13.00	7.96	7.99	10.1	9.73	50	46	25.0		0.23	running	0.26	0.09
4/17/07	Westcott Bay	WB7		7.9		13.2		8		9.6		50	n/a						
4/17/07	Westcott Bay	WB7		7.9		12.9		8		9.5		50	4						
6/4/07	Westcott Bay	WB7	15.8	12.6	12.6	13.27	13.41	7.55	7.45	11.2	11.48	25	180	268.3		0.07	slow run/shallow	0.22	0.08
6/4/07	Westcott Bay	WB7		12.6		13.43		7.45		9.55		20	405						
6/4/07	Westcott Bay	WB7		12.6		13.53		7.35		13.7		20	220						
7/19/07	Westcott Bay	WB7	20.1	14.3	14.2	9.62	9.46	8.25	8.25	8.73	8.41	20	1080	1283.3			slow/very shallow	0.2	0.09
7/19/07	Westcott Bay	WB7		14.2		9.27		8.26		8.04		10	1570						
7/19/07	Westcott Bay	WB7		14.2		9.49		8.24		8.46		20	1200						
8/20/07	Westcott Bay	WB7															dry		
10/16/07	Westcott Bay	WB7	14.5	9.5	9.4	9.1	8.95	7.14	7.34	5.77	6.10	100	25	26.3			pooled	0.33	0.03
10/16/07	Westcott Bay	WB7		9.4		8.91		7.53		8.75		100	29						
10/16/07	Westcott Bay	WB7		9.4		8.83		7.36		3.79		100	25						
11/15/07	Westcott Bay	WB7	13.6	8.6	8.6	9.29	9.33	7.87	7.90	1.94	2.06	100	2	2.0			pooled-trickle out of culvert	0.07	0.12
11/15/07	Westcott Bay	WB7		8.6		9.35		7.92		2.16		100	1						
11/15/07	Westcott Bay	WB7		8.6		9.36		7.91		2.07		100	3						
1/8/08	Westcott Bay	WB7	9	4.9	4.8	13.38	14.41	7.88	7.89	2.84	2.94	100	10	10.33		0.26	running	1.6	0.08
1/8/08	Westcott Bay	WB7		4.8		15.2		7.89		3.26		100	9						
1/8/08	Westcott Bay	WB7		4.8		14.64		7.89		2.73		100	12						
2/29/08	Westcott Bay	WB7	13	6.9	6.9	9.9	10.01	8.09	8.09	2.57	2.93	100	2	1.67		flow met malfu	running	1.3	0.05
2/29/08	Westcott Bay	WB7		6.9		10.02		8.1		2.67		100	0						
2/29/08	Westcott Bay	WB7		6.9		10.1		8.09		3.56		100	3						
4/16/08	Westcott Bay	WB7	15	7.3	7.3	11.87	11.85	8.13	8.13	4.1	4.02	50	0	0.33			running	0.74	0.06
4/16/08	Westcott Bay	WB7		7.3		11.81		8.13		3.89		50	0						
4/16/08	Westcott Bay	WB7		7.2		11.86		8.12		4.08		50	1						
5/28/08	Westcott Bay	WB7	15.2	11.6	11.6	11.3	11.45	8.24	8.26	8.48	8.45	50	124	100.00		0.21	slow run	0.33	0.01
5/28/08	Westcott Bay	WB7		11.6		11.52		8.27		8.37		50	84						
5/28/08	Westcott Bay	WB7		11.6		11.52		8.26		8.51		50	92						
7/9/08	Westcott Bay	WB7															dry		
9/9/08	Westcott Bay	WB7															dry		
10/14/08	Westcott Bay	WB7															dry		
12/4/08	Westcott Bay	WB7	5.3	5.6	5.5	10.89	10.92	8.01	8.01	0.79	0.79	100	0	0.67			trickle from culvert, stream cov	0.13	0.06
12/4/08	Westcott Bay	WB7		5.4		10.93		8.03		0.85		100	1						
12/4/08	Westcott Bay	WB7		5.5		10.94		8		0.74		100	1						

1/28/09	Westcott Bay	WB7	7.7	3.2	**3.2**	15.84	**15.97**	8.01	**8.03**	7.31	**7.31**	100	24	**26.67**			running, can hear and see		0.47	0.06
1/28/09	Westcott Bay	WB7		3.2		16.19		8.03		7.37		100	25							
1/28/09	Westcott Bay	WB7		3.1		15.88		8.04		7.26		100	31							
3/3/09	Westcott Bay	WB7	12.6	6.1	**6.07**	10.38	**10.57**	8	**8.00**	4.55	**4.36**	100	21	**18.67**			fast run		0.47	0.06
3/3/09	Westcott Bay	WB7		6.1		10.59		8		4.9		100	15							
3/3/09	Westcott Bay	WB7		6		10.74		8		3.62		100	20							
4/23/09	Westcott Bay	WB7	15.9	7.4	**7.47**	11.46	**11.43**	8.46	**8.44**	2.33	**2.51**	50	4	**5.3**	11.0	0.16	slow run, can see/hear		0.46	0.03
4/23/09	Westcott Bay	WB7		7.5		11.55		8.44		2.33		50	6							
4/23/09	Westcott Bay	WB7		7.5		11.29		8.43		2.86		50	6							