

ECOLOGICAL IMPACTS OF RECREATION:

A STRUCTURED LITERATURE COMPILATION

LIST OF CURRENT CITATIONS

- Adkison,GP (1996): Changes in ground-layer vegetation near trails in midwestern US forests. *Natural Areas Journal* 16, 14-23.
- Auerbach,NA; Walker,MD; Walker,DA (1997): Effects of roadside disturbance on substrate and vegetation properties in arctic tundra. *Ecological Applications* 7, 218-235.
- Barrington,DS (1985): The morphology and origin of a new *Polystichum* hybrid from Costa Rica. *Systematic Botany* 10(2), 199-204.
- Bayfield,NG (1979): Recovery of 4 montane heath communities on Cairngorm Scotland, from disturbance by trampling. *Biol. Cons.* 15, 1979.
- Bayfield,NG; Urquhart,UH; Rothery,P (1984): Colonization of bulldozed track verges in the Cairngorm mountains, Scotland. *Journal of Applied Ecology* 21, 343-354.
- Bayfield,NG; Urquhart,UH; Cooper,SM (1981): Susceptibility of 4 species of *Cladonia* to disturbance by trampling in the Cairngorm mountains, Scotland. *Journal of Applied Ecology* 18, 303-310.
- Bell,KL; Bliss,LC (1973): Alpine disturbance studies: Olympic National Park, USA. *Biol. Cons.* 5, 25-35.
- Belnap,J (1998): Choosing indicators of natural resource condition. A case study in Arches National Park, Utah, USA. *Environmental Management* 22 (4), 635-642.
- Billings,WD (1973): Arctic and alpine vegetations: similarities, differences and susceptibility to disturbance. *Bioscience* 23, 697-704.
- Brown,RW; Chambers,JC (1990): Reclamation Practices in High Mountain Ecosystems. In: *Symposium on Whitebark pine ecosystems*. INT-270 ed. (Eds: Schmitd,WC; Mcdonald,KJ) US Dept of Agriculture, Forest Service, Intermountain Research Station, Ogden, UT, .
- Brown,RW; Johnston,RS; Johnson,DA (1978): Rehabilitation of alpine tundra disturbances. *Journal of Soil and Water Conservation* July/August, 154-160.
- Callaway,RM; Brooker,RW; Choler,P; Kikvidze,Z; Lortie,CJ; Michalet,R; Paolini,L; Mewingham,B; Aschehoug,ET; Armas,C; Kikodze,D; Cook,BJ (2002): Positive interactions among alpine plants increase with stress. *Nature* 417, 844-848.
- Campbell,JE; Gibson,DJ (2001): The effect of seeds of exotic species transported via horse dung on vegetation along trail corridors. *Plant Ecology* 157, 23-35.

- Chambers,JC (1993): Seed and vegetation dynamics in an alpine herbfield: effects of disturbance type. *Canadian Journal of Botany* 71, 471-485.
- Cole,DN (1981): Vegetational changes associated with recreational use and fire suppression in the eagle cap wilderness, Oregon - some management implications. *Biol. Cons.* 20 (4), 247-270.
- Cole,DN (1987): Effects of 3 seasons of experimental trampling on 5 montane forest communities and a grassland in western Montana, USA. *Biol. Cons.* 40 (3), 219-244.
- Cole,DN (1995): Experimental trampling of vegetation. 1. Relationship between trampling intensity and vegetation response. *Journal of Applied Ecology* 32 (1), 203-214.
- Cole,DN (1995): Experimental trampling of vegetation. 2. Predictors of resistance and resilience. *Journal of Applied Ecology* 32, 215-224.
- Cole,DN; Trull,SJ (1992): Quantifying vegetation response to recreational disturbance in the North Cascades, Washington. *Northwest Science* 66 (4), 229-236.
- Conlin,DB; Ebersole,JJ (2001): Restoration of an alpine disturbance: Differential success of species in turf transplants, Colorado, USA. *Arctic Antarctic and Alpine Research* 33(3), 340-347.
- Curtin,CG (1995): Can montane landscapes recover from human disturbance, long term evidence from disturbed sub alpine communities. *Biol. Cons.* 74, 49-55.
- de Gouvenain,RC (1996): Indirect impacts of soil trampling on tree growth and plant succession in the north Cascade mountains of Washington. *Biol. Cons.* 75 (3), 279-287.
- Deluca,TH (1998): Influence of llamas, horses and hikers on soil erosion from established recreational trails in western Montana, USA. *Environmental Management* 22(2), 255-262.
- Etter,HM (1973): Mined-Land Reclamation Studies on Bighorn Sheep Range in Alberta, Canada. *Biological Conservation*. 5, 191-195.
- Farris,MA (1998): The effects of rock climbing on the vegetation of three minnesota cliff systems. *Canadian Journal of Botany* 76 (12), 1981-1990.
- Forbes,BC (1992): Tundra disturbance studies I: Long term effects of vehicles on species richness and biomass. *Environmental Conservation* 19, 48-58.
- Forbes,BC; Ebersole,JJ; Strandberg,B (2001): Anthropogenic disturbance and patch dynamics in circumpolar arctic ecosystems. *Conservation Biology* 15, 954-969.
- Forbes,BC (1992): Tundra disturbance studies,2: Plant growth forms of human disturbed ground in the Canadian far north. *Musk-Ox* 39, 165-173.
- Gander,H; Ingold,P (1997): Reactions of male alpine chamois *Rupicapra r. rupicapra* to hikers, joggers and mountain bikers. *Biological Conservation* 79, 107-109.
- Gomez-Limon,FJ (1995): Recreational activities and loss of diversity in grasslands in Alta Manzanares Natural Park, Spain. *Biological Conservation* 74 (2), 99-105.

- Grabherr,G (1982): Impact of trampling by tourists on a high altitudinal grassland in the Tyrolean Alps, Austria. *Vegetatio* 48, 209-217.
- Grieve,IC (2000): Effects of human disturbance and cryoturbation on soil iron and organic matter distributions on carbon storage at high elevations in the Cairngorm mountains, Scotland. *Geoderma* 95, 1-14.
- Grieve,IC (2001): Human impacts on soil properties and their implications for the sensitivity of soil systems in Scotland. *Catena* 42, 361-374.
- Hall,CN; Kuss,FR (1989): Vegetation alteration along trails in Shenandoah National Park, Virginia. *Biological Conservation*. 48, 211-227.
- Harper,KA; Kershaw,GP (1997): Soil Characteristics of 48-year old Borrow Pits and Vehicle Tracks in Shrub Tundra along the CANOL No. 1 Pipeline Corridor, Northwest Territories Canada. *Arctic and Alpine Research* 29, 105-111.
- Kellogg,EA (1985): Indicator species for assessing overuse of campsites. *Northwest Science* 59, 115-121.
- Kobayashi,T; Hori,Y; Nomoto,N (1997): Effects of trampling and vegetation removal on species diversity and micro-environment under different shade conditions. *Journal of Vegetation Science* 8, 873-880.
- Korb,JE; Ranker,TA (2001): Changes in stand composition and structure between 1981 and 1996 in four Front Range plant communities in Colorado. *Plant Ecology* 157, 1-11.
- Kuss,FR (1986): A review of major factors influencing plant responses to recreation impacts. *Environmental Management* 10(5), 637-650.
- Kutiel,P; Zhevelev,H; Harrison,R (1999): The effect of recreational impacts on soil and vegetation of stabilized Coastal Dunes in the Sharon Park, Israel. *Ocean and Coastal Management* 42, 1041-1060.
- Marion,JL; Cole,DN (1996): Spatial and temporal variation in soil and vegetation impacts on campsites. *Ecological Applications* 6(2), 520-530.
- Monz,CA (2002): The response of two arctic tundra plant communities to human trampling disturbance. *Journal of Environmental Management* 64, 207-217.
- Motta,R; Nola,P (2001): Growth trends and dynamics in sub-alpine forest stands in the Varaita Valley (Piedmont,Italy) and their relationships with human activities and global change. *Journal of Vegetation Science* 12(2), 219-230.
- Phillips,GE; Alldredge,AW (2000): Reproductive success of elk following disturbance by humans during calving season. *Journal of Wild Life Management* 64, 521-530.
- Pounder,EJ (1985): The effects of footpath development on vegetation at the Okstindan Research Station in Arctic Norway. *Biol. Cons.* 34 (3), 273-288.
- Price,M (1985): Impacts of recreational activities on alpine vegetation in western North America. *Mountain Research and Development* 5, 263-277.

- Rocheftort, RM; Gibbons, ST (1992): Mending the meadow: high altitude meadow restoration in mount rainier national park. *Restoration and Management notes* 10, 120-126.
- Roxburgh, SH; Wilson, JB; Mark, AF (1988): Succession after disturbance of a New Zealand high alpine cushionfield. *Arctic and alpine research* 20(2), 230-236.
- Sun, D; Liddle, MJ (1993): The Morphological responses of some Australian tussock grasses and the importance of tiller number in their resistance to trampling. *Biological Conservation*. 65, 43-49.
- Thurston, E; Reader, RJ (2001): Impacts of applied mountain biking and hiking on vegetation and soil of a deciduous forest. *Environmental Management* 27 (3), 397-409.
- Urbanska, KM; Erdt, S; Fattorini, M (1998): Seed rain in natural grassland and adjacent ski run in the Swiss Alps: a preliminary report. *Restoration Ecology* 6(2), 159-165.
- Urbanska, KM; Fattorini, M (2000): Seed rain in high-altitude restoration plots in Switzerland. *Restoration Ecology* 8, 74-79.
- Van Ommeren, RJ (2001): Species composition on reclaimed ski runs compared with unseeded areas. *Journal of Range Management* 54(3), 307-311.
- Walker, DA; Webber, PJ; Binnian, EF; Everett, KR; Lederer, ND; Nordstrand, EA; Walker, MD (1987): Cumulative Impacts of Oil Fields on Northern Alaskan Landscapes. *Science* 238, 757-760
- Weaver, T; Dale, D (1978): Trampling effects of hikers, motorcycles, and horses in meadows and forests. *Journal of Applied Ecology* 15, 451-457.
- Whinam, J; Chilcott, N (1999): Impacts of trampling on alpine environments in central Tasmania. *Journal of environmental management* 57, 205-220.
- White, DJ; Kendall, KC; Picton, HD (1999): Potential energetic effects of mountain climbers on foraging grizzly bears. *Wildlife Society Bulletin* 27, 146-151.
- Willard, BE; Marr, JW (1970): Effects of human activities on alpine tundra ecosystems in Rocky Mountain National Park, Colorado. *Biological Conservation* 2, 257-265.
- Willard, BE; Marr, JW (1971): Recovery of alpine tundra under protection after damage by human activities in the Rocky mountains of Colorado. *Biol. Cons.* 3, 183-190.
- Wilson, JP; Seney, JP (1994): Erosion impact of hikers, horses, motorcycles, and off road bicycles on Mountain trails in Montana. *Mountain Research and Development* 14, 77-88.
- Zabinski, C; Wojtowicz, T; Cole, D (2000): The effects of recreation disturbance on sub-alpine seed banks in the Rocky Mountains of Montana. *Canadian Journal of Botany* 78 (5), 577-582.
- Zabinski, CA; Gannon, JE (1997): Effects of recreational impacts on soil microbial communities. *Environmental Management* 21(2), 233-238.

ECOLOGICAL IMPACTS OF RECREATION:

A STRUCTURED LITERATURE COMPILATION

LIST OF FUTURE CITATIONS

- Arnalds,A (1987): Ecosystem disturbance in Iceland. *Arctic and Alpine Research* 19(4), 508-513.
- Arnalds,O; Aradottir,AL; Thorsteinsson,I (1987): The nature and restoration of denuded areas in Iceland. *Arctic and Alpine Research* 19(4), 518-525.
- Austrheim,G; Eriksson,O (2001): Plant species diversity and grazing in the Scandinavian mountains, patterns and processes at different spatial scales. *Ecography* 24, 683-695.
- Austrheim,G; Gunilla,E; Olsson,A; Grontvedt,E (1999): Land use impact on plant communities in semi natural sub-alpine grasslands of Budalen, central Norway. *Biological Conservation* 87(3), 369-379.
- Bayfield,NG (1996): Long term changes in colonization of bulldozed ski pists in Cairngorm Scotland. *Journal of Applied Ecology* 33, 1359-1367.
- Bell,KL; Bliss,LC (1979): Autecology of *Kobresia bellardii*. Why winter snow accumulation limits local distribution. *Ecological Monographs* 49(4), 377-402.
- Belnap,J (1995): Soil surface disturbances: their role in accelerating desertification. *Environmental Monitoring and Assessment* 37, 39-57
- Belnap,J (1996): Soil surface disturbances in cold deserts: effects on nitrogenase activity in cyanobacterial - lichen soil crusts. *Biology and Fertility of Soils* 23, 362-367
- Benedict,JB (1992): *Footprints in the Snow: High altitude Cultrual Ecology of the Colorado Front Range, USA*. *Arctic and alpine research* 24, 1-16.
- Beniston,Martin (Ed.) (1994): *Mountain Environments in Changing Climates*. Routledge, London. 471 pages.
- Bockheim,JG (1972): Effects of alpine and subalpine vegetation on soil development, Mount Baker, Washington. Ph.D. Dissertation, University of Washington, Seattle.
- Bratton,SP (1985): Effects of disturbance by visitors on 2 woodland orchid species in Great Smoky Mountains National Park, USA. *Biological Conservation* 31(3), 211-227.

- Briand,F; Dubost,M; Pitt,D; Rambaud,D (1989): The Alps: a system under pressure. International Union for Conservation of Nature and Natural Resources, Gland Switzerland. 128 pages.
- Bright,JA (1986): Hiker impact on herbaceous vegetation along trails in an evergreen woodland of central Texas. *Biological Conservation* 36, 53-69.
- Brunson,M; Shelby,B (1991): Activity related differences in campsite preferences: Potential causes and implications for management. *Western Journal of Applied Forestry* 6, 78-81.
- Bull,EL; Aubry,KB; Wales,BC (2001): Effects of disturbance on forest carnivores of conservation concern in eastern Oregon and Washington. *Northwest Science* 75, 180-184.
- Burns,SF (1980): Alpine soil factors in Disturbance and Re-vegetation. In: *Proceedings: High Altitude Re-vegetation Workshop No 4. (:) Colorado water resources research institute, Ft. Collins, CO, 210.*
- Cargill,SM; Chapin III,S (1987): Application of Successional theory to tundra restoration: A Review. *Arctic and Alpine Research* 19(4), 366-372.
- Cavieres,LA (1999): Persistent seed banks: delayed seed germination models and their application to alpine environments. *Revista Chilena de Historia Natural* 72, 457-466.
- Chapman,JC; Simmons,BL (1990): The effects of sewage on alpine streams in Kosciusko National Park, New South Wales, Australia. *Environmental Monitoring and Assessment* 14, 275-296.
- Cole,D (1995): Disturbance of natural vegetation by camping-Experimental applications of low level stress. *Environmental Management* 19 (3), 405-416.
- Cole,DN (1981): Managing ecological impacts at wilderness campsites. An evaluation of Techniques. *Journal of Forestry* 79(2), 86-89.
- Cole,DN (1985): Recreational trampling effects on 6 habitat types in western Montana. USDA Forest service Intermountain Research Station Research Paper 350, 1-43.
- Cole,DN (1989): Recreation ecology, what we know, what geographers can contribute. *Professional Geographer* 41(2), 143-148.
- Cole,DN (1992): Modeling wilderness campsites - factors that influence amount of impact. *Environmental Management* 16 (2), 255-264.
- Cole,DN (1993): Trampling effects on mountain vegetation in Washington, Colorado, New Hampshire, and North Carolina. USDA Forest service Intermountain Research Station Research Paper 464, 1.
- Cole,DN (1996): Wilderness recreation in the United States: trends in use, users, and impacts. *International Journal of Wilderness* 2(3), 14-18.
- Cole,DN (1997): Experimental evaluations of two Leave-No-Trace techniques: Removing boots and using geotextile ground cloths (scrim). USDA Forest service Intermountain Research Station Research Paper 1, 1-8.
- Cole,DN; Bayfield,NG (1993): Recreational trampling of vegetation - standard experimental procedures. *Biological Conservation* 63 (3), 209-215.

- Cole, DN; Watson, AE; Hall, TE; Spildie, DR (Eds.) (1997): High use destinations in wilderness: social and biophysical impacts, visitor responses, and management options. int-rp-496 ed. Rocky mountain research station, USDA forest service, Ogden USA. 30 pages.
- Cole, DN; Sater, S; Hall, T: visitor experiences, Indicators, Standards and Appropriate Management of Forest Service Wilderness in the Pacific Northwest with Emphasis on Heavily Used Places, Day use and Mountain Climbing. Unpublished Report.
- Conover, MR (2001): Effect of hunting and trapping on wildlife damage. Wildlife Society Bulletin 29, 521-532.
- Crowder, A (1983): Impact indexes based on introduced plant species and litter. A study of paths in St. Lawrence Islands National Park, Ontario, Canada. Environmental Management 7 (4), 345-354.
- Dearden, P; Hall, C (1983): Non consumptive recreation pressures and the case of the Vancouver Island Marmot (*Marmota vancouverensis*). Environmental Conservation 10, 63-66.
- Del Moral, R (1979): Predicting human impact on high elevation ecosystems. In: Proceedings: Recreational impact on wild lands. (Ed: USDA forest service) USDA Forest Service Pacific Northwest Region, Seattle, WA, 292-303.
- Dijkstra, P; Lambers, H (1989): Analysis of specific leaf area and photosynthesis of two inbred lines of *Plantago major* differing in relative growth rate. New Phytologist 113, 283-290.
- Edwards, IJ (1977): The ecological impact of pedestrian traffic on alpine vegetation in Kosciusko National Park. Australian Forestry 40, 108-120.
- *Edwards, Ola Margery (1980): The alpine vegetation of Mount Rainier National Park: structure, development and constraints. MS Thesis, University of Washington, Seattle. (N)
- Emers, M; Jorgensen, JC (1997): Response of arctic tundra plant communities to winter vehicle disturbance. Canadian Journal of Botany 73, 905-917.
- Erschbamer, B; Kneringer, E; Schlag, RN (2001): Seed rain, soil seed bank, seedling recruitment, and survival of seedlings on a glacier foreland in the Central Alps. Flora 196(4), 304-312.
- Farmer, AM (1993): The effects of dust on vegetation-A review. Environmental Pollution 79, 63-75.
- Fattorini, M (2001): Establishment of transplants on machine graded ski runs above timberline in the swiss alps. Restoration Ecology 9(2), 119-126 (have in pdf)
- Garland, GG (1987): Rates of soil loss from mountain footpaths. An experimental study in the Drakensberg mountains, South Africa. Applied Geography 7, 41-54.
- Gibson, N (1984): Impact of trampling on bolster heat communities of Mount Field National Park, Tasmania, Australia. Papers and Proceedings of the Royal Society of Tasmania 118, 47-52.
- Gold, WG; Glew, KA; Dicksno, LG (2001): Functional influences of cryptobiotic surface crusts in an alpine tundra basin of the Olympic mountains, Washington, USA. Northwest Science 74, 315-326.

- Grant,WE; French,NR (1990): Response of alpine tundra to a changing climate: A hierarchical simulation model. *Ecological Modelling* 49, 205-227.
- Haase,R (1987): An alpine vegetation map of Caribou lake valley and 4th of July valley, Front range, Colorado, United States. *Arctic and Alpine Research* 19, 1-10.
- Hall,M (2001): Repairing mountains, restoration, ecology, and wilderness in twentieth century Utah. *Environmental History* 6 (4), 584.
- Hartley, E (2000): Thirty year monitoring of Subalpine meadow vegetation following a 1967 trampling experiment at Logan Pass, Glacier National Park, MT. USDA Forest service Proceedings RMRS – P – 15-vol-5, 124-132
- Hartley,EA (1976): Man's effects on the stability of alpine and sub alpine vegetation in Glacier National Park, Montana. Ph.D. Dissertation, Duke University, Durham, North Carolina. 358 p.
- Hecht,SB (1976): Ecological carrying capacity research, Yosemite National Park II. Human Impact on sub alpine ecosystems: microclimate. US Department of Commerce, National Technical Center, 27 pages.
- Holmes,DO; Dobson,HEM (1976): Ecological carrying capacity research: Yosemite National Park I. The effect of human trampling and urine on backcountry use and the ecological carrying capacity of wilderness. US Department of Commerce National Information Service, Springfield, Virginia. 247 pages.
- Houston,DB; Stevend,V (1988): Resource limitation in mountain goats, a test by experimental cropping. *Canadian Journal of Zoology* 66, 228-238.
- Ikeda,H; Okutomi,K (1990): Effects of human trampling and multi-species competition on early phase development of a tread community. *Ecological Research* 5, 41-54.
- Ikeda,H; Okutomi,K (1995): Effects of trampling competition on plant growth and shoot morphology of *Plantago*, *Eragostis*, and *Eleusine* species. *Acta-Botanica-Neerlandica* 44, 151-160.
- Ingold,P; Pfister,U; Baechler,E; Enggist-Dueblin,P (1998): Pattern and rhythm of activity in alpine chamois (*Rupicapra r. rupicapra*) during winter. *International journal of Mammalian Biology* 63(3), 183-185.
- Ives,JD; Hansenbristow,KJ (1983): Stability and instability of natural and modified upper timberline landscapes in the Colorado Rocky Mountains, USA. *Mountain Research and Development* 3(2), 149-155.
- Johnson,JR; Kasper,K; St. Clair,LL; Warren,S; Pendleton,B (1994): Stabilization of damaged soil crust communities using cyanobacterial amendments: Development of inocula and field testing. *American Journal of Botany* 81, 108.
- Johnson,P; Billings,WD (1962): The alpine tundra vegetation of the Beartooth Plateau in relation to cryopedogenic processes and patterns. *Ecological Monograph* 32, 105-135.
- Kariel,HG (1984): Tourism in the Canadian cordillera. A synthesis of visitor characteristics and aerial use patterns. *Mountain Research and Development* 4(3), 213-228.

- Ketchledge,EH (1985): Rehabilitation of alpine vegetation in the Adirondack Mountains of New York State. USDA Forest Service Northeastern Forest Experiment Station, 6.
- Kirkpatrick,JB (1986): Conservation of plant species, alliances and associations of the treeless high country of Tasmania, Australia. *Biological Conservation* 37, 43-57.
- Kirkpatrick,JB; Bridle,KL; Wild,AS (2002): Succession after fire in alpine vegetation on Mount Wellington, Tasmania. *Australian Journal of Botany* 50, 145-154.
- Knapp,RA; Mathews,KR; Sarnelle,O (2001): Resistance and resilience of alpine lake fauna to fish introductions. *Ecological Society of America annual meeting abstracts* 86, 133.
- Kuss,FR; Graefe,AR (1985): Effects of recreation trampling on natural area vegetation. *Journal of Leisure Research* 17 (3), 165-185.
- Kuss,FR; Hall,CN (1991): Ground flora trampling studies: 5 years after closure. *Environmental Management* 15 (5), 715-727.
- Lajeunesse,D; Domon,G; Cogliastro,A; Bouchard,A (1997): Monitoring recreational use in urban natural areas. *Natural areas Journal* 17, 366-379.
- Lance,A; Thaxton,R; Watson,A (1991): Recent changes in footpath width in the Cairngorms. *Scottish Geographical magazine* 107, 106-109.
- Leeson,BF (1969): Research on wild land recreation impact in the Canadian Rockies. In: *Proceedings: recreational impact on wildlands*. (Ed: USDA Forest Service) USDA Forest Service Pacific Northwest Region, Seattle, WA, 64-65. (N)
- Leung,Y; Marion,JL (2000): Reaction impacts and management in wilderness: A state of knowledge review. In: *wilderness science in a time of change*. RMRS-p-15-vol 5 ed. Vol. 5, wilderness ecosystems, threats and management. (Eds: Cole,DN; McCool,SF; Borrie,WT; O'Loughlan,J) USDA Forest service, Rocky Mountain Research station, Montana, 23-48. (Wilderness science in a time of change; 5)
- Leung,YF (1996): Trail degradation as influenced by environmental factors: A state of the knowledge review. *Journal of Soil and Water Conservation* 51 (2), 130-136.
- Liddle,M (1997): *Recreation Ecology*. Chapman and Hall, London. 639 pages.
- Liddle,MJ (1975): A selective review of the ecological effects of human trampling on natural ecosystems. *Biol. Cons.* 7, 17-36.
- Liu,J (1993): Recreational impacts on vegetation of Patungkuan Area, Yushan National Park, Central Taiwan. *Quarterly Journal of the Experimental Forest of National Taiwan University* 71, 1-32.
- Liu,JY (1993): Hiker trampling impacts on alpine vegetation along rails of Yushan National Park. *Quarterly Journal of the Experimental Forest of National Taiwan University* 73, 53-72.
- Lockley,AK (1996): Changes in the position of the hybrid zone between the House sparrow *Passer domesticus domesticus* and the Italian Sparrow *P. d. italiae* in the Alpes Maritimes. *Journal fur Ornithologie* 137(2), 243-248.

- Macyk,TM; Barnhisel,RI; Darmody,RG; Daniels,WL (2000): Reclamation of alpine and subalpine lands. In: Reclamation of Drastically Disturbed Lands. (Eds: Barnhisel,RI; Darmody,rg) American Society of Agronomy, Madison, 537-555.
- Magoun,AJ; Copeland,JP (1998): Characteristics of wolverine reproductive den sites. Journal of Wild Life Management 62, 1313-1320.
- Malin,L; Parker,AZ (1976): National Ecological Carrying capacity research: Yosemite National Park III. Sub alpine soils and wilderness use. US Department of Commerce, National Technical Information Center. 89 pages.
- Marr,j; Willard,B (1970): Persisting vegetation in an alpine recreation area in the southern rocky mountains Colorado. Biological Conservation 2, 97-104.
- May,DE; Webber,PJ; May,TA (1982): Success of transplanted alpine tundra plants on Niwot ridge Colorado. Journal of Applied Ecology 19 (3), 965-976.
- Mcfeters,g; Stuart,S; United states national parks service (1976): microbial studies of a high alpine water supply used for recreation., Bozeman, Mt.: Environmental Micobiology laboratory, Deptment of Microbiology, Montana State University. 81 p.
- Meyer,E (1993): The impact of summer and winter tourism on the fauna of alpine soils in western Austria (Oetztal Alps, Raetikon). Revue-Suiss-De-Zoologie 100(3), 519-527.
[GERMAN ONLY]
- Mills,JD; Stevenson,J; Nicholls,J; Plowort,T (1996): Effects of trampling on photosynthesis and respiration in *Plantago lanceolata*. Biochemical society transactions 24 (3), 399s.
- Montz,CA; Meier,GA; Welker,JM; Buckley,RC; Cole,DN; Loya,WM (1996): Responses of moist and dry arctic tundra to trampling and warmer temperatures. Bulliten of the Ecological society of America 77, 311.
- Monz,CA; Johnson,LA; Cole,DN; Spildie,DR (1994): Vegetation response to trampling in five native plant communities in the Wind River Range, Wyoming. Bullitin of the Ecological Society of America 75, 158-159.
- Naito,T (1969): Changes of alpine vegetation in Mt. Hakkoda due to human treading. Ecological Review 17, 171-176.
- Nantel,P; Bouchard,A; Brouillet,L; Hay,s (1998): Selection of areas for protecting rare plants with integration of land use conflicts: A case study for the west coast of Newfoundland, Canada. Biological Conservation 84(3), 223-234.
- Olofsson,J; Moen,J; Oksanen,L (2002): Effects of herbivory on competition intensity in two arctic alpine tundra communities with different productivity. Oikos 96, 265-272.
- Orams,MB (1996): A conceptual model of tourist-wild life interaction: the ase for education as a management strategy. Austrailian Geographer 27, 39-51.
- Ottitsch,A (1996): Land use potential analysis Achenkirch. Phytion Horn 36(3), 119-130.
- Parsons,DJ (1983): Wilderness protection, an example from the southern Sierra Nevada, USA. Environmental conservation 10, 23-30.

- Perez,FL (1991): Particle sorting due to off road vehicle traffic in a high andean paramo. *Catena* 18, 239-254.
- Pearce,TG (1984): Earthworm populations in soils disturbed by trampling. *Biol. Cons.* 29(3), 241-252.
- Poore,D (1992): Guidelines for Mountain Protected Areas. IUCN Commission on National Parks and Protected Areas, Gland, Switzerland and Cambridge, UK. 56 pages.
- Puntieri,JG (1991): Vegetation response on a forest slope cleared for a ski run with special reference to the herb *alstroemeria aurea graham* (*alstroemeriaceae*), argentina. *Biol. Cons.* 56 (2), 207-221.
- Roach,DA; Marchand,PJ (1984): recovery of alpine disturbances- early growth and survival in populations of the native species, *Arenaria grenlandica*, *Juncus trifidus*, and *Potentilla tridentata*. *Arctic and Alpine Research* 16, 37-43.
- Rode,KD; Robbins,CT; Shipley,LA (2001): Constraints on herbivory by grizzly bears. *Oecologia* 128, 62-71.
- Runolfsson,s (1987): Land Reclamation in Iceland. *Arctic and alpine research* 19(4), 514-517.
- Ruth-Balaganskaya,E; Myllynen-Malinen,K (2000): Soil nutrient status and revegetation practices of down hill skiing areas in Finish Lapland. A case study of Mt Yllas. *Landscape and Urban Planning* 50, 259-268.
- Rutherford,GK; Scott,DC (1979): The impact of recreational land use on soil chemistry in a provincial park. *Park News* 15, 22-25.
- Schnidrig-Petrig,R; Ingold,P (2001): Effects of paragliding on alpine chamois *Tupicapra rupicapra rupicapra*. *Wildlife Biology* 7(4), 285-294.
- Schreiner,ED (1982): The role of exotic species in plant succession following human disturbance in an alpine area of Olympic National Park, Washington. Ph.D. Dissertation, University of Washington, Seattle. 132 p.
- Schreiner,EG (1974): Vegetation dynamics and human trampling in three sub alpine communities of Olympic National Park, Washington. M.S. Thesis, University of Washington (Seattle). 221.
- Schreiner,ES; Moorhead,BB (1976): Human impact inventory and management in the Olympic National Park backcountry. In: *Proceedings: recreational impact on wildlands*. (Ed: USDA forest service) USDA Forest Service Pacific Northwest Region, Seattle, WA, 203-212.
- Sherrod,SK; Seastedt,TR (2001): Effects of the northern pocket gopher (*Thomomys talpoides*) on alpine soil characteristics, Niwot Ridge, CO. *Biogeochemistry* 55(2), 195-218.
- Shur-Bagdasayran,EF (1981): Reaction of alpine meadow plants to certain effects. *Biologicheskii Zhurnal Armenii* 34, 718-723.
- Singer,SW (1971): Vegetation response to single and repeated walking stresses in an alpine ecosystem. MS Thesis, Rutgers University, New Brunswick, NJ

- Skinner,QD; Adams,JC; Beetle,AA; Roehrkaase,GP (1984): Change in bacterial populations downstream in a Wyoming USA mountain drainage basin. *Journal of Range Management* 37(3), 269-274.
- Stohlgren,TJ (1982): Vegetation and soil recovery of sub alpine campsites in Sequoia National Park, California. MS Thesis, California state University, Fresno, California.
- Strand,S (1972): An investigation of the relationship of pack stock to some aspects of meadow ecology for seven meadows in Kings Canyon National park. MS Thesis, California State University, San Jose.
- Studlar,SM (1980): Trampling effects on bryophytes: trail surveys and experiments. *Bryologist* 83 (3), 301-313.
- Studlar,SM (1983): Recovery of trampled Bryophyte communities near Mountain lake, Virginia. *Bulletin of the Torrey Botanical Club* 110, 1-11.
- Summer,RM (1980): Impact of horse traffic on trails in Rocky Mountain National Park. *Journal of Soil and Water Conservation* 35(2), 85-87.
- Sun,D (1991): Effect of Plant Age on Tolerance of Two Grasses to Simulated Trampling. *Australian Journal of Ecology* 16, 183-188.
- Sun,D; Liddle,MJ (1993): Plant morphological characteristics and resistance to simulated trampling. *Environmental Management* 17(4), 511-521.
- Sun,D; Liddle,MJ (1993): Trampling resistance, stem flexibility and leaf strength in 9 australian grasses and herbs. *Biol. Cons.* 65, 35-41.
- Sun,D; Walsh,D (1998): Review of studies on environmental impacts of recreation and tourism in Australia. *Journal of environmental management* 53 (4), 323-338.
- Taylor,RJ; Douglas,GW (1978): Plant ecology and natural history of Chowder Ridge, Mount Baker. A potential alpine research natural area in the western North Cascades. *Northwest Science* 52, 35-50.
- Taylor, T.P. and D.C. Erma. 1979. The Response of Benthic plants to past levels of human use in high mountain lakes in Kings canyon National Park, California USA *Journal of Environmental Management* 9:271-278
- Taylor, T. P. and Ermann, D.C. 1980. The littoral bottom fauna of high elevation lakes in Kings Canyon National Park. *California Fish and Game* 66(2):112-119.
- Thilenius,JF (1975): Alpine range management in the western United States, principles, practices, and problems: the status of our knowledge. In: *Range management in the central and southern Rocky Mountains: a summary of the status of our knowledge by range ecosystems.* (Ed: Paulsen,HA) USDA Forest service research paper, rocky mountain forest and range experiment station, Colorado, 32.
- Watson,A (1985): Soil erosion and vegetation damage near ski lifts at Cairngorm, Scotland. *Biological Conservation* 33(4), 363-381.

- Whinam,J; Cannell,EJ; Kirkpatrick,JB; Comfort,M (1994): Studies on the potential impact of recreational horse riding on some alpine environments of the central plateau, Tasmania. *Journal of Environmental Management* 40(2), 103-117.
- Whinam,J; Comfort,M (1996): The impact of commercial horse riding on sub alpine environments at Cradle mountain, Tasmania, Australia. *Journal of Environmental Management* 47, 61-70.
- Womble,P; Studebaker,S (1981): Crowding in a national park campground, Katmai national monument in Alaska. *Environment and Behavior* 13, 557-573.
- Yost,AC; Wright,RG (2001): Moose, Caribou, and Grizzly Bear Distribution in Relation to Road Traffic in Danali National Park, Alaska. *Arctic and Alpine Research* 54, 41.
- Young,OR; Chapin III,FS (1995): Anthropogenic Impacts on Biodiversity in the Arctic. *Ecological Studies* 113, 183-196.
- Zabinski, C. and D. Cole 2000 Understanding the factors that limit restoration success on a recreation impacted subalpine site. In: Cole, D. S. F. McCool, W. T. Borrie and J. O'Loughlin, comps 2000. *Wilderness science in a time of change conference-Volume 5: Wilderness ecosystems, threats, and management*. 1999 May 23-27 Missoula, MT Proceedings RMRS-P-15-Vol-5, Ogden, UT U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station.