

	accord	ding to Regulation (EC) No. 1907/2006 as amended by	(EC) No. 1272/2008				
	Section 1. Id	entification of the Substance/Mixture and of the	ne Company/Undertaking				
.1	Product Code:	21321					
	Product Name:	(-)-Levamisole (hydrochloride) (CRM)					
	Synonyms:	(6S)-2,3,5,6-tetrahydro-6-phenyl-imidazo[2,1-b	)]thiazole, monohydrochloride; NSC 177023; I				
		12654; L-Tetramisole;					
.2	Relevant identified uses of the substance or mixture and uses advised against:						
	Relevant identified uses:	For research use only, not for human or veterin					
.3	Details of the Supplier of the	-					
.5	Company Name:	Cayman Chemical Company					
	company name.	1180 E. Ellsworth Rd.					
		Ann Arbor, MI 48108					
	Web site address:	www.caymanchem.com					
	Information:	Cayman Chemical Company	+1 (734)971-3335				
.4	Emergency telephone numb	per:					
	Emergency Contact:	CHEMTREC Within USA and Canada:	+1 (800)424-9300				
		CHEMTREC Outside USA and Canada:	+1 (703)527-3887				
		Section 2. Hazards Identific	ation				
2.1	Classification of the Substance or Mixture:						
.1							
1	Flammable Liquids, Categ	jory 2					
1	Flammable Liquids, Categ Acute Toxicity: Inhalation	jory 2 , Category 3					
.1	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate	jory 2 , Category 3 gory 3					
.1	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate	jory 2 , Category 3 gory 3 gory 3					
.1	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate	jory 2 , Category 3 gory 3					
.1	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate	jory 2 , Category 3 gory 3 gory 3					
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ Tox	jory 2 , Category 3 gory 3 gory 3					
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ Tox	jory 2 , Category 3 gory 3 gory 3					
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ Tox	jory 2 , Category 3 gory 3 gory 3					
	Flammable Liquids, Categ Acute Toxicity: Inhalation, Acute Toxicity: Oral, Cate Acute Toxicity: Skin, Cate Specific Target Organ Tox Label Elements:	Jory 2 , Category 3 gory 3 agory 3 kicity (single exposure), Category 1					
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Cate Specific Target Organ Tox Label Elements: GHS Signal Word:	jory 2 , Category 3 gory 3 gory 3					
	Flammable Liquids, Categ Acute Toxicity: Inhalation, Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Cate Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases:	pory 2 , Category 3 gory 3 gory 3 kicity (single exposure), Category 1					
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Cate Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu	pory 2 , Category 3 gory 3 gory 3 kicity (single exposure), Category 1					
	Flammable Liquids, Categ Acute Toxicity: Inhalation, Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Categ Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H301: Toxic if swallowed.	yory 2 , Category 3 gory 3 agory 3 kicity (single exposure), Category 1 <b>Contemposed</b> <b>Danger</b> uid and vapor.					
	Flammable Liquids, Categ Acute Toxicity: Inhalation, Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Categ Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H301: Toxic if swallowed. H311: Toxic in contact with	yory 2 , Category 3 gory 3 agory 3 kicity (single exposure), Category 1 <b>Contemposed</b> <b>Danger</b> uid and vapor.					
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Categ Specific Target Organ Tox Label Elements:	yory 2 , Category 3 gory 3 gory 3 kicity (single exposure), Category 1 <b>Danger</b> uid and vapor.					
	Flammable Liquids, Categ Acute Toxicity: Inhalation, Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Categ Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to or	yory 2 , Category 3 gory 3 gory 3 kicity (single exposure), Category 1 <b>Danger</b> uid and vapor.					
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Categ Specific Target Organ Tox Label Elements:	yory 2 , Category 3 gory 3 gory 3 kicity (single exposure), Category 1 Danger uid and vapor. skin. rgans.					
	Flammable Liquids, Categ Acute Toxicity: Inhalation, Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Categ Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable liqu H301: Toxic if swallowed. H311: Toxic in contact with H331: Toxic if inhaled. H370: Causes damage to ou GHS Precaution Phrases: P210: Keep away from {heat	pory 2 , Category 3 gory 3 gory 3 stority (single exposure), Category 1 <b>Danger</b> uid and vapor. skin. rgans.					
	Flammable Liquids, Catego Acute Toxicity: Inhalation, Acute Toxicity: Oral, Catego Acute Toxicity: Skin, Catego Specific Target Organ Tox Label Elements:	pory 2 , Category 3 gory 3 gory 3 kicity (single exposure), Category 1 Danger uid and vapor. skin. rgans.	ŀ				
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Cate Specific Target Organ Tox Label Elements:	pory 2 , Category 3 gory 3 gory 3 scicity (single exposure), Category 1					
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Cate Specific Target Organ Tox Label Elements:	pory 2 , Category 3 gory 3 gory 3 kicity (single exposure), Category 1 Danger uid and vapor. skin. rgans.					
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Cate Specific Target Organ Tox Label Elements:	pory 2 , Category 3 gory 3 gory 3 scicity (single exposure), Category 1					
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Categ Acute Toxicity: Skin, Cate Specific Target Organ Tox Label Elements:	pory 2 , Category 3 gory 3 gory 3 scicity (single exposure), Category 1	on}.				
	Flammable Liquids, Categr Acute Toxicity: Inhalation, Acute Toxicity: Oral, Categr Acute Toxicity: Skin, Categr Specific Target Organ Tox Label Elements: GHS Signal Word: GHS Hazard Phrases: H225: Highly flammable lique H301: Toxic if swallowed. H311: Toxic if swallowed. H311: Toxic if inhaled. H370: Causes damage to out GHS Precaution Phrases: P210: Keep away from {heat P260: Do not breathe {dust/ P264: Wash {hands} thorout P280: Wear {protective glow GHS Response Phrases: P301+310: IF SWALLOWER	pory 2 , Category 3 gory 3 gory 3 scicity (single exposure), Category 1	on}.				
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Categ Specific Target Organ Tox Label Elements:	pory 2 , Category 3 gory 3 gory 3 dicity (single exposure), Category 1	on}. r doctor/physician.				
	Flammable Liquids, Categ Acute Toxicity: Inhalation Acute Toxicity: Oral, Categ Specific Target Organ Tox Label Elements:	pory 2 , Category 3 gory 3 gory 3 dicity (single exposure), Category 1	on}. r doctor/physician.				



	P307+	-311: IF exposed: F	311: Call a POISON CENTER	R or doctor/physician				
		-	{see on this label}.					
		Rinse mouth.						
	P363:	Wash contaminate	d clothing before reuse.					
	GHS S	Storage and Dispo	sal Phrases:					
	Please	e refer to Section 7	for Storage and Section 13 for	r Disposal informatio	n.			
2.3		e Human Health	Causes damage to organs {	-				
		ts and Symptoms: Material may be irritating to the			nes and upper rea	spiratory tract.		
			May be fatal or cause blindn					
			May cause eye, skin, or resp	piratory system irritat	ion.			
			Toxic if inhaled, swallowed,	or in contact with ski	n.			
			To the best of our knowledge	e, the toxicological p	roperties have no	t been thoroughly investigated.		
		Sect	tion 3. Composition	/Information	on Ingredie	nts		
CAS	-	-	oonents (Chemical Name)/	Concentration	EC No./	GHS Classification		
RTE		REACH Registra	tion No.		EC Index No.			
1659 NJ596	95-80-5 80000	Levamisole hydroch	loride	0.1 %	240-654-6 NA	Acute Tox.(O) 3: H301 STOT (RE) 1: H372		
	-56-1	Methanol		99.9 %	200-659-6	Flam. Liq. 2: H225		
	00000			00.0 %	603-001-00-X	Acute Tox.(O) 3: H301		
						Acute Tox.(D) 3: H311		
						Acute Tox.(I) 3: H331		
						STOT (SE) 1: H370		
			Section 4. Fi	rst Aid Measu	ures			
4.1	Descrip	otion of First Aid						
	Measur	es:						
	In Case	of Inhalation:	Remove to fresh air. If not breathing, give artificial respiration or give oxygen by trained personnel. Get immediate medical attention. Immediately wash skin with soap and plenty of water for at least 15 minutes. Remove contaminated clothing. Get medical attention if symptoms occur. Wash clothing before reuse.					
	In Case	of Skin Contact:						
	In Case	of Eye Contact:	Hold eyelids apart and flush and tested by medical person		ater for at least 1	5 minutes. Have eyes examined		
	In Case	of Ingestion:	Wash out mouth with water p	provided person is co	onscious. Never g	ive anything by mouth to an		
			unconscious person. Get me medical personnel.	dical attention. Do N	OT induce vomiti	ng unless directed to do so by		
4.2	Importa	ant Symptoms and	Overexposure may cause: co	onfusion, dermatitis,	headache, drows	iness, dizziness, gastrointestinal		
Effect		, Both Acute and	disturbance, optic nerve dam	age (blindness), nau	usea, unconscious	sness, vomiting, visual		
	Delaye	d:	disturbance, weakness.					
			May cause convulsions.					
			Once methanol is absorbed i	nto the body, it is ve	ry slowly eliminate	ed.		
			Toxic: danger of very serious	irreversible effects	through inhalation	, in contact with skin and if		
			swallowed.					



Revision: 09/30/2017

		Section 5.	Fire Fighting Measures			
5.1	Suitable Extinguishing	Use alcohol-resistant fo	pam, carbon dioxide, water, or dry chemical spray.			
	Media:	Use water spray to coo	l fire-exposed containers.			
	Unsuitable Extinguishing Media:	A solid water stream ma	ay be inefficient.			
5.2		dCan release vapors that	t form explosive mixtures at temperatures at or abo	ove the flashpoint.		
	Hazards:	-	ay occur under fire conditions.	·		
		Emits toxic fumes unde	r fire conditions.			
		Sensitive to static disch	arge.			
		Vapors can travel to a s	source of ignition and flash back.			
		No data available.				
	Flash Pt:	11.00 C Method Used	d: Closed Cup			
	Explosive Limits:	LEL: 6.0% at 2	5.0 C UEL: 36.0% at 25.0 C			
	Autoignition Pt:	385.00 C				
5.3	Fire Fighting Instructions	As in any fire, wear self	-contained breathing apparatus pressure-demand	(NIOSH approved or		
		equivalent), and full pro	tective gear to prevent contact with skin and eyes.			
		Note: Flammable as dil	uted in methanol.			
		Section 6. Acci	dental Release Measures			
6.1	Protective Precautions,	Avoid breathing vapors	s and provide adequate ventilation.			
	Protective Equipment and	As conditions warrant,	wear a NIOSH approved self-contained breathing	apparatus, or respirator,		
	Emergency Procedures:	and appropriate persor	nal protection (rubber boots, safety goggles, and he	eavy rubber gloves).		
6.2	Environmental	Take steps to avoid rel	ease into the environment, if safe to do so.			
	Precautions:					
6.3	Methods and Material For	-				
	Containment and Cleanin	gTransfer to a chemical	waste container for disposal in accordance with loo	cal regulations.		
	Up:					
		Section 7.	Handling and Storage			
7.1	Precautions To Be Taken	Avoid breathing dust/fu	me/gas/mist/vapours/spray.			
	in Handling: Avoid prolonged or repeated exposure.					
	Keep away from sources of ignition.					
			asures against static discharge.			
7.2	Precautions To Be Taken	• •				
	in Storing:	Keep container tightly c				
			th information listed on the product insert.			
		ion 8. Exposure	e Controls/Personal Protection			
8.1	Exposure Parameters:					
CAS #	Chemical Name	Jurisdiction	Recommended Exposure Limits	Notations		
67-56	-1 Methanol	ACGIH TLV	TLV: 200 ppm STEL: 250 ppm			
		Europe	TWA: 260 mg/m3 (200 ppm)	Skin Absorption		
		France VL	TWA: 260 mg/m3 (200 ppm)			
			STEL: 1300 mg/m3 (1000 ppm)			
		OSHA PELs	PEL: 200 ppm			
		Britain EH40	TWA: 266 mg/m3 (200 ppm) STEL: 333 mg/m3 (250 ppm)	Skin Absorption		
l						

Multi-region format



	Exposure Controls:								
8.2.1	Engineering Controls Use process enclosures, local exhaust ventilation, or other engineering controls to control airbor								
	(Ventilation etc.): levels below recommended exposure limits.								
8.2.2	Personal protection equipment:								
	Eye Protection: Safety glasses								
	Protective Gloves:	Compatible chemical-resistant gloves							
	Other Protective Clothing: Lab coat   Respiratory Equipment NIOSH approved respirator, as conditions warrant.								
	(Specify Type):								
	Work/Hygienic/Maintenan Do not take internally.								
	ce Practices: Facilities storing or utilizing this material should be equipped with an eyewash and a safe								
	Wash thoroughly after handling.								
	No data available.								
	Se	ection 9. Physical and Chemical Properties							
9.1	Information on Basic Phys	sical and Chemical Properties							
	Physical States:	[]Gas [X]Liquid []Solid							
	Appearance and Odor:	A 1 mg/ml solution in methanol							
	pH:	No data.							
	Melting Point:	No data.							
	Boiling Point:	No data.							
	Flash Pt:	11.00 C Method Used: Closed Cup							
	Evaporation Rate:	No data.							
	Flammability (solid, gas):	No data available.							
	Explosive Limits:	LEL: 6.0% at 25.0 C UEL: 36.0% at 25.0 C							
	Vapor Pressure (vs. Air o Hg):	r mm 96 MM_HG at 20.0 C							
	Vapor Density (vs. Air = 1	): No data.							
	Specific Gravity (Water =	1): No data.							
	Solubility in Water:	No data.							
	Octanol/Water Partition	No data.							
	Coefficient:								
	Autoignition Pt:	385.00 C							
	Decomposition Temperate	ure: No data.							
	Decomposition remperation								
	Viscosity:	No data.							
9.2		No data.							
9.2	Viscosity:	No data.							



Revision: 09/30/2017

			Section 10. Stability and	Reactiv	vity			
10.1	Reactiv	ity:	No data available.					
10.2	Stability	/:	Unstable [ ] Stable [ X ]					
10.3	Stability	Note(s):	Stable if stored in accordance with information listed on the product insert.					
	Polyme	rization:	Will occur [ ] Will not occur [ X ]					
10.4	-	ons To Avoid:	heat, flames and sparks					
10.5		atibility - Materials	•					
	To Avoid:		acid anhydrides					
			acid chlorides					
			alkali metals					
			oxidizing agents					
			reducing agents					
10.6	Hazardo	ous	carbon dioxide					
1	Decomp	osition or	carbon monoxide					
	Byprod	ucts:						
<b></b>			Section 11. Toxicological	Informa	ation			
	1	(!				u die d		
11.1	Informa		The toxicological effects of this product ha Methanol - Toxicity Data: Oral LD50 (rat):				200//100	
	IOXICOI	ogical Effects:	Inhalation LC50 (rat): 64,000 ppm (4h); In				0 0	
			(rabbit): 15,800 mg/kg; Oral LDLO (huma			1,100 ppin (13	+ 111), SKIT LD3(	
			Methanol - Irritation Data: Skin (rabbit): 20		-	s (rabbit): 40 m	na moderate:	
			Eyes (rabbit): 100 mg (24h) moderate;	/ mg (2+m) m	nouerate, Lye	5 (18661). <del>4</del> 0 11	ig moderate,	
	Chronic	Toxicological	Methanol - Investigated as a mutagen and reproductive effector.					
	Effects:	Toxicological	Only select Registry of Toxic Effects of Chemical Substances (RTECS) data is presented here.					
	Encots.		See actual entry in RTECS for complete in					
			Methanol RTECS Number: PC1400000					
Carcir	nogenicit	v:	NTP? No IARC Monographs? No OSHA Regulated? No					
CAS		1	ponents (Chemical Name)				OSHA	
	<del>"</del> 95-80-5	Levamisole hydro		n.a.	n.a.	n.a.	n.a.	
	-56-1	Methanol		n.a.	n.a.	n.a.	n.a.	
<u> </u>								
			Section 12. Ecological I	nformat	ion			
12.1	Toxicity:		Avoid release into the environment.					
			Runoff from fire control or dilution water m	ay cause po	ollution.			
12.2	Persiste	ence and	No data available.					
	Degrada	ability:						
12.3	Bioaccu	Imulative	No data available.					
	Potentia	al:						
12.4	Mobility in Soil:		No data available.					
12.5	-		No data available.					
	assessment:							
12.6	Other a	dverse effects:	No data available.					

Multi-region format



Revision: 09/30/2017

		Section 13. Disp	oosal C	Considerat	ions	
13.1 Waste	Disposal Method:	Dispose in accordance with	local, stat	te, and federal re	egulations.	
		Section 14. Tr	anspo	rt Informat	ion	
14.1 LAND	TRANSPORT (US DO	DT):				
DOT Prop	er Shipping Name:	Methanol Solution				
DOT Haza	rd Class:	3 (6.1) FLAM	/MABLE L	IQUID, POISON	1	
UN/NA Nu	imber:	1230	Packing Group:			Ш
		FLEMMEDELLIOUD 3				
	TRANSPORT (Europ	ean ADR/RID):				
	Shipping Name:	Methanol Solution				
UN Numb		1230		Packing Grou	p:	II
Hazard Class:		3 (6.1) - FLAMMABLE LIQUID, POISON				
14.3 AIR TF	RANSPORT (ICAO/IA	TA):				
ICAO/IAT/	A Shipping Name:	Methanol Solution				
UN Numb	er:	1230		Packing Grou	p:	II
Hazard Class:		3 (6.1) - FLAMMABLE LIQUID, IATA Classification: 3, 6.1 POISON				3, 6.1
Additional Tra	ansport	Transport in accordance wi	ith local, st	tate, and federal	regulations.	
Information:	١	When sold in quantities of less than or equal to 1 mL, or 1 g, with an Excepted Quantity Code of				
	E	E1, E2, E4, or E5, this item meets the De Minimis Quantities exemption, per IATA 2.6.10.				
-		Therefore packaging does	not have t	o be labeled as	Dangerous Goods/E	xcepted Quantity.
		Section 15. Re	gulato	ry Informat	ion	
EPA SARA (S	uperfund Amendme	nts and Reauthorization	Act of 198	36) Lists		
CAS #	Hazardous Compo	onents (Chemical Name)	<b>S.</b> 3	302 (EHS)	S. 304 RQ	S. 313 (TRI)
16595-80-5	Levamisole hydroch	nloride	No		No	No
67-56-1	Methanol		No		Yes 5000 LB	Yes
CAS #	Hazardous Compo	onents (Chemical Name)	Oth	er US EPA or S	itate Lists	
16595-80-5						
67-56-1	67-56-1 Methanol CAA HAP,ODC: HAP; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: Yes: RDTox.					
	•					

Multi-region format



Regulatory Information   This SDS was prepared in accordance with 29 CFR 1910.1200 and Regulation (EC)     Statement:   No.1272/2008.     Section 16. Other Information				
Additional Information About	No data available.			
This Product:				
Company Policy or Disclaimer:	DISCLAIMER: This information is believed to be accurate and represents the best information currently available to us. However, we make no warranty of merchantability or any other warranty, express or implied, with respect to such information, and we assume no liability resulting from its use. Users should make their own investigations to determine the suitability of the information for their particular purposes.			