CD055 Animal Procedure Room Floor Plan



General laboratory safety rules, applicable throughout the Rubelab

Emergency procedures

- 1. It is your responsibility to read safety and fire alarm posters and follow the instructions during an emergency.
- 2. Know the location of the fire extinguisher, eye wash, and safety shower in your lab and know how to use them.
- 3. Know the location of your Evacuation Assembly Point (EAP). For CHDD, the EAP is outside on the south lawn, near the Montlake Cut.
- 4. Accident Reporting: Report any work-related injury or illness to your supervisor as soon as possible. Then report it to the Environmental Health and Safety Department (EH&S) via the UW Online Accident Reporting System (OARS). Submit the OARS report within 24 hours.
 - Also submit an OARS report for near misses, hazardous conditions, and accidents or injuries involving students, UW volunteers working on or off campus, or members of the public visiting campus.
 - Anyone with a UW NetID can access OARS.

The affected UW employee, his or her supervisor, or a University representative can submit the report. Also call EH&S *immediately* at 206.543.7262 if the incident involves any of the following:

- In-patient hospitalization
- Recombinant/synthetic DNA exposure or spill
- Fatality

Outside of EH&S business hours (8:00-5:00 PM, Monday-Friday), call the UW Police Department (UWPD) at 206.685.UWPD (8973). UWPD will notify an EH&S on-call staff member.

General laboratory safety rules

- 1. Never eat, drink, or smoke while working in the laboratory.
- 2. Read labels and signs carefully.
- 3. Do not use any equipment unless you are trained and approved as a user by Ed Rubel (PI).
- 4. Wear safety glasses or face shields when working with hazardous materials and/or equipment.
- 5. Wear gloves when using any hazardous or toxic agent.
- 6. Do NOT wear gloves in the hallway, elevators, stair well, offices or common areas outside of the laboratory.
- 7. Clothing: When handling dangerous substances, wear gloves, laboratory coats, and safety shield or glasses. Shorts and sandals should not be worn in the lab at any time.
- 8. If you have long hair or loose clothes, make sure it is tied back or confined.
- 9. Disposal lab members are responsible for knowing how and where to dispose of chemical waste, bio hazardous materials and sharps/plastic/glassware.
- 10. Lab members are required to label all reagents, buffers and waste containers with:
 - Name:
 - Date:

Contents: (this includes the percent of each chemical so that including water, it adds up to 100%)

- 11. Equipment Failure If a piece of equipment fails while being used, report it immediately to your PI or the lab manager.
- 12. If leaving a lab unattended, turn off all ignition sources and lock the doors. (If leaving after 5PM, please check and lock all lab doors.)
- 13. Never pipette anything by mouth.
- 14. Clean up your work area before leaving.
- 15. Wash hands before leaving the lab and before eating.

Chemical safety

- 1. Make sure all chemicals are clearly and currently labeled with the **substance name**, **concentration**, **date**, **and name of the individual responsible**.
- 2. Never return chemicals to reagent bottles. (Try for the correct amount and dispose of any excess.)
- 3. Comply with fire regulations concerning storage quantities, types of approved containers and cabinets, proper labeling, etc. If uncertain about regulations, contact the lab manager or EH&S.

- 4. Use volatile and flammable compounds only in a fume hood. Procedures that produce aerosols should be performed in a hood to prevent inhalation of hazardous material.
- 5. Never allow a solvent to come in contact with your skin. Always use gloves.
- 6. Never "smell" a solvent!! Read the label on the solvent bottle to identify its contents.
- 7. Dispose of waste and broken glassware in proper containers.
- 8. Sharps and Broken Glassware boxes must be labeled with PI Name and Room number (e.g. "Rubel/CD186").
- 9. Clean up spills immediately.
- 10. Do not store or consume food in laboratories.

Additional Safety Guidelines

- Keep your lab space clean and organized.
- Maintain unobstructed access to all exits, fire extinguishers, electrical panels, emergency showers, and eye washes.
- Be careful when lifting heavy objects.
- Clean your lab bench and equipment, and lock the door before you leave the laboratory, especially if you are the last one leaving and it is close to 5PM.

Designations of individuals performing particular tasks (*e.g.*, checking first aid supplies, maintaining chemical inventories, *etc.*)

Rubelab Main Brain Page

What	Description	Who		
RESPONSIBILITES SHAR	RESPONSIBILITES SHARED BY EVERYONE			
Lab Safety		Everyone		
Lab Dish Washing	Wash your glassware and put it away. Please see Robin Gibson for training before using the dishwasher downstairs.	Everyone		
Animal Surgery Room	Leave clean and stocked.	Everyone		
Sharps Waste	Red Biohazardous Sharps Containers: seal when no more than 2/3 full, label with autoclave tape, Pl and Room # do not cover vents. Leave next to autoclave. <i>Notify Van or Jialin.</i>	Everyone		
Biohazardous Waste	When Red Biohazardous Waste bags are no more than 2/3 full they must be double bagged and transported to autoclave room for decontamination following the posted instructions. The waste is then placed in a black garbage bag and put in the garbage dumpster. Be sure to label the bag with room number and Pl name.	Everyone		
Non-Biohazardous Lab Glass and Plastic	Cardboard boxes must be labeled with PI name and Room number . When boxes are less than full, the boxes must be taped shut using packing tape and LABORATORY GLASS TAPE. They may then be placed in the hall for custodial pick-up (as long as they are not too heavy) or taken directly to the dumpster.	Everyone		
Styrofoam Box Recycling	Styrofoam Boxes are bagged and labeled following the SOP that is posted in CD 186L (darkroom) and on the Rubelab webpage. UW recycling is notified for pick-up.	Everyone		
Ordering Supplies	General supplies are ordered on a shared budget matrix by everyone. Please see detailed ordering instructions in " <i>Welcome to the Rubelab</i> ".	Everyone		

LAB DUTY SPECIFIC MAIN BRAINS		
Microscopy	Training, consultation and maintenance.	Jennifer Stone, Roberto Ogelman, Sophie Seo
Autoclave	Please see Van, Jialin or Stephanie for training before using the autoclave. Maintenance duty includes running monthly biospore safety test.	Van Redila, Jialin Shang, Stephanie Davidson
Lab Coats	Send soiled coats to UW laundry facility.	Esra Camci
Sharps Waste	Red Biohazardous Sharps Waste Container Disposal: Autoclave and transport to T-276 in the T-Wing.	Van Redila, Jialin Shang

EQUIPMENT SPECIFIC MAIN BRAINS		
Confocal Microscope	Training, consultation and maintenance.	Jennifer Stone
Cryostat, CD 186N	Training, consultation and maintenance.	Ling Tong
Sledge, CD 186N	Training, consultation and maintenance.	Ling Tong
Microtome, CD 186N	Training, consultation and maintenance.	Jialin Shang
Vibratome	Training, consultation and maintenance.	Sophie Seo

What	Description	Who
Sterilization Oven	Located in dark room.	Esra Camci
PCR machine	Leasted in malagular biology	Irina Omelchenko, Ling
PCR machine	Located in molecular biology	Tong
Centrifuge	Located in basement (Tempel lab)	Sophie Seo
i Cyclor (Pio Pad)	Located in basement (Tempel lab)	Robin Gibson, Irina
i-Cycler (Bio Rad)		Omelchenko
Cap Tanka	Oxygen and CO2 tanks, ordering and changing,	Jialin Shang, Van
Gas Tanks	consulting.	Redila

ROOM SPECIFIC MAIN B	RAINS	
Tissue Culture, CD186H		Jialin Shang
Histology, CD 186A		Sophie Seo, Ling Tong
Molecular Biology, CD		Irina Omelchenko/Ling
186D		Tong
Animal Surgery, CD 055		Van Redila
In Vitro Suite: CD 056		
Fish Cave, CD 056E	No longer in use.	
VOR Testing, CD 056B		Jim Phillips
Mouse ABR, CD 056D		Ed Rubel, Ling Tong
Animal Physiology, CD 068		Van Redila
Tempel Physiology CD 072		Cliff Hume, Jay Rubinstein
Bloedel Maintenance	Building concerns/burned out light bulbs.	Llyne Foy, Robin Gibson
Freezers		
Refrigerators		

LAB MANAGER DUT	ES	
EH&S	Maintain Chemical Hygiene Plan, attend and follow-up with inspections	Robin Gibson
Website	Maintain and update website	Robin Gibson
IACUC	Attend inspections.	Robin Gibson
Animal Protocol	Submit Significant Changes; complete renewals	Robin Gibson
Eye Wash Checks	Flush monthly and log the date.	Robin Gibson
Lab Safety Training	Maintain and document lab-training records.	Robin Gibson
Ed's Calendar		Robin Gibson
Lab Meeting Announcements	Weekly announcement sent out on Tuesday whether or not we are having lab meeting on Wednesday.	Robin Gibson

Authorizations for individuals to use specific hazardous/controlled substances

• Individuals working with hazardous substances have read the Occupational Health recommendations.

Hazardous Substance	Name	Date	Authorization
BrdU			
Isoflurane	Van Redila	10/12/16	
Amsacrine, cisplatin, vinorelbine	Patricia Wu	10/12/16	
	Roberto Ogelman		
TTX (tetrodotoxin) via disk implantation			
DT (diphtheria toxin) via disk implantation	Ling Tong	10/12/16	
Cholera toxin B subunit			
Carvedilol, fluspirilene, fluoxetine, fluvoxamine,			
paroxetine, phenoxybenzamine, raloxifene,			
ractopamine, tamoxifen			
Proparacaine eye drops			
Kanamycin, amikacin, neomycin, tobramycin,	Van Redila	10/12/16	
gentamicin	Roberto Ogelman		
For listed injectable agents pharmaceutical forms of	Patricia Wu	10/12/16	
the drug must be used.	Ling Tong Van Redila	10/12/16	
(including SR buprenorphine, atropine, Beuthanasia,	Roberto Ogelman		
ketamine, xylazine, neomycin, kanamycin,			
gentamycin, butorphanol, buprenorphine, carprofen, heparin, vinorelbine, pentamidine, amikacin,			
streptomycin, tobramycin, and other injectable drugs)			
Paraformaldehyde (fixing agents)	Ling Tong	10/12/16	
	Roberto Ogelman	10/12/16	
DMSO (dimethyl sulfoxide), used as diluent for	Van Redila	10/12/16	
certain agents.	Roberto Ogelman		
	Patricia Wu		
Ethanol aka ETOH, Dimethylacetamide aka DMA,	Van Redila	2/2/2016	
PROTO X (and PROTO 1, 2 etc.), drugs identified with Cell Death inhibitors screen (bax channel	Roberto Ogelman	10/12/16	
blocker, pifithrin (PFT)-alpha, UCF-101, FUT-175, Z-			
LLF-CHO, Leupeptin. 3-MA and D-methinonine),			
cepharanthin(e), drofenine, hexamethlyene amiloride, methiothepin, tacrine, drugs identified with			
Timtec library screen (ST001973, ST052198,			
ST014647, ST070285, metergoline ester),			
CO2 gas	Van Redila	10/12/16	
	Roberto Ogelman	10/10/10	
	Ling Tong		

Authorizations for individuals to use specific controlled substances

Rubel Lab Personnel with Access to Controlled Substance Drug Stocks

Lab Member	Title	Authorized
Edwin Rubel	Principal Investigator	~
Jennifer Stone	Professor	V
Robin Gibson	Research Scientist/Lab Manager	V
Irina Omelchenko	Research Scientist	V
Kelli Hlcks	Resident	V
Van Redila	Research Scientist	V
Jialin Shang	Research Scientist	~
Ling Tong	Research Scientist	~
Patricia Wu	Research Scientist	~