Protocol for Evaluation of Tolerability and Acceptability of Alcohol-based Handrub in Use or Planned to be Introduced: Method 1

Summary

Introduction

User's acceptance and good skin tolerability are considered among the most important criteria for the selection of an alcohol-based handrub, according to the WHO Guidelines on Hand Hygiene in Health Care (2009). A product that is pleasant to use with no harmful effect to the hands is a major asset for the promotion of optimal hand hygiene practices.

Within the Implementation Toolkit of the WHO multimodal hand hygiene improvement strategy, two methods for the evaluation of the tolerability and acceptability of one single product (Method 1) and the comparison of more than one product (Method 2) are proposed. These were validated by previous studies and allow both objective evaluation by an observer and subjective evaluation by health-care workers. Method 2 is slightly more complex to apply but it can be particularly useful when the choice among different products must be made. The possibility of considering the user's opinion and experience on a certain product through the use of these methods brings an important added value to the process of alcohol-based handrub selection.

Study Method

- Approximately 40 volunteer participants using at least 30 ml of product per day.
- Evaluation includes the following two components:
 - 1. Objective evaluation: the observer uses validated scales¹ to evaluate health-care worker's skin state
 - 2. Subjective evaluation: health-care workers answer to a questionnaire designed to assess all risk factors for skin damage (and not only those related to product use) together with product acceptability and dermal tolerance^{2,3}.
- This protocol may be applied at different stages, at least: before using the test product; after 3–5 consecutive working days; and after 1 month.

Information and Instructions

- The study concerns one hand hygiene product. The type of product can be either blinded (by distributing bottles without any label) or known by the observer and the health-care workers.
- The health-care workers must meet the observer on the first day and collect the bottles containing the test product; they must meet again after the first 3–5 consecutive days of use and after 1 month of use.
- For the test period (1 month), only the test product must be used for hand antisepsis.
- An evaluation of skin integrity by the observer is required before, after the first 3–5 consecutive days and after 1
 month of product use.
- The participant must complete a questionnaire after the first 3–5 consecutive days and after 1 month of product use.
- The amount of test product distributed for the first 3–5 days is recorded and compared with the first 3–5 days amount left over.
- Opened bottles, either empty or partially full, must be returned for weighing to the observer at the end of the first 3–5
 consecutive days of product use.

³World Health Organization. WHO Guidelines on Hand Hygiene in Health Care. Geneva: World Health Organization, 2009.

¹ Larson EL, Aiello AE, Bastyr J, et al. Assessment of two hand hygiene regimens for intensive care unit personnel. *Critical Care Medicine* 2001; 29: 944-951.

² Pittet D, Allegranzi B, Sax H, Chraiti M-N, Griffiths W, Richet H. Double-blind, randomized, crossover trial of 3 hand rub formulations: fast-track evaluation of tolerability and acceptability. *Infection Control and Hospital Epidemiology* 2007;28:1344-51.



A World Alliance for Safer Health Care

SAVE LIVES Clean Your Hands

- The participant is requested not to use hand lotion or cream during the first 3-5 consecutive days of product use.
- The participant must inform the observer if he/she stops the test prematurely.

Detailed Instructions

The aim of the study is to ascertain skin tolerability and acceptability of a product in use or is planned to be introduced, without comparison with other products. The product test lasts 1 month (of product use per participant). The criteria for skin tolerability and product acceptability are determined prior to the test.

Proposed criteria, according to the assigned ranking

Criteria for product acceptability:

- Questionnaire Part 2 "Product evaluation" Items Colour & Fragrance: ≥50% above 4
- Questionnaire Part 2 "Product evaluation" Other items: ≥75% above 4

Criteria for skin tolerability:

- Questionnaire Part 2 "Self evaluation of state of skin on hands" all items: ≥75% above 4
- Questionnaire Part 3 "Evaluation of the state of skin on hands by the observer": ≥75% below 2

The test consists of the following stages:

- 1. Information, identification of participants, and individual test planning
- 2. Use of the product and evaluation
- 3. Data entry and analysis
- 4. Presentation of the results

1. Information, identification, planning

The observer's tasks are to:

- Obtain the support of the service supervisors for the testing of the product among their staff;
- Organize information sessions for potential recruits among health-care workers (aim, procedure, conditions, constraints, etc.);
- Identify by name approximately 40 volunteer health-care workers and assign an identification number (participant n°)
 using the Control Form;

It is essential to know participants' identity in order for the observer to organize and carry out the study; their identity is concealed when the data are analysed.

The number assigned to participants is copied onto the questionnaires together with the evaluation and planning forms and the bottles distributed on the first day of the test.

- Obtain a temporary workplace in the health-care service/unit for the duration of the study to interview participants and store products;
- Schedule appointments with each participant on the basis of their working hours to give the schedule in writing to
 each participant (Planning for Evaluation of Tolerability and Acceptability of an Alcohol-based Handrub Method 1)
 and copy the schedule on the Control Form;



A World Alliance for Safer Health Care

SAVE LIVES Clean Your Hands

Appointments take place in the health-care service/unit in which the participants work and in accordance with their working hours:

- On day 1, before starting work, the observer should 1) distribute the bottles of the product being tested, 2) distribute Part 2 of the questionnaire, and 3) evaluate the state of the participants' hands (Objective skin evaluation Part 3);
- After the first 3–5 days of consecutive use of the product and after they have finished work, participants should
 1) Return the bottles distributed and 2) return Part 2 of the questionnaire. The observer should evaluate the state of participants' hands (Objective skin evaluation Part 3);
- After using the product for 1 month and after participants have finished work, the observer should 1) distribute and collect the completed Parts 1 and 2 of the questionnaires, and 2) evaluate the state of the participants' hands (Objective skin evaluation Part 3).

Note: if any participant has to withdraw from the study for no more than 5 days for an unforeseen reason other than a severe deterioration of the hand skin, the duration of the test is extended for the same number of days. If they are absent for more than 5 days, a completely new test period is organized.

• Count the number of bottles distributed for the first 3–5 days of the test, record the number distributed on the control form and part 2 of the questionnaire, and mark the bottles with the participant number;

The number of bottles distributed depends on the size of the bottles and the number of days of the test. As an example, for a daily consumption of 30 to 50 ml, two 100 ml bottles are more than enough for 3 working days, and three 100 ml bottles for 5 days.

- Ensure supplies of the alcohol-based handrub and its availability to participants for the duration of the study;
- Record each stage of the study for each participant on the control form;
- Measure the amount of product used by each participant during the first 3–5 days of the test by weighing the bottles distributed and returned; note this information on Part 2 of the guestionnaire and the control form;

Two operations are required to calculate the amount of product used (on the basis of the weight of a given volume of product): 1 ml = x g (reference weight)

- 1. Convert the remaining weight (g) into remaining volume (ml): remaining weight / reference weight (x g) = ml remaining
- 2. Subtract the amount remaining from the amount distributed = amount used
- Evaluate the state of participant hand skin before, during and after the test, using the scores proposed (Objective skin evaluation Part 3) and schedule future appointments.

2. Use and evaluation of the product

Each participant undertakes to:

- Only use the alcohol-based handrub being tested (except in situations where the indication to wash with soap and water applies) for hand hygiene for 1 month;
- Use no hand-care cream or lotion for the first 3–5 days of the test;
- Complete the questionnaire Part 2 (2 x 5 minutes) after the first 3–5 consecutive days and after 1 month's use of the product;
- Complete the questionnaire Part 1 (1 x 5 minutes) after 1 month;
- Meet with the observer before the test, after the first 3–5 days and after 1 month's test of the product, for an evaluation of the state of the skin on hands (Objective skin evaluation Part 3), distribution and return of the bottles and questionnaires (3 minutes per appointment);

Participants evaluate the product using the questionnaire – Part 2; skin state evaluation is made up of a subjective evaluation by participants using Part 2 of the questionnaire and an objective evaluation by the observer using validated scales and scores (objective skin evaluation – Part 3). The data are analysed on the basis of risk factors of skin damage, regardless of the composition of the product (questionnaire – Part 1)

 Return all the bottles of product distributed for the first 3–5 days of the test, regardless of the volume of product used (empty, full, partly used);

3. Data entry and analysis

 Before entering any data for analysis, the observer should complete and classify the different documents and check their content and consistency;

Each participant must be assigned:

- 1 numbered line (participation n°) on the control form;
- 1 questionnaire Part 1
- 2 questionnaires Part 2
- 1 skin evaluation form, to be completed by the observer (Objective skin evaluation Part 3)
- Once the documents have been classified and checked, the observer must remove any names and keep only the participant identification number;
- Data are entered directly into the Data Entry Analysis Tool available from WHO or sent to the local data manager;
- Data are analysed and when the results are known, the pharmacist unblinds the confidentiality of the type of product tested.

Results

If the tests fail to give a clear-cut result, i.e. if there is no clear outcome in terms of tolerability and acceptability, the test may be repeated and/or extended and the number of participants increased in order to confirm or invalidate the results for product tolerability and acceptability.

4. Presentation of the results

When the results of the data analysis are available, the pharmacist, the observer and any other key professional involved in the testing agree on how to present these to the facility administration and management and participants, and on how to disseminate them if they are likely to have a direct impact on staff.



SAVE LIVES Clean Your Hands

Questionnaire - Part 1

(To complete once p	per participant, after 1 month)		
Participant no:			
Date of questionna	ire's return: (day / month / year)		
Evaluation of facto	rs influencing skin tolerance		
Age			
Sex:	F M		
Professional group):		
☐ Nurse ☐ N	Midwife Student	Auxiliary	Medical student
☐ Therapist ☐ 7	Technician Other		
Skin:			
■ Very fair with fre	ckles Fair ± freckles	Light brown	Brown
Dark brown	Black		
Climate:			
☐ Polar ☐ C	Continental / Temperate	Subtropical / Mediterranean	Tropical / Equatorial
Desert			
Present season:			
☐ Dry ☐ F	Humid Cold	Hot Intermediate	
Do you have non w	ork-related activity(ies) likely	to cause damage to your skin	?
Do you normally us	se a protective hand lotion/cre	eam (outside the test period)?	
As often as poss	sible	Several times/day	Once/day
Sometimes, dep	ending on the season	Rarely	Never
Do you develop irri	itative dermatitis?		
☐ Never ☐ S	Sometimes (depending on seaso	on/activity)	
Do you develop ato	opic dermatitis?		
Yes N	No		
Do you develop rhi	nitis / allergic conjunctivitis?		
Yes N	No		



SAVE LIVES Clean Your Hands

Are you asthmatic?	
Yes No	
Do you have a known	intolerance to alcohol?
Yes No	
Evaluation of frequen	cy of hand hygiene practices
Do you work full-time	?
Yes No	
If part-time, please in	dicate which of the following best fits your work
< 50% 50%	☐ 60% ☐ 70% ☐ 80% ☐ 90%
For how long have yo	ou been using an alcohol-based hand hygiene product at work?
☐ It's the first time	☐ Since < 1 year ☐ Since > 1 year and < 5 years ☐ Since > 5 years
Do you think you can	improve your own hand hygiene compliance?
☐ Yes ☐ No	Perhaps
It may be difficult for	you to use an alcohol-based hand hygiene product because of:
Forgetfulness	Always
Lack of time	Always
Damaged skin	Always DDD Never



SAVE LIVES Clean Your Hands

Questionnaire - Part 2 (To be completed after the first 3–5 consecutive days of product use and after 1 month of product use)

Participant nº:		Product:						
Date of questionnaire's return (day / month / year):		Participant name:						
Number of distributed bottles		Amount of Product used (ml):						
Evaluation of frequency of hand hyg	iene practices							
During how many consecutive work	ing days have you used	d the test product?						
3 days 4 days 5 days	6 days 7 days	> 7 days						
How often do you have direct contac	ct with patients during	your working day (during	the test period)?					
< 1 contact Between 1	and 5	and 10 Between 1	1 and 15 > 15 contacts					
In what percentage of times where h	and hygiene is recomn	nended, do you really cle	an your hands?					
0% 10% 20% 30%	40% 50%	60% 70% 80%	90% 100%					
Has the present study changed your	hand hygiene practice	?						
Yes No								
During your last 5 opportunities for hand hygiene, how many times did you use handrubbing to clean your hands?								
0 1 2	3 4	5						
On average, how often do you practise hand hygiene during a working hour (during the test period)?								
Setween 1 and 5	Between 6 and 10	Between 11 and 15	> 15					



SAVE LIVES Clean Your Hands

Evaluation of the test product

What is your opinion of the test product for hand hygiene?									
Colour	Unpleasant	Pleasant							
Smell	Unpleasant	Pleasant							
Texture	Very sticky	Not sticky at all							
Irritation (stinging)	Very irritating	Not irritating							
Drying effect	Very much	Not at all							
Ease of use	Very difficult	□···□···□···□···□···□···□ Very easy							
Speed of drying	Very slow	□···□···□···□···□···□···□···□ Very fast							
Application	Very unpleasant	Ury pleasant							
Overall evaluation	Dissatisfied	Ury satisfied							
Are there differences between the te	st product and the p	oduct used in your hospital?							
	Major	No							
Which product do you prefer?									
	Usual product	☐ Test product ☐ No preference							
Do you think that the test product co	uld improve your ha	nd hygiene compliance?							
	Yes, absolutely	Not at all							
Evaluation of skin condition									
Self-assessment of the skin on your	hands (after use of t	he test product):							
Appearance (supple, red, blotchy, rash)	Abnormal	Normal							
Intactness (abrasions, fissures)	Abnormal	Normal							
Moisture content (dryness)	Abnormal	Normal							
Sensation (itching, burning, soreness)	Abnormal	Normal							
How would you assess the overall in	tegrity of the skin on	your hands?							
	Very altered	Perfect							

Thank you for your participation!



SAVE LIVES
Clean Your Hands

Skin Objective Evaluation – Part 3

(to be completed three times: **before** the product use; **after the first 3–5 consecutive days** of product use; and **after 1 month** of product use)

Participant no:																
Date of the 1 st evaluation (day / month / year)																
Date of the 2 nd evaluation (day / month / year)																
Date of the 3 rd evaluation (day / month / year)																
Scales to evaluate skin condition by the observer (object	ctive evalu	atio	on)												
Before After 3–5 days After 1 month											h					
Redness	C)	1	2	3	4	0	1	2	3	4	0	1	2	3	4
0=no redness, 1=slight redness or blotchiness, 2=moderate redness, unifor present	rmly distribute	ed, 3	3=bi	righ	t red,	, wia	lespi	read	, <i>4</i> =1	/ery	brigi	ht re	d wit	h oe	dem	а
Scaliness	C)	1	2	3		0	1	2	3		0	1	2	3	
0=non scaliness, 1=very slight and occasional, 2=moderate, 3=very pronou	ınced separat	ion	of s	scale	e edg	ges i	from	skir)							
Fissures	C)	1	2	3		0	1	2	3		0	1	2	3	
0=no fissure 1=very fine, 2=large, either single or multiple, 3=extensive cra	cks with bleed	ding	or	see	ping											
Visual Scoring of Skin Scale																
No observable scale or irritation of any kind	C)					0					0				
Occasional scale that is not necessarily uniformly distributed							1					1				
Dry skin and/or redness							2					2				
Very dry skin with whitish appearance, rough to touch and/or redness, but without fissures							3					3				
Cracked skin surface but without bleeding/seeping	4	1					4					4				
Extensive cracking of skin surface with bleeding/seeping	5	5					5					5				



SAVE LIVES Clean Your Hands

Planning for Evaluation of Tolerability and Acceptability of an Alcohol-based Handrub - Method 1

Name:								
Participant no:								
Test Period: (day / month	n / year)	From / / to / /						
Please note the timetab	ole of your appointments							
WHEN		WHY						
1st Date and time	/ / (day / month / year) Time:	To collect bottles containing the test product (amount defined according to number of working days and volume of bottles) To collect the questionnaire – Part 2 For skin assessment by the observer						
2 nd Date and time (after the first 3–5 consecutive days)	/ / (day / month / year) Time:	To return all bottles To return the questionnaire – Part 2 For skin assessment by the observer						
3 rd Date and time (after 1 month)	/ / (day / month / year) Time:	To collect and return the questionnaire – Part 1 To collect and return the questionnaire – Part 2 For skin assessment by the observer						
The observer can be contacted Telephone Number:	during working hours throughout	t the test period for questions and/or problems on the following number:						



A World Alliance for Safer Health Care



Control Form for Test of Tolerability and Acceptability of an Alcohol-based Handrub Method 1

Participant N°	Name	Appointment	Distributed bottles/ Returned bottles	Remaining weight/ Amount used	Questionnaire check	Skin assessment	
2		1st day / / Time	N°	g ml g ml g ml g ml g ml	Part 2 distributed 1st day Part 2 returned 3rd_5th day Part1/2 distributed last day Part1/2 returned last day Part 2 distributed 1st day Part 2 returned 3rd_5th day Part 2 returned 3rd_5th day Part1/2 distributed last day Part1/2 returned last day	Before 1st day After 3–5 days After 1 month Before 1st day After 3–5 days After 1 month	
3		1st day / / Time 3rd to 5th day / / Time Last day / / Time	N°	gmlgmlgml	Part 2 distributed 1st day Part 2 returned 3rd—5th day Part1/2 distributed last day Part1/2 returned last day	Before 1st day After 3–5 days After 1 month	



A World Alliance for Safer Health Car

SAVE LIVESClean **Your** Hands

Participant N°	Name	Appointment	Distributed bottles/ Returned bottles	Remaining weight/ Amount used	Questionnaire check	Skin assessment
4		1st day / / Time 3rd to 5th day / / Time Last day / / Time	N°	g ml g ml	Part 2 distributed 1st day Part 2 returned 3rd_5th day Part1/2 distributed last day Part1/2 returned last day	After 3–5 days After 1 month
5		1st day / / Time 3rd to 5th day / / Time Last day / / Time	N°	g ml g ml	Part 2 distributed 1st day Part 2 returned 3rd—5th day Part1/2 distributed last day Part1/2 returned last day	Before 1st day After 3–5 days After 1 month
6		1st day / / Time 3rd to 5th day / / Time Last day / / Time	Nº	g ml g ml	Part 2 distributed 1 st day Part 2 returned 3 rd –5 th day Part1/2 distributed last day Part1/2 returned last day	Before 1 st day After 3–5 days After 1 month

Lines may be added according to the number of participants