

Patient Safety

A World Alliance for Safer Health Care

SAVE LIVES Clean Your Hands

Saccion

Observation Form

Facil	ity:			Period	Number*:				er*:				
Servi	ce:			Date: (dd/mm/	уу)	/	1	Obser (initials)					
Ward	l:			Start/E (hh:mm)	Start/End time: (hh:mm)		: / :		۷°:				
Depa	rtment:			Sessio (mm)	n duration:			City**:	City**:				
Country**:													
Prof.cat			Prof.c	at		Prof.c	cat		Prof.	cat			
Code			Code			Code			Code				
N°			N°			N°			N°				
Орр.	Indication	HH Action	Opp.	Indication	HH Action	Opp.	Indication	HH Action	Орр.	Indication	HH Action		
1	☐ bef-pat. ☐ bef-asept ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	O missed	1	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	1	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	1	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed gloves		
2	☐ bef-pat. ☐ bef-asept ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	O missed	2	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	2	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	2	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	☐ HR ☐ HW O missed ○ gloves		
3	bef-pat. bef-asept aft-b.f. aft-pat. aft.p.surr.	O missed	3	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed O gloves	3	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	3	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed O gloves		
4	☐ bef-pat. ☐ bef-asept ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	O missed	4	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	4	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	4	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed O gloves		
5	bef-pat. bef-asept aft-b.f. aft-pat. aft.p.surr.	O missed	5	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	☐ HR ☐ HW O missed ○ gloves		☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	5	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	☐ HR ☐ HW O missed O gloves		
6	☐ bef-pat. ☐ bef-asept ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	O missed	6	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	6	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	6	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed		
7	☐ bef-pat. ☐ bef-asept ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	O missed	7	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	7	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	7	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed O gloves		
8	☐ bef-pat. ☐ bef-asept ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	O missed	8	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	8	☐ bef-pat. ☐ bef-asept. ☐ aft-b.f. ☐ aft-pat. ☐ aft.p.surr.	HR HW O missed	8	bef-pat. bef-asept. aft-b.f. aft-pat. aft.p.surr.	HR HW O missed		

^{*} To be completed by the data manager.

** **Optional**, to be used if appropriate, according to the local needs and regulations.



Patient Safety

A World Alliance for Safer Health Care

SAVE LIVES Clean Your Hands

General Recommendations

(refer to the Hand Hygiene Technical Reference Manual)

- 1. In the context of open and direct observations, the observer introduces him/herself to the health-care worker and to the patient when appropriate, explains his/her task and proposes immediate informal feed back.
- 2. The health-care worker, belonging to one of the main four following professional categories (see below), is observed during the delivery of health-care activities to patients.
- 3. Detected and observed data should be recorded with a pencil in order to be immediately corrected if needed.
- 4. The top of the form (header) is completed before starting data collection (excepted end time and session duration).
- 5. The session should last no more than 20 minutes (± 10 minutes according to the observed activity); the end time and the session duration are to be completed at the end of the observation session.
- 6. The observer may observe up to three health-care workers simultaneously, if the density of hand hygiene opportunities permits.
- 7. Each column of the grid to record hand hygiene practices is intended to be dedicated to a specific professional category. Therefore numerous health-care workers may be sequentially included during one session in the column dedicated to their category. Alternatively each column may be dedicated to a single health-care worker only of whom the professional category should be indicated.
- 8. As soon as you detect an indication for hand hygiene, count an opportunity in the appropriate column and cross the square corresponding to the indication(s) you detected. Then complete all the indications that apply and the related hand hygiene actions observed or missed.
- 9. Each opportunity refers to one line in each column; each line is independent from one column to another.
- 10. Cross items in squares (several may apply for one opportunity) or circles (only a single item may apply at one moment).
- 11. When several indications fall in one opportunity, each one must be recorded by crossing the squares.
- 12. Performed or missed actions must always be registered within the context of an opportunity.
- 13. Glove use may be recorded only when the hand hygiene action is missed while the health-care worker is wearing gloves.

Short description of items

Facility:	to complete according to the local nomenclature									
Service:		to the local nomenclature								
Ward:	to complete according	to the local nomenclature								
Department:		to the following standardized no								
	medical, including der		surgery, including neurosurgery, urology, EENT,							
	haematology, oncolog		ophthalmology, etc.							
		gical), including gynaecology	obstetrics, including related surgery							
	paediatrics, including	related surgery	intensive care & resuscitation							
	emergency unit		long term care & rehabilitation							
	ambulatory care, inclu		other (to specify)							
Period N°:	1) pre- / 2) post-interv	ention; and then according to the	e institutional counter.							
Date:	day (dd) / month (mm) / year (yy)								
Start/end time:	hour (hh) / minute (mr	m).								
Session duration:	difference between sta	difference between start and end time, resulting in minutes of observation.								
Session N°:		ent of data entry for analysis.								
Observer:	observer's initials (the observer is responsible for the data collection and for checking their accuracy									
	before submitting the form for analysis.									
Page N°:	to write only when more than one form is used for one session.									
Prof.cat:	according to the following classification:									
	1. nurse / midwife									
	2. auxiliary									
	3. medical doctor									
		physician, 3.4 paediatrician, 3.5 gynaecologist, 3.6 consultant, 3.7 medical student.								
	4. other health-		occupational therapist, audiologist, speech							
	care worker	therapist), 4.2 technician (radio	logist, cardiology technician, operating room							
		technician, laboratory technicia	n, etc), 4.3 other (dietician, dentist, social worker							
			ofessional involved in patient care), 4.4 student.							
Number:			the same professional category (same code) as							
		observation and you detect oppo	ortunities.							
Opp(ortunity):	defined by one indication at least									
Indication:			ns that apply at one moment must be recorded							
	bef.pat: before touchir		aft.b.f: after body fluid exposure risk							
	bef.asept: before clea	n/aseptic procedure	aft.pat: after touching a patient							
			aft.p.surr: after touching patient surroundings							
HH action:		hygiene indication(s); it can be every ive action by missing handrub or	either a positive action by performing handrub or rhandwash							
	HR: hand hygiene action by handrubbing with an alcohol-based formula HW: hand hygiene action by handwashing with soap and water Missed: no hand hygiene action performed alcohol-based formula									

Observation Form – Basic Compliance Calculation

	Facility	/ :					Period	:		Setting	j :					
	Prof.ca	ıt.		Prof.ca	at.		Prof.ca	at.		Prof.ca	at.		Total per session			
Session N°	Орр	HW	HR	Opp	HW	HR	Орр	HW	HR	Орр	HW	HR	Орр	HW	HR	
	(n)	(n)	(n)	(n)	(n)	(n)	(n)	(n)	(n)	(n)	(n)	(n)	(n)	(n)	(n)	
1																
2																
3																
4																
5																
6																
7																
8																
9																
10																
11																
12																
13																
14																
15																
16																
17																
18																
19																
20																
Total																
Calculation	A	ct (n) =		Act (n) =		Act (n) =		Act (n) =			Act (n) =					
	Opp (n) =															
			Opp (n	Opp (n) =		Opp (n) =		Opp (n) =			Opp (n) =				
Compliance	3 P P (11			3 PP (11	,		3 P P (3PP (II	,		3PP (II	,		

Compliance (%) =	Actions	x 100
	Opportunities	

Instructions for use

- 1. Define the setting outlining the scope for analysis and report related data according to the chosen setting.
- 2. Check data in the observation form. Hand hygiene actions not related to an indication should not be taken into account and vice versa.
- Report the session number and the related observation data in the same line. This attribution of session number validates the fact that data has been taken into count for compliance calculation.
- 4. Results per professional category and per session (vertical):
 - 4.1 Sum up recorded opportunities (opp) in the case report form per professional category: report the sum in the corresponding cell in the calculation form.
 - 4.2 Sum up the positive hand hygiene actions related to the total of opportunities above, making difference between handwash (HW) and handrub (HR): report the sum in the corresponding cell in the calculation form.
 - 4.3 Proceed in the same way for each session (data record form).
 - 4.4 Add up all sums per each professional category and put the calculation to calculate the compliance rate (given in percent)
- 5. The addition of results of each line permits to get the global compliance at the end of the last right column.

Patient Safety

A World Alliance for Safer Health Care

SAVE LIVES Clean Your Hands

Observation Form – Optional Calculation Form

(Indication-related compliance with hand hygiene)

	Facility	/ :					Period			Setting) :						
	Before touching a patient				Before clean/ aseptic procedure			After body fluid exposure risk			After touching a patient			After touching patient surroundings			
Session N°	Indic (n)	HW (n)	HR (n)	Indic (n)	HW (n)	HR (n)	Indic (n)	HW (n)	HR (n)	Indic (n)	HW (n)	HR (n)	Indic (n)	HW (n)	HR (n)		
1																	
2																	
3																	
4																	
5																	
6																	
7																	
8																	
9																	
10																	
11																	
12																	
13																	
14																	
15																	
16																	
17																	
18																	
19																	
20																	
Total																	
Calculation	Ac	et (n) =		Ac	Act (n) =		Act	(n) =		Act (n) =			Act (n) =				
Ratio act / indic*	Indic1 (n) =		Indic2 (n) =		Indic3 (n) =		Indic4 (n) =			Indic5 (n) =							

Instructions for use

- 1. Define the setting outlining the scope for analysis and report related data according to the chosen setting.
- 2. Check data in the observation form. Hand hygiene actions not related to an indication should not be taken into account and vice versa.
- If several indications occur within the same opportunity, each one should be considered separately as well as the related action.
- 4. Report the session number and the related observation data in the same line. This attribution of session number validates the fact that data has been taken into count for compliance calculation.
- 5. Results per indication (indic) and per session (vertical):
 - 4.1 Sum up indications per indication in the observation form: report the sum in the corresponding cell in the calculation form.
 - 4.2 Sum up positive hand hygiene actions related to the total of indications above, making the difference between handwash (HW) and handrub (HR): report the sum in the corresponding cell in the calculation form.
 - 4.3 Proceed in the same way for each session (observation form).
 - 4.4 Add up all sums per each indication and put the calculation to calculate the ratio (given in percent)

*Note: This calculation is not exactly a compliance result, as the denominator of the calculation is an indication instead of an opportunity. Action is artificially overestimated according to each indication. However, the result gives an overall idea of health-care worker's behaviour towards each type of indication.