

# **National Influenza Sentinel Surveillance Viet Nam: 2006-2007**


**In Collaboration with US CDC**

**WHO Global Surveillance Network Partnership**

# SVP Surveillance




**50 of 64 provinces  
reported SVP cases  
2006-2007**



# Age SVP cases by year groups

(N=394)



Average age: 37,2 (Std=0,96)  
- Max: 83 years  
- Min: 02 months


# Gender SVP cases




# Occupational (N=326)

Code	Occupation	Freq.	%
01	< 5 year old	23	7.06%
02	Students/pupils	41	12.58%
03	Office staff	32	9.82%
04	Animal related Job	4	1.23%
<b>05</b>	<b>Farmers</b>	<b>105</b>	<b>32.21%</b>
06	Worker in house (factory, mill...)	12	3.68%
07	Worker outside	10	3.07%
08	Shop keepers	9	2.76%
09	Housewife	10	3.07%
10	Retirement	50	15.34%

# No. of SVPs by region and month, 2006-4/2008



# SVPs distribution by region, 2006-4/2008



(n=394)



# Distribution of SVP by Influenza and patient's final status (N=402)

<b>Code</b>	<b>A/H1</b>	<b>A/H3</b>	<b>A/H5</b>	<b>B</b>	<b>Negative</b>	<b>Total</b>
Covered	5	1	3	2	192	203
Death	2	5	10	1	123	141
Unknown	0	0	0	0	58	58
<b>Total</b>	<b>7</b>	<b>6</b>	<b>13</b>	<b>3</b>	<b>373</b>	<b>402</b>

62%

# Lab results for SVPs (N=402)

Type/Subtype	Number of case	Percent
<b>A/H5</b>	<b>13</b>	<b>3.2</b>
A/H1	7	1.7
A/H3	6	1.4
B	3	0.7
Negative	373	93.0
<b>Total SVPs</b>	<b>402</b>	<b>100</b>

Diagram illustrating the relationship between case counts and percentages for A/H5, A/H1, and A/H3:

- A box containing **29** is connected to the case counts of A/H5 (13) and A/H1 (7).
- A box containing **7.0%** is connected to the percentages of A/H3 (1.4) and A/H1 (1.7).