

*****SCORING OF L-SASI Count (Lifetime Suicide Attempts Self Injury Interview) *****

***REFERENCE: Linehan, M. M. & Comtois, K. (1996). Lifetime Parasuicide History. University of Washington, Seattle, WA, Unpublished work ***.

EXECUTE.

***** Compute LPCTOT variable Number of Parasuicidal Events *****

COMPUTE lpctot = SUM(lpc05a,lpc05b,lpc05c,lpc06a,lpc06b,lpc06c,lpc07a,
lpc07b,lpc07c,lpc08a,lpc08b,lpc08c,lpc09a,lpc09b,lpc09c,lpc10a,lpc10b,
lpc10c,lpc11a,lpc11b,lpc11c,lpc12a,lpc12b,lpc12c,lpc13a,lpc13b,lpc13c,
lpc14a,lpc14b,lpc14c,lpc15a,lpc15b,lpc15c,lpc16a,lpc16b,lpc16c,lpc17a,
lpc17b,lpc17c,lpc18a,lpc18b,lpc18c).

EXECUTE.

***** Compute LPCNONS variable number of nonsuicidal parasuicidal events *****

COMPUTE lpcnons = SUM(lpc05c,lpc06c,lpc07c,lpc08c,lpc09c,lpc10c,lpc11c,lpc12c,
lpc13c,lpc14c,lpc15c,lpc16c,lpc17c,lpc18c).

EXECUTE.

***** Compute LPCSUI variable number of suicide attempts, high intent to die *****

COMPUTE lpcsuic = SUM(lpc05a,lpc06a,lpc07a,lpc08a,lpc09a,lpc10a,lpc11a,lpc12a,
lpc13a,lpc14a,lpc15a,lpc16a,lpc17a,lpc18a).

EXECUTE.

***** Compute LPCAMBI variable number of ambivalent suicide attempts *****

COMPUTE lpcambi = SUM(lpc05b,lpc06b,lpc07b,lpc08b,lpc09b,lpc10b,lpc11b,lpc12b,
lpc13b,lpc14b,lpc15b,lpc16b,lpc17b,lpc18b).

EXECUTE.

MISSING VALUES lpcsuic lpcambi (lo thru -1).

EXECUTE.

***** Compute LPCTOTSA variable Total Suicide Attempts *****

COMPUTE lpctotsa = lpcsuic+lpcambi.

EXECUTE.

MISSING VALUES lpcsuic lpcambi (lo thru -1).

EXECUTE.

***** Compute LPCOD variable number of total times drug Over Dose *****

COMPUTE lpcod = SUM(lpc06a,lpc06b,lpc06c).

EXECUTE.

MISSING VALUES lpc06a lpc06b lpc06c(lo thru -1).

EXECUTE.

*****IF (lpc16g=1).

IF (lpc16g=1) lpcod = SUM(lpc06a,lpc06b,lpc06c,lpc16a,lpc16b,lpc16c).

*****IF (lpc17g=1).

IF (lpc17g=1) lpcod = SUM(lpc06a,lpc06b,lpc06c,lpc17a,lpc17b,lpc17c).

*****IF (lpc18g=1).

IF (lpc18g=1) lpcod = SUM(lpc06a,lpc06b,lpc06c,lpc18a,lpc18b,lpc18c).

***** Compute LPCODSA variable number of times Over Dosed on drugs with clear or ambivalent suicide intent *****

COMPUTE lpcodsa = SUM(lpc06a,lpc06b).

EXECUTE.

*****IF (lpc16g=1).

IF (lpc16g=1) lpcodsa = SUM(lpc06a,lpc06b,lpc16a,lpc16b).

*****IF (lpc17g=1).

IF (lpc17g=1) lpcodsa = SUM(lpc06a,lpc06b,lpc17a,lpc17b).

*****IF (lpc18g=1).

IF (lpc18g=1) lpcodsa = SUM(lpc06a,lpc06b,lpc18a,lpc18b).

***** Compute LPCODNA variable number of times Over Dosed on drugs without suicide intent *****

COMPUTE lpcodna = lpc06a.

EXECUTE.

*****IF (lpc16g=1).

IF (lpc16g=1) lpcodna = SUM(lpc06c,lpc16c).

*****IF (lpc17g=1).

IF (lpc17g=1) lpcodna = SUM(lpc06c,lpc17c).

*****IF (lpc18g=1).

IF (lpc18g=1) lpcodna = SUM(lpc06c,lpc18c).

***** Compute LPCSM variable number of times cut, stabbed or burned self *****

COMPUTE lpcsm = SUM(lpc05a,lpc05b,lpc05c,lpc07a,lpc07b,lpc07c,lpc14a,lpc14b,lpc14c).

EXECUTE.

***** Compute LPCSMNA variable number of times cut, stabbed or burned self without intent to die *****

COMPUTE lpcsmna = SUM(lpc05c,lpc07c,lpc14c).

EXECUTE.

***** Compute LPCSMSA variable number of times cut, stabbed and burned self with clear or ambivalent intent to die *****

COMPUTE lpcsmsa = SUM(lpc05a,lpc05b,lpc07a,lpc07b,lpc14a,lpc14b).

EXECUTE.

****Recorded variables according to parasuicide categories****

***** Compute LPC801 variable number of alcohol parasuicide *****

COMPUTE lpc801=0.

EXECUTE.

***** IF lpc16g=1.

IF (lpc16g=1) lpc801=SUM(lpc16a,lpc16b,lpc16c).

***** IF lpc17g=1.

IF (lpc17g=1) lpc801=SUM(lpc17a,lpc17b,lpc17c).

***** IF lpc18g=1.

IF (lpc18g=1) lpc801=SUM(lpc18a,lpc18b,lpc18c).

***** Compute LPC802 variable number overdose!*****

COMPUTE lpc802 = SUM(lpc06a,lpc06b,lpc06c).

EXECUTE.

***** Compute LPC803 variable number poisoning*****

COMPUTE lpc803 = SUM(lpc11a,lpc11b,lpc11c).

EXECUTE.

***** Compute LPC804 variable number of burns*****

COMPUTE lpc804 = SUM(lpc07a,lpc07b,lpc07c).

EXECUTE.

***** Compute LPC805 variable number of cuts*****

COMPUTE lpc805 = SUM(lpc05a,lpc05b,lpc05c).

EXECUTE.

***** Compute LPC806 variable number of stabs*****

COMPUTE lpc806 = SUM(lpc14a,lpc14b,lpc14c).

EXECUTE.

***** Compute LPC807 variable gunshots*****

COMPUTE lpc807 = SUM(lpc10a,lpc10b,lpc10c).

EXECUTE.

***** Compute LPC808 variable hanging/strangling*****

COMPUTE lpc808 = SUM(lpc08a,lpc08b,lpc08c).

EXECUTE.

***** Compute LPC810 variable number of asphyxiations *****

COMPUTE lpc810 = SUM(lpc12a,lpc12b,lpc12c).
EXECUTE.

***** Compute LPC811 variable number of jumps*****

COMPUTE lpc811 = SUM(lpc09a,lpc09b,lpc09c).
EXECUTE.

***** Compute LPC812 variable number of drowning*****

COMPUTE lpc812 = SUM(lpc13a,lpc13b,lpc13c).
EXECUTE.

***** Compute LPC813 variable number of hit head/body*****

COMPUTE lpc813 = SUM(lpc15a,lpc15b,lpc15c).
EXECUTE.

MISSING VALUES lpc801 lpc802 lpc803 lpc804 lpc805 lpc806 lpc807 lpc808 lpc810 lpc811 lpc812 lpc813 lpcambi lpcgroup
lpcnany lpcnons lpcod lpcodna lpcodsa lpcpany lpcpany lpcsm lpcsmna lpcsmsa lpcsuic lpctot lpctotsa (Lo thru -1).
EXECUTE.

*****-----*****

*** GENERATE ALL VALUE LABELS FOR ALL THE VARIABLES .

*****-----*****

VALUE LABELS LPC01 lpcnany lpcpany lpcpany 0 'No' 1 'Yes' .
VALUE LABELS LPC02f LPC03f LPC04f 1 'Exact' 2 'Within two weeks' 3 'Within one month' 4 'No idea' 5 'Within 1 year' .
VALUE LABELS LPC02b LPC03b LPC04b LPC16g LPC17g LPC18g 0 'none' 1 'alcohol overdose' 2 'drug overdose' 3 'poison' 4
'burning' 5 'cut/scratch' 6 'stab/puncture' 7 'gun' 8 'hang/strangle' 9 'strangling' 10 'asphyxiation' 11 'jumping' 12 'drowning' 13
'head banging' 14 'other' 15 'stopped needed medical treatments or medications' 16 'motor vehicle crash' 17 'stepped into traffic'
18 'pulled off nails/skin' 19 'harmed a wound' 20 'pinching (with bruising)' 21 'hair-pulling (not trichotillomania)' 22 'starvation' 23
'stopped blood flow to extremities' 24 'animal bite' 25 'hit head/body' 26 'mixed method' .
VALUE LABELS LPC02c LPC03c LPC04c 0 'No' 1 'Yes' 2 'Ambivalent' .
VALUE LABELS LPC02d LPC03d LPC04d 0 'None' 1 'Doctor Visit' 2 'ER' 3 'Med Floor' 4 'ICU' .
VALUE LABELS LPC05f LPC06f LPC07f LPC08f LPC09f LPC10f LPC11f LPC12f LPC13f LPC14f LPC15f LPC17f LPC18f 1
'Very Low' 2 'Low' 3 'Moderate' 4 'High' 5 'Very High' 6 'Severe' .
EXECUTE.

*****-----*****

*** LABEL VARIABLES.

*****-----*****

VARIABLE LABELS lpc801 'no of alcohol paras'
lpc802 'no overdose'
lpc803 'no poisoning'
lpc804 'no burns'
lpc805 'no cuts'
lpc806 'no stabs'
lpc807 'no gunshots'
lpc808 'no hanging/strangle'
lpc810 'no asphyxiation'
lpc811 'no jumps'
lpc812 'no drown'
lpc813 'no hit head/body'
lpcambi 'ambivalent SA'
lpcgroup 'Parasuicide group, lifetime'
lpcnany 'Any non-suicidal self-injury'
lpcnons 'nonsuicidal para'
lpcod 'total times drug OD'
lpcodna 'no of times ODED on drugs without suicide intent'
lpcodsa 'no of times ODED on drugs with clear or ambivalent suicide...'
lpcsm 'no of times cut, stabbed or burned self'
lpcsmna 'no of times cut, stabbed or burned self without intent for...'
lpcsmsa 'no times cut, stabbed and burned self with clear or ambiva...'
lpcsuic 'no of suicide attempts, high intent'
lpctot 'no para events'
lpctotsa 'Total Suicide Attempts' .
EXECUTE.

VARIABLE LABELS LPC01 'Ever intentionally harmed self'
LPC01a 'Most recent time attempted suicide'
LPC08e4 'Times self-strangulation required ICU'

LPC08f 'Highest degree of lethality'
LPC08tot 'Total times self-strangulation'
LPC09a 'Times jumped intending suicide'
LPC09b 'Times jumped ambivalent'
LPC09c 'Times jumped not intending suicide'
LPC09d 'Times jumped required medical treatment'
LPC09e1 'Times jumped required nurse visit'
LPC09e2 'Times jumped required ER'
LPC09e3 'Times jumped required med floor'
LPC09e4 'Times jumped required ICU'
LPC09f 'Highest degree of lethality'
LPC09tot 'Total times jumped from high'
LPC10a 'Times shot self intending suicide'
LPC10b 'Times shot self ambivalent'
LPC10c 'Times shot self not intending suicide'
LPC10d 'Times shot self required medical treatment'
LPC10e1 'Times shot self required nurse visit'
LPC10e2 'Times shot required ER'
LPC10e3 'Times shot self required med floor'
LPC10e4 'Times shot self required ICU'
LPC10f 'Highest degree of lethality'
LPC10tot 'Total times shot self'
LPC11a 'Times self-poison intending suicide'
LPC11b 'Times self-poison ambivalent'
LPC11c 'Times self-poison not intending suicide'
LPC11d 'Times self-poison required medical treatment'
LPC11e1 'Times self-poison required nurse visit'
LPC11e2 'Times self-poison required ER'
LPC11e3 'Times self-poison required med floor'
LPC11e4 'Times self-poison required ICU'
LPC11f 'Highest degree of lethality'
LPC11tot 'Total times attempt self-poison'
LPC12a 'Times smother self intending suicide'
LPC12b 'Times smother self ambivalent'
LPC12c 'Times smother self not intending suicide'
LPC12d 'Times smother self required medical treatment'
LPC12e1 'Times smother required nurse visit'
LPC12e2 'Times smother required ER'
LPC12e3 'Times smother required med floor'
LPC12e4 'Times smother required ICU'
LPC12f 'Highest degree of lethality'
LPC12tot 'Total times attempt smother self'
LPC13a 'Times drown self intending suicide'
LPC13b 'Times drown self ambivalent'
LPC13c 'Times drown self not intending suicide'
LPC13d 'Times drown self required medical treatment'
LPC13e1 'Times drown self required nurse visit'
LPC13e2 'Times drown self required ER'
LPC13e3 'Times drown self required med floor'
LPC13e4 'Times drown self required ICU'
LPC13f 'Highest degree of lethality'
LPC13tot 'Total times attempt drown self'
LPC14a 'Times stab self intending suicide'
LPC14b 'Times stab self ambivalent'
LPC14c 'Times stab self not intending suicide'
LPC14d 'Times stab self required medical treatment'
LPC14e1 'Times stab self required nurse visit'
LPC14e2 'Times stab self required ER'
LPC14e3 'Times stab self required med floor'
LPC14e4 'Times stab self required ICU'
LPC14f 'Highest degree of lethality'
LPC14tot 'Total times attempt stab self'
LPC15a 'Times hit self intending suicide'
LPC15b 'Times hit self ambivalent'
LPC15c 'Times hit self not intending suicide'
LPC15d 'Times hit self required medical treatment'
LPC15e1 'Times hit self required nurse visit'
LPC15e2 'Times hit self required ER'
LPC15e3 'Times hit self required med floor'

LPC15e4 'Times hit self required ICU'
LPC15f 'Highest degree of lethality'
LPC15tot 'Total times attempt hit self'
LPC16a 'Times other method intending suicide'
LPC16b 'Times other method ambivalent'
LPC16c 'Times other method not intending suicide'
LPC16d 'Times other method required medical treatment'
LPC16e1 'Times other method required nurse visit'
LPC16e2 'Times other method required ER'
LPC16e3 'Times other method required med floor'
LPC16e4 'Times other method required ICU'
LPC16f 'Highest degree of lethality'
LPC16g 'Other 1st method'
LPC16tot 'Total times attempt other method'
LPC17a 'Times other method intending suicide'
LPC17b 'Times other method ambivalent'
LPC17c 'Times other method not intending suicide'
LPC17d 'Times other method required medical treatment'
LPC17e1 'Times other method required nurse visit'
LPC17e2 'Times other method required ER'
LPC17e3 'Times other method required med floor'
LPC17e4 'Times other method required ICU'
LPC17f 'Highest degree of lethality'
LPC17g 'Other 2nd method'
LPC17tot 'Total times attempt other method'
LPC18a 'Times other method intending suicide'
LPC18b 'Times other method ambivalent'
LPC18c 'Times other method not intending suicide'
LPC18d 'Times other method required medical treatment'
LPC18e1 'Times other method required nurse visit'
LPC18e2 'Times other method required ER'
LPC18e3 'Times other method required med floor'
LPC18e4 'Times other method required ICU'
LPC18f 'Highest degree of lethality'
LPC18g 'Other 3rd method'
LPC18tot 'Total times attempt other method'
LPC19a 'How many non-suicidal self harms in past year'
LPC19b 'Dates and methods of non-suicidal self harm'
LPC20a 'How many suicidal self harms in past year'
LPC20b 'Dates and methods of suicidal self harm'
LPC02a 'First time intentionally harmed self'
LPC02b 'What did you do'
LPC02c 'Did you intend to die'
LPC02d 'Receive medical treatment'
LPC02e 'Comments'
LPC02f 'How accurate is this date'
LPC03a 'Most recent time harmed self'
LPC03b 'What did you do'
LPC03c 'Did you intend to die'
LPC03d 'Receive medical treatment'
LPC03e 'Comments'
LPC03f 'How accurate is this date'
LPC04a 'When most severely harmed self'
LPC04b 'What did you do'
LPC04c 'Did you intend to die'
LPC04d 'Receive medical treatment'
LPC04e 'Comments'
LPC04f 'How accurate is this date'
LPC05a 'Times cut self intending suicide'
LPC05b 'Times cut self ambivalent'
LPC05c 'Times cut self not intending suicide'
LPC05d 'Times received treatment for cutting self'
LPC05e1 'Times cut self required nurse visit'
LPC05e2 'Times cut self required ER'
LPC05e3 'Times cut self required med floor'
LPC05e4 'Times cut self required ICU'
LPC05f 'Highest degree of lethality'
LPC05tot 'Total times cut self intentionally'
LPC06a 'Times drug OD intending suicide'

LPC06b 'Times drug OD ambivalent'
LPC06c 'Times drug OD not intending suicide'
LPC06d 'Times drug OD received medical treatment'
LPC06e1 'Times drug OD required nurse visit'
LPC06e2 'Times drug OD required ER visit'
LPC06e3 'Times drug OD required med floor'
LPC06e4 'Times drug OD required ICU'
LPC06f 'Highest degree of lethality'
LPC06tot 'Total times drug OD intentionally'
LPC07a 'Times burned self intending suicide'
LPC07b 'Times burned self ambivalent'
LPC07c 'Times burned self not intending suicide'
LPC07d 'Times received medical treatemnt for burning self'
LPC07e1 'Times burned self required nurse visit'
LPC07e2 'Times burned self required ER'
LPC07e3 'Times burned self required med floor'
LPC07e4 'Times burned self required ICU'
LPC07f 'Highest degree of lethality'
LPC07tot 'Total times burned self intentionally'
LPC08a 'Times self-strangulation intending suicide'
LPC08b 'Times self-strangulation ambivalent'
LPC08c 'Times self-strangulation not intending suicide'
LPC08d 'Times received medical treatment for self-strangulation'
LPC08e1 'Times self-strangulation required nurse visit'
LPC08e2 'Times self-strangulation required ER'
LPC08e3 'Times self-strangulation required med floor' .