

Child and Teen Standardized Measures

| What it's called | Who Completes it | What it measures | Who it's for | What does the score mean? |
|--|--|--|--|--|
| Child Behavior Checklist (CBCL) Parent Version Teacher Version Youth Self-Report Version (ages 11-18) completed by the youth.) | Parent, teacher, youth | Internalizing and Externalizing symptoms. | Parent and Teacher versions are each for ages 1.5 to 5 and for ages 6 to 18. | See scoring sheet for clinical range for each category. |
| Child Sexual Behavior Inventory | Parent | Sexualized behaviors | Ages 2 to 12 | See scoring sheet for indications of clinically concerning levels of sexual behaviors. |
| Eyeberg Child Behavior inventory (also the SESBI is the version completed by teachers) | Parent | Behavior problems. One scale notes number of problem behaviors. Other scale notes intensity of behavior problems | Ages 2 to 16 | See score sheet for clinical levels. |
| Gaine SS | | | | |
| Moods and Feelings Questionnaire (MFQ) | Child/youth | Depression | Children ages 8 to 18 | Clinical cutoff 11; higher score more depressive |
| Trauma Checklist | Parent version and a youth & child version | Exposure to traumatic events and PTSD symptoms | Youth version Ages 7 through 18. Parent version – all ages. | Score of 12+ is clinically significant; to meet diagnostic criteria, must have at least 1 from the intrusive symptoms, 3 items from the avoidant symptoms and 2 items from the hyper-arousal symptoms. |

| | | | | |
|---|----------------------------------|----------------------------|------------------|-------------------|
| Vanderbilt Assessment Scales (parent version & teacher version) | Parents and teacher | Attention Deficit Disorder | Children & Teens | See Scoring sheet |
| Washington State Consumer Outcome Survey Report | Youth version and parent version | Problem severity. | Ages 5 to 18 | See scoring sheet |

| What it's called | Who Completes it | What it measures | Who it's for | What does the score mean? |
|---|-------------------------|---|--------------------------|-------------------------------------|
| | | | | |
| Trauma Symptom Checklist for Children (and "A" version) | Youth | Anxiety related symptoms for children and youth who have an identified trauma | Ages 8-16 | See scoring |
| Parental Stress Index | Parent | Measures parental stress | Ages 1 month to 12 years | See score sheet for clinical levels |