

Washington State Death with Dignity Act Fact Sheet for Providers

Prepared by Helene Starks, PhD MPH (tigiba@u.washington.edu)
Assistant Professor, University of Washington Department of Bioethics & Humanities

Voter Turnout in 2008: Statewide 84.6% (3,071,587 ballots / 3,630,118 registered voters)

Total votes cast for I-1000: 96.6% (2,966,474 votes / 3,071,587 ballots)

Yes: 57.8% (1,715,219 votes)

No: 42.2% (1,251,255 votes)

Effective Start Date: March 5, 2009 (120 days after the measure passed)

Patient Eligibility (Section 2 & 15)

- Washington State resident (driver's license, voter registration card, owns/leases property)
- Competent (able to make and communicate an informed decision to health care providers, including communication through persons familiar with the patient's manner of communicating if those persons are available)
- Terminally ill (incurable, irreversible disease expected to cause death within six months, as determined by the attending physician and a consulting physician)
- Age 18 and older
- Able to voluntarily express his or her wish to die

- An informed decision is defined in Section 1(7) as "an appreciation of the relevant facts and after being fully informed by the attending physician of:
 - (a) His or her medical diagnosis;
 - (b) His or her prognosis;
 - (c) The potential risks associated with taking the medication to be prescribed;
 - (d) The probable result of taking the medication to be prescribed; and
 - (e) The feasible alternatives including, but not limited to, comfort care, hospice care, and pain control."

Attending physician duties (Section 4)

- Have primary responsibility for the care of the patient and treatment of the patient's terminal disease
- Evaluate and determine that the patient has a terminal disease, is competent, is making a voluntary request, over age 18 and a resident of Washington state
- Evaluate request to assess reasons and explore and recommend alternatives (i.e., palliative care, hospice, pain and symptom management, psychosocial counseling)
- Refer to a consulting physician for medical confirmation of the diagnosis, competency and voluntariness of the request
- Refer to a counselor if concerned about patient suffering from a psychiatric or psychological disorder or depression causing impaired judgment
- Recommend informing next-of-kin, having someone attend the event, not doing it in public
- Advise patients of their right to rescind request at any time; reiterate at the time of writing the prescription (Section 10)

Consulting physician duties (Section 5)

- Examine the patient and his or her relevant medical records and confirm, in writing, the patient's prognosis, competency, and that the choice is informed and voluntary

Protections (Section 19)

- No civil or criminal liability or neglect for providers acting in good faith, including being present when patient takes the medication
- No censure, discipline, loss of license, privileges, or membership, or other penalties to members of professional organizations for either participating or not participating

Washington State Death with Dignity Act Fact Sheet for Providers

Medical records documentation requirements (Section 12)

- All oral requests by a patient for medication
- All written requests by a patient for medication
- The attending physician's diagnosis and prognosis, and determination that the patient is competent, is acting voluntarily, and has made an informed decision;
- The consulting physician's diagnosis and prognosis, and verification that the patient is competent, is acting voluntarily, and has made an informed decision;
- A report of the outcome and determinations made during counseling, if performed;
- The attending physician's offer to the patient to rescind his or her request at the time of the patient's second oral request
- A note by the attending physician indicating that all requirements have been met, including the steps taken to carry out the request and a notation of the medication(s) prescribed

Reporting requirements (Exact rules have not yet been specified as of 12/6/08):

- File a copy of the dispensing record to DOH within 30 days (Section 15(1b))
- Health care providers that prescribe or dispense lethal medication under the measure would be required to file a report with the Department of Health (Section 15: specific elements to be determined by Rules). Information collected by the Department of Health would not be public
- On the death certificate, list the underlying terminal disease as the cause of death (Section 4(2))
- The Department of Health is required to annually produce a public statistical report of collected information

Opting out (Section 19, subsections 1(d), 2(a))

- Providers may opt out because they are unable or unwilling to participate
- Not required to refer but must transfer relevant medical records at the patient's request, to the new provider of choice
- Can continue to provide other patient services, including evaluating requests, making referrals, and providing information about alternatives, while abstaining from participation in fulfilling the specific requests for medications and related duties
- An institution may prohibit its employees from participating in the act but must provide written notice to the employees and the general public regarding its policy. The policy allows providers to give all other services (as described above) while abstaining from participation in fulfilling the request
 - Providers who are employed by institutions prohibiting participation may contract with a patient and provide services as an independent contractor. It is not clear, however, how they would do they would need to do to establish their independence (i.e., work off hours and off location, use a prescription pad without an institutional affiliation, bill independently (or not at all, etc.)

Requirements for the Request Process (Sections 3, 9, 11, & 22)

- Make an oral and written request (which follows the form in Section 22)
- Minimum of a 15 day waiting period, then make a second oral request
- Minimum of a 48 hour waiting period between when patient signs the written request and when the prescription can be written
- Written request must be witnessed by 2 people, one of whom cannot be:
 - A relative (by blood, marriage or adoption)
 - Entitled to any part of the patient's estate
 - An employee of the health care facility where the patient is a resident.
 - The patient's attending physician
 - In long-term care setting, one witness shall be designated by the facility who meets the criteria established by the DOH (Section 3; criteria to be determined in Rules).

Recommended Medications

- Seconal or Phenobarbital

Resources

Washington State Dept. of Health: <http://www.doh.wa.gov/dwda/>

OHSU Guidebook for Health Care Providers: <http://www.ohsu.edu/ethics/guidebook.pdf>

Compassion & Choices of Washington: <http://www.candcofwa.org/>

Euthanasia ProCon.org (for detailed arguments and definitions): <http://euthanasia.procon.org/>

Washington State Hospital Association: <http://www.wsha.org/page.cfm?id=webcasts>

Washington State Death with Dignity Act Selected References for Further Reading

- Back AL, Wallace JI, Starks HE, Pearlman RA. Physician-assisted suicide and euthanasia in Washington State. Patient requests and physician responses. *JAMA*. 1996;275(12):919-925.
<http://www.ncbi.nlm.nih.gov/pubmed/8598619>
- Back AL, Starks H, Hsu C, Gordon JR, Bharucha A, Pearlman RA. Clinician-patient interactions about requests for physician-assisted suicide: a patient and family view. *Arch Intern Med*. 2002;162(11):1257-1265. <http://www.ncbi.nlm.nih.gov/sites/entrez/12038944>
- Battin MP, van der Heide A, Ganzini L, van der Wal G, Onwuteaka-Philipsen BD. Legal physician-assisted dying in Oregon and the Netherlands: evidence concerning the impact on patients in "vulnerable" groups. *J Med Ethics*. 2007;33(10):591-7.
<http://www.ncbi.nlm.nih.gov/sites/entrez/17906058>
- Bharucha A, Pearlman RA, Back AL, Gordon JR, Starks H, Hsu C. The pursuit of physician-assisted suicide: Role of psychiatric factors. *J Palliat Med*. 2003;6(6):873-883.
<http://www.ncbi.nlm.nih.gov/sites/entrez/14733679>
- Cohen JS, Fihn SD, Boyko EJ, Jonsen AR, Wood RW. Attitudes toward assisted suicide and euthanasia among physicians in Washington State. *N Engl J Med*. Jul 14 1994;331(2):89-94.
<http://www.ncbi.nlm.nih.gov/sites/entrez/8208272>
- Chochinov HM, Hack T, Hassard T, Kristjanson LJ, McClement S, Harlos M. Dignity therapy: A novel psychotherapeutic intervention for patients near the end of life. *J Clin Oncol*. 2005;23(24):5520-5.
<http://www.ncbi.nlm.nih.gov/sites/entrez/16110012>
- Chochinov HM, Cann BJ. Interventions to enhance the spiritual aspects of dying. *J Palliat Med*. 2005;8 Suppl 1:S103-15. <http://www.ncbi.nlm.nih.gov/sites/entrez/16499458>
- Chochinov HM, Hassard T, McClement S, Hack T, Kristjanson LJ, Harlos M, Sinclair S, Murray A. The patient dignity inventory: A novel way of measuring dignity-related distress in palliative care. *J Pain Symptom Manage*. 2008;36(6):559-71. <http://www.ncbi.nlm.nih.gov/sites/entrez/18579340>
- Dobscha SK, Heintz RT, Press N, Ganzini L. Oregon physicians' responses to requests for assisted suicide: A qualitative study. *J Palliative Med*. 2004;7(3):451-461.
<http://www.ncbi.nlm.nih.gov/sites/entrez/15265355>
- Ganzini L, Nelson HD, Schmidt TA, Kraemer DF, Delorit MA, Lee MA. Physicians' experiences with the Oregon Death with Dignity Act. *N Engl J Med*. 2000;342(8):557-563.
<http://www.ncbi.nlm.nih.gov/sites/entrez/10684915>
- Ganzini L, Nelson HD, Lee MA, Kraemer DF, Schmidt TA, Delorit MA. Oregon physicians' attitudes about and experiences with end-of-life care since passage of the Oregon Death with Dignity Act. *JAMA*. 2001;285(18):2363-2369. <http://www.ncbi.nlm.nih.gov/sites/entrez/11343484>
- Ganzini L, Dobscha SK, Heintz RT, Press N. Oregon physicians' perceptions of patients who request assisted suicide and their families. *J Palliat Med*. 2003;6(3):381-390.
<http://www.ncbi.nlm.nih.gov/sites/entrez/14509483>
- Ganzini L, Goy ER, Dobscha SK. Prevalence of depression and anxiety in patients requesting physicians' aid in dying: Cross sectional survey. *BMJ*. 2008;337:a1682.
<http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=2562435&blobtype=pdf>
- Kohlwes RJ, Koepsell TD, Rhodes LA, Pearlman RA. Physicians' responses to patients' requests for physician-assisted suicide. *Arch Intern Med* 2001;161:657-663.
<http://www.ncbi.nlm.nih.gov/sites/entrez/11231697>
- Meier DE, Emmons CA, Wallenstein S, Quill T, Morrison RS, Cassel CK. A national survey of physician-assisted suicide and euthanasia in the United States. *N Engl J Med*. 1998;338(17):1193-1201.
<http://www.ncbi.nlm.nih.gov/sites/entrez/9554861>
- Meier DE, Emmons CA, Litke A, Wallenstein S, Morrison RS. Characteristics of patients requesting and receiving physician-assisted death. *Arch Intern Med*. 2003;163:1537-1542.
<http://www.ncbi.nlm.nih.gov/sites/entrez/12860575>
- Pearlman RA, Hsu C, Starks H, Back AL, Gordon JR, Bharucha AJ, Koenig BA, Battin MP. Motivations for physician-assisted suicide: Patient and family voices. *J Gen Intern Med*. 2005;20(3):234-239.
<http://www.pubmedcentral.nih.gov/picrender.fcgi?artid=1490083&blobtype=pdf>

Washington State Death with Dignity Act Selected References for Further Reading

- Quill TE, Meier DE, Block SD, Billings JA. The debate over physician-assisted suicide: Empirical data and convergent views. *Ann Intern Med.* 1998;128(7):552-558.
<http://www.ncbi.nlm.nih.gov/sites/entrez/9518400>
- Quill T, Arnold RM. Evaluating requests for hastened death. Fast Fact #156. *J Palliat Med.* 2008;11(8):1151-52. <http://www.ncbi.nlm.nih.gov/sites/entrez/18980457>
- Quill T, Arnold RM. Responding to a request for hastening death. Fast Fact #159. *J Palliat Med.* 2008;11(8):1152-53. <http://www.ncbi.nlm.nih.gov/sites/entrez/18980458>
- Starks H, Pearlman RA, Hsu C, Back AL, Gordon JR, Bharucha AJ. Why now? Timing and circumstances of hastened deaths. *J Pain Symptom Manage.* 2005;30(3):215-226.
<http://www.ncbi.nlm.nih.gov/sites/entrez/16183005>
- Starks H, Back AL, Pearlman RA, Koenig BA, Hsu C, Gordon JR, Bharucha AJ. Family member involvement in hastened death. *Death Stud.* Feb 2007;31(2):105-130.
<http://www.ncbi.nlm.nih.gov/sites/entrez/17410692>
- Thompson GN, Chochinov HM. Dignity-based approaches in the care of terminally ill patients. *Curr Opin Support Palliat Care.* 2008;2(1):49-53. <http://www.ncbi.nlm.nih.gov/sites/entrez/18685395>